


**EXHIBIT DATA**


<b>EXISTING LAND USE:</b>	RGC	SF	ACRES
<b>EXISTING ZONING:</b>	PUD	803,950.00	18.46
<b>TOTAL SITE AREA</b>		<b>REQUIRED</b>	<b>PROVIDED</b>
<b>MAXIMUM BUILDING HEIGHT</b>		75'-0"	30'-0"
<b>DENSITY</b>		<b>REQUIRED</b>	<b>PROVIDED</b>
		N/A	11.92
<b>BUILDING COVERAGE</b>	<b>BUILDING SF</b>	<b>BUILDING AC SF</b>	<b>BUILDING FOOTPRINT SF</b>
8 - UNIT TOWNHOME BUILDING (13 BUILDINGS, 104 UNITS, 2 STORY, 30')	15,530	13,444	7,872
6 - UNIT TOWNHOME BUILDING (13 BUILDINGS, 78 UNITS, 2 STORY, 30')	11,728	10,176	5,962
5 - UNIT TOWNHOME BUILDING UNIT (6 BUILDINGS, 30 UNITS, 2 STORY, 30')	9,824	8,545	4,988
4 - UNIT TOWNHOME BUILDING UNIT (2 BUILDINGS, 8 UNITS, 2 STORY, 23' 11")	7,920	6,910	4,016
<b>TOTAL</b>	<b>45,002</b>	<b>39,075</b>	<b>22,838</b>
<b>LOT SIZE PER PUD</b>	<b>REQUIRED</b>	<b>PROVIDED</b>	
MINIMUM LOT SIZE PER APPROVED POD G PUD IS 80' X 16'	1,280 SF	1,800 SF (90' X 20' TYPICAL)	
<b>PERVIOUS/IMPERVIOUS CALCULATIONS</b>	<b>ACRES</b>	<b>SQUARE FEET</b>	<b>PERCENT</b>
<b>PERVIOUS</b>	8.51	370,803.00	46.12%
OPEN SPACE			
SUB-TOTAL	8.51	370,803.00	46.12%
<b>IMPERVIOUS</b>			
SIDEWALKS, DRIVEWAYS	1.16	50,600.00	6.29%
ROADWAY	1.94	84,390.00	10.50%
LAKE COVERAGE	1.84	80,355.00	10.00%
BUILDING COVERAGE (13 X 7,872 + 13 X 5,962 + 6 X 4,988 + 2 X 4,016)	5.00	217,802.00	27.09%
SUB-TOTAL	8.10	433,147.00	53.88%
<b>TOTAL</b>	<b>16.61</b>	<b>803,950.00</b>	<b>100%</b>
<b>PARKING CALCULATIONS</b>	<b>REQUIRED</b>	<b>PROVIDED</b>	
TOWNHOME PARKING (2 PER 1 UNIT REQUIRED: 2X220= 440)	440	440 SPACES	
ON-STREET PARKING	0	7	
<b>TOTAL</b>	<b>440</b>	<b>447</b>	
<b>RECREATION OPEN SPACE</b>	<b>REQUIRED</b>	<b>PROVIDED</b>	
500 SF OF RECREATION OPEN SPACE PER DWELLING UNIT (220 UNITS)	2.5 AC	10 AC	
*POD G CENTRAL PARK COUNTED AS REC SPACE AS PART OF APPROVED PUD*			
<b>BUILDING SETBACKS</b>	<b>REQUIRED PER PUD</b>	<b>PROVIDED PER PUD</b>	
FRONT SETBACK (FRONT LOADED)	20'	20'	
REAR SETBACK (CORNER LOT)	10'	15'	
REAR SETBACK (INTERNAL LOT)	10'	10'	
MINIMUM BUILDING-TO-BUILDING SETBACK	10'	10'	
SIDE SETBACK	5'	5'	
SIDE SETBACK (CORNER LOT)	10'	15'	

**KEY MAP**



PSLUSD #11-652-36J  
 PSL PROJ# P22-232  
**POD G POD 2**

**TOWNHOME EXHIBIT  
 PER SUBDIVISION PLAT**



Scale: 1" = 60'-0"

North


**Note:**  
 HARDSCAPE MATERIALS,  
 DRIVEWAYS, ROADS, AND  
 SIDEWALKS MAY CONSIST OF  
 PAVERS, CONCRETE, OR ASPHALT.

**Cotleur & Hearing**  
 Landscape Architects  
 Land Planners  
 Environmental Consultants  
 1934 Commerce Lane  
 Suite 1  
 Jupiter, Florida 33458  
 561.747.6336 Fax 747.1377  
 www.cotleurhearing.com  
 Lic# LC-C000239


**VERANO SOUTH POD G**  
 Koiter Homes  
 Port St. Lucie, Florida

DESIGNED	LAH
DRAWN	LAH
APPROVED	DTS
JOB NUMBER	18-1003.03
DATE	02-14-23
REVISIONS	

**TYPICAL G2 TOWNHOME LAYOUT**  
(PER APPROVED PUD STANDARDS)



**APPROVED PUD TYPICAL TOWNHOME LAYOUT**




- NOTES:
1. ACCESSORY SETBACK IS 3' MIN. OR 0' IF ADJACENT TO OPEN SPACE OR LAKE.
  2. IF NO GARAGE IS PROVIDED, THE SETBACK SHALL BE 20'.
  3. IF A GARAGE IS PROVIDED, THE SETBACK SHALL BE 5'.
  4. 10' MIN. SETBACK BETWEEN BUILDINGS.
  5. THE MINIMUM WIDTH OF THE DRIVEWAY IS 9'.
  6. MINIMUM LOT AREA IS 1,280 SF.
  7. IF ADJACENT TO AN OPEN SPACE TRACT 15' IN WIDTH OR GREATER, THE CORNER LOT SETBACK CAN BE REDUCED TO 5'.
  8. WHEN NOT ADJACENT TO AN OPEN SPACE TRACT, SIDE SETBACK SHALL BE A MINIMUM OF 15' ON STREET SIDE.

**APPROVED PUD SETBACK TABLE**

Table 1. DEVELOPMENT USES AND STANDARDS						
DEVELOPMENT STANDARD	SINGLE-FAMILY	TOWNHOMES	VILLAS	MODEL HOMES	NON-RESIDENTIAL	RV STORAGE
<b>PRIMARY STRUCTURE</b>						
Minimum Lot Width	40'	20' 16'	25'	25'	-	-
Minimum Lot Depth	120'	100' 80'	100'	120'	-	-
Maximum Lot Depth	None	None	None	None	-	-
Maximum Building Lot Coverage	60%	70%	60%	60%	80%	80%
Maximum Impervious Lot Coverage	75%	80%	75%	75%	80%	80%
Minimum Open Space	25%	20%	25%	25%	20%	20%
Minimum Front Setback (Front Loaded)	20' Garage	20' Garage	20' Garage	20' Garage	-	-
Minimum Front Setback (Non-garage)	15'	15'	15'	15'	-	-
Minimum Front Setback (Side Loaded)	15'	-	-	15'	-	-
Minimum Front Setback (Rear Loaded)	13'	13'	-	13'	-	-
Minimum Side Setback (Internal Lot) (May be 0' on a zero-lot-line provided that minimum building separation of 10' is maintained between units, 4'-building-separation-for-Townhome)	5'			5'	-	-
Minimum Side Setback (Side-Entry)		5'	5'			
Minimum Side Setback (Front-Entry)		5'	5'			
Minimum Side Setback (Corner Lot)	15'	10'	15'	15'	-	-
If adjacent to open space tract 15' in width or greater	5'	5'	5'	5'	-	-
Minimum Rear Setback (Corner Lot)	10'	10'	10'	10'		
Minimum Rear Setback (Internal Lot)	10'	10'	10'	10'		
Minimum Rear Setback (Rear Loaded with garage)	5'	5'	5'	5'	-	-
Minimum Rear Setback (Rear loaded without garage)	20'	20'	20'	20'	-	-
<b>ACCESSORY STRUCTURES</b>						
Minimum Rear Setback (Non-Rear Loaded)	3'	3'	3'	3'	-	-
If adjacent to open space or common area tract 50' or wider	0'	0'	0'	0'	-	-
Minimum Rear Setback (Rear Loaded)	5'	5'	0' 3'	0' 3'	-	-
Minimum Side Setback (Internal Lot)	2' (2' from property line)	2'	2'	3'	-	-
Minimum Side Setback (Corner Lot)	15'	15'	15' 15'	15' 15'	-	-

PSLUSD #11-652-36J  
PSL PROJ# P22-232  
**POD G POD 2**  
**TOWNHOME EXHIBIT**  
**PER SUBDIVISION PLAT**



Scale: 1" = 60'-0"

North



**Cotleur & Hearing**

Landscape Architects  
Land Planners  
Environmental Consultants

1934 Commerce Lane  
Suite 1  
Jupiter, Florida 33458  
561.747.6336 • Fax 747.1377  
www.cotleurhearing.com  
Lic# LC-C000239

**VERANO SOUTH POD G**

Kolter Homes  
Port St. Lucie, Florida

DESIGNED LAH  
DRAWN LAH  
APPROVED DTS  
JOB NUMBER 18-1003.03  
DATE 02-14-23  
REVISIONS