### Symbols Legend

D.E. DRAINAGE EASEMENT
L.M.E. LAKE MAINTENANCE EASEMENT
L.M.A.E. LAKE MAINTENANCE ACCESS EASEMENT
R.O.W. RIGHT OF WAY

U.E.-R.A. UTILITY EASEMENT - RESTRICTED AREA (SEE "U.E." PLAT DEDICATION)

STM STORM SEWER LINE WITH MANHOLE
STORM SEWER LINE WITH CATCH BASIN

STORM SEWER LINE WITH MANHOLE
STORM SEWER LINE WITH CATCH BASIN
SAN
SANITARY SEWER LINE WITH MANHOLE
WM WATER MAIN

UTILITY EASEMENT

WATER SVC. TO LOT WITH METER W.M.

SANITARY SVC. TO LOT WITH CLEANOUT

PSLUD Notes:

LANDSCAPE PLANS SHALL BE SUBMITTED FOR THE PROJECT INDICATING THE LOCATION OF LANDSCAPE AREAS, PERIMETER WALLS, FOUNDATIONS, BERMS, TREE WELLS, FENCES, GATES, SIGNS, DECORATIVE ROCKS, SCULPTURE, FOUNTAINS, AND ANY OTHER FEATURES THAT MAY INFLUENCE THE LOCATION OF WATER / WASTEWATER / RECLAIMED WATER FACILITIES: ALSO, EXISTING AND PROPOSED WATER / WASTEWATER / RECLAIMED FACILITIES, AND RIGHT-OF-WAY, LOT LINES AND ALL EASEMENT INFORMATION, SHOWING OFFICIAL RECORD BOOK AND PAGE NUMBER SHALL BE INCLUDED. THE PLANS SHALL INCLUDE AND CONFIRM TO THE FOLLOWING STANDARD NOTES:

OVERHANG EASEMENT

LANDSCAPE EASEMENT

DRAINAGE SWALE EASEMENT

GRADING EASEMENT

PORT ST LUCIE

OPEN SPACE SIGN

LOT NUMBER

G.E.

a.) ALL LANDSCAPING WITHIN PSLUSD UTILITY EASEMENTS AND WITHIN 10° OF PSLUSD INFRASTRUCTURE SHALL COMPLY WITH CHAPTER 154 OF THE CITY'S CODE OF ORDINANCES AND PSLUSD UTILITY STANDARDS.

b.) NO LANDSCAPING SHALL BE PLANTED IN SUCH A MANNER AS TO ADVERSELY AFFECT UTILITY INSTALLATION, OPERATION, OR MAINTENANCE.


C.) NO LANDSCAPING OTHER THAN SOD GRASSES MAY BE PLANTED WITHIN A 5' RADIUS MAINTENANCE AREA OF ANY PSLUSD APPURTENANCE SUCH AS WATER METERS, BACKFLOW DEVICES, FIRE HYDRANTS, SANITARY SEWER CLEANOUTS, MANHOLES, AIR RELEASE VALVES, ETC.
WITH THE EXCEPTION OF FOXTAIL PALMS, TREES SHALL NOT BE PLANTED WITHIN 10' OF ANY PSLUSD INFRASTRUCTURE. AS SPECIFICALLY APPROYED BY THE PSLUSD, FOXTAIL PALMS MAY BE A DISTANCE NOT LESS THAN SEVEN (1') FEET OF ANY PSLUSD INFRASTRUCTURE. ALL MEASUREMENTS ARE FROM OUTSIDE TO OUTSIDE, NOT CENTERLINE TO CENTERLINE. EXAMPLE:

- TREES SHALL NOT BE PLANTED WITHIN TEN (10) FEET OF ANY PSLUSD MAINS OR APPURTENANCES (UNLESS OTHERWISE

UTILITY & DRAINAGE EASEMENTS TO REMAIN CLEAR OF TREES UNLESS OTHERWISE APPROVED BY THE EASEMENT HOLDER

### Planting Details

Tree Planting




\* SEE SPECIFICATIONS FOR BACKFILL MIXTURE AND FERTILIZATION

\* BRACING - SPECIAL SITE CONDITIONS MAY REQUIRE MODIFICATION TO BRACING TECHINQUE.

LANDSCAPE CONTRACTOR WILL ADEQUATELY BRACE (OR WIRE) ALL TREES TO PREVENT EXCESSIVE MOVEMENT & MAINTAIN A VERTICAL POSITION.

# RIVERLAND - PARCEL 'B'


(RIVERLAND MPUD)
LANDSCAPE PLANS
PLAT TWO



LOCATION MAP


N.T.S.

SEC.17/20 TWP. 37S RGE. 39E



### Sheet Index

P2-1 Cover Sheet, Index, General Notes, and Planting Details
P2-2 thru P2-5 Plat Two Landscape Plans



# Plant Specifications

SPECIES AND SIZE shall conform to those indicated on the drawings. Nomenclature shall conform to STANDARDIZED PLANT NAMES, current edition. All nursery stock shall be in accordance with Florida Grades and Standards for Nursery Plants, latest edition published by the Florida Department of Agriculture and Consumer Services. All plants not otherwise specified as being Florida Fancy or Specimen, shall be Florida Grade Number I or better as determined by the Florida Division of Plant Industry. Specimen means an exceptionally heavy, symmetrical, tightly knit plant, so trained or favored in its development that first appearance is unquestionable and outstandingly superior in form, number of branches, compactness and symmetry.

#### GENERAL REQUIREMENTS

All plants shall be freshly dug, sound, healthy, vigorous, well branched, and free of disease and insect eggs and larvae, and shall have adequate root systems. Trees for planting rows shall be uniform in size and shape. All materials shall be subject to approval by the Landscape Architect. Where any requirements are omitted from the plant list, the plants furnished shall be normal for the variety. Plants shall be pruned prior to delivery only upon the approval of the Landscape Architect.

#### CONTAINER GROWN STOCK

All container grown material shall be healthy, vigorous, well rooted plants, and established in the container in which they are sold. The plants shall have tops which are good quality and in a healthy growing condition. An established container grown plant shall be grown in that container sufficiently long enough for the new fibrous roots to have developed so that the root mass will retain its shape and hold together when removed from the container. Plant root bound in containers are unacceptable.

#### MEASUREMENTS

Height shall be measured from ground to the top most portion of the tree. Small, multi-trunked trees are measured to the top of main body of the crown. Spread shall be measured to the end of branching equally around the crown from the center of the trunk. Measurements are not to include any terminal growth. Single trunk trees shall be free of "V" crotches that could be points of weak limb structure or disease infestation.

Shrubs:

Heights shall be measured from the ground to the average points where mature plant growth stops. Spread shall be measured to the end of branching equally around the shrub mass.

Measurements are not to include any terminal growth.

Clear Trunk (C.T.), shall be measured from the ground at the time of installation to the point where the mature aged trunk joins the immature or green portion of the trunk or the head.

Overall height (O.H.), shall be measured from the ground at the time of installation to a point three quarters the length of the unopened bud. Palms with marred or burned trunks will not be accepted.

#### SOIL

Planting soil for use in preparing backfill for plant pits shall be free from heavy clay, stones, lime, plants, roots or other foreign materials or noxious grasses (such as Bermuda or nut grass) and noxious weeds. It shall not contain toxic substances which may be harmful to plant growth.

COMMERCIAL FERTILIZER

Two fertilizer shall be used in all types of plantings, except palms. Granular fertilizer shall be uniform in composition, dry and free flowing. This fertilizer shall be delivered to the site in the original unopened bags, each bearing the Manufacturer's statement of analysis, and shall meet the following requirements: sixteen (16%) percent nitrogen, seven (1%) percent phosphorus, twelve (12%) percent potassium, plus iron. Tablet fertilizer ("Agriform" or equal) in 21 gram size shall meet the following requirements: twenty (20%) percent nitrogen, ten (10%) percent phosphorous, five (5%) percent potassium.

#### The two fertilizers will be applied at the following rates:

 PLANT SIZE
 16-7-12
 "AGRIFORM" TABLET (21 Grams)

 I gal.
 1/4 lb.
 1

 3 gal.
 1/3 lb.
 2

 1-15 gal.
 1/2 lb.
 4

 I"-6" caliper
 2 lbs./l" caliper
 2/l" caliper

 6" and larger
 3 lbs./l" caliper
 2/l" caliper

"Florida East Coast Palm Special" will be applied to all palms at installation at a rate of 1/2 lb. per inch of trunk caliper unless otherwise specified.

MULCH

Mulch material shall be three (3) inches of shredded melaleuca mulch (sterilized and free of seeds) or approved equal, moistened at the time of application to prevent wind displacement.

SUBSTITUTIONS

No substitutions of plant material types or size will be allowed without written consent of the Landscape Architect. B&B material will not be accepted as substitute for container grown material unless previously approved. Alternate substitutions shall be indicated in bid.

DADVED VANNETTE

design group, inc.

LANDSCAPE ARCHITECTURE PLANNING • GRAPHICS

4425 Military Trail, Suite 202
Jupiter, Florida 33458

Telephone:(561) 747-5069 Fax: (561) 747-2041 Email: mail@pydg.com License #LC-0001347

AT - TANOITE II, LLLP

DATE: 5.3.21


DRAWN BY: AJO

JOB NO.: 21-087


SCALE: N/A

FILENAME: RVr Parcel E

REVISIONS:
6.11.21 CB pod street tree
09.14.21 L.Esmt adjustment



P2-1



PARKER • YANNETTE design group, inc.


LANDSCAPE ARCHITECTURE PLANNING • GRAPHICS 4425 Military Trail, Suite 202 Jupiter, Florida 33458


Telephone:(561) 747-5069 Fax: (561) 747-2041 Email: mail@pydg.com


License #LC-0001347

DATE: 5.3.21 DRAWN BY: AJO JOB NO.: 21-087 SCALE: |'' = 40'-0'' FILENAME: Rvr Parcel E

REVISIONS: 6.11.21 CB pod street tree 09.14.21 L.Esmt adjustment







# Plant List (Sheet P2-3 Only)

SYM QTY NAME TREES CB12 18 Calophyllum brasiliense / Brazilian Beautyleaf
CBOP 3 Optional Additional Street Tree - Calophyllum brasiliense / Brazilian Beautyleaf

NOTE:
ALL PLANT MATERIAL SHALL MEET OR EXCEED SIZE AND CONTAINER SPECIFICATIONS IN PLANT
LIST. PLANT MATERIALS NOT MEETING SPECIFICATIONS WILL BE REJECTED. CONTRACTOR TO
COORDINATE AVAILABILITY ISSUES WITH OWNER PRIOR TO COMMENCING WORK.

SPECIFICATIONS

12' ht.  $\times$  5' spr., 2.5" cal., full canopy 12' ht. x 5' spr., 2.5'' cal., full canopy

\* DENOTES NATIVE SPECIES

PSL PROJECT NO. P21-105

PARKER • YANNETTE

design group, inc.


LANDSCAPE ARCHITECTURE PLANNING • GRAPHICS 4425 Military Trail, Suite 202 Jupiter, Florida 33458


Telephone:(561) 747-5069 Fax: (561) 747-2041 Email: mail@pydg.com


License #LC-0001347

DATE: 5.3.21 DRAWN BY: AJO JOB NO.: 21-087 SCALE: |" = 40'-0" FILENAME: Rvr Parcel E

REVISIONS: 6.11.21 CB pod street tree 09.14.21 L.Esmt adjustment







Plant List (Sheet P2-4 Only)

CB12 20 Calophyllum brasiliense / Brazilian Beautyleaf CBOP 5 Optional Additional Street Tree - Calophyllum brasiliense / Brazilian Beautyleaf

NOTE:
ALL PLANT MATERIAL SHALL MEET OR EXCEED SIZE AND CONTAINER SPECIFICATIONS IN PLANT
LIST. PLANT MATERIALS NOT MEETING SPECIFICATIONS WILL BE REJECTED. CONTRACTOR TO
COORDINATE AVAILABILITY ISSUES WITH OWNER PRIOR TO COMMENCING WORK. \* DENOTES NATIVE SPECIES

SPECIFICATIONS

12' ht.  $\times$  5' spr., 2.5" cal., full canopy 12' ht.  $\times$  5' spr., 2.5" cal., full canopy

PSL PROJECT NO. P21-105

design group, inc.


LANDSCAPE ARCHITECTURE PLANNING • GRAPHICS 4425 Military Trail, Suite 202 Jupiter, Florida 33458


Telephone:(561) 747-5069 Fax: (561) 747-2041 Email: mail@pydg.com

License #LC-0001347

DATE: 5.3.21 DRAWN BY: AJO JOB NO.: 21-087 SCALE: |" = 40'-0" FILENAME: Rvr Parcel E

REVISIONS:
6.11.21 CB pod street tree
09.14.21 L.Esmt adjustment





TREES

CB12 19 Calophyllum brasiliense / Brazilian Beautyleaf
CBOP 2 Optional Additional Street Tree - Calophyllum brasiliense / Brazilian Beautyleaf

NOTE: ALL PLANT MATERIAL SHALL MEET OR EXCEED SIZE AND CONTAINER SPECIFICATIONS IN PLANT LIST. PLANT MATERIALS NOT MEETING SPECIFICATIONS WILL BE REJECTED. CONTRACTOR TO COORDINATE AVAILABILITY ISSUES WITH OWNER PRIOR TO COMMENCING WORK.

\* DENOTES NATIVE SPECIES

SPECIFICATIONS

12' ht. x 5' spr., 2.5'' cal., full canopy 12' ht. x 5' spr., 2.5'' cal., full canopy

\_ANT O

20' 0 2

05 P2-

DATE: 5.3.21 DRAWN BY: AJO

JOB NO.: 21-087 SCALE: |'' = 40'-0''

FILENAME: Rvr Parcel E

REVISIONS:
6.11.21 CB pod street tree
09.14.21 L.Esmt adjustment

design group, inc.

LANDSCAPE ARCHITECTURE PLANNING • GRAPHICS

4425 Military Trail, Suite 202 Jupiter, Florida 33458

Telephone:(561) 747-5069

Fax: (561) 747-2041 Email: mail@pydg.com

License #LC-0001347