

TRAFFIC ANALYSIS

FOR

Wilson Groves - Map H Amendment

Prepared for:

Mr. Ramsey Akel Akel Homes 5300 W. Atlantic Ave Suite 505 Delray Beach, FL 33446

Prepared by:

O'Rourke Engineering & Planning 22 SE Seminole Street Stuart, Florida 34994 772-781-7918

> November 11, 2022 Revised January 11, 2023 Revised March 9, 2023 Revised April 18, 2023

> > SR21082.0

Prepared by:

O'Rourke Engineering & Planning

Certificate of Authorization: #26869

22 SE Seminole Street

Stuart, Florida 34994

772-781-7918

Professional Engineer

Susan E. O'Rourke, P.E.

Date signed and sealed: 4/18/2023

License #: 42684



September 20, 2021

Mr. Ramsey Akel Akel Homes 5300 W. Atlantic Ave Suite 505 Delray Beach, FL 33446

Re: Wilson Groves

Dear Mr. Akel:

O'Rourke Engineering has completed the traffic impact analysis associated with the amendments to Map H of the Wilson Groves DRI. The steps in the analysis and the ensuing results are presented herein.

It has been a pleasure working with you. If you have any questions or comments, please give me a call.

Respectfully submitted,

O'Rourke Engineering & Planning

Susan E. O'Rourke, P.E. Registered Civil Engineer

Wilson Groves Traffic Report Map H 4.18.2023

TABLE OF CONTENTS

INTRODUCTION		1
BUILDOUT ANALYSIS		1
Approved Map H		1
Proposed Project		1
Approved Trip Generation		1
Proposed Map H Trip Generation		4
Link Analysis - Phase 4 Buildout		8
PHASES 1, 2, AND 3		8
CONCLUSION		12
	TABLES	
TABLE 1: Approved Land Use		2
TABLE 1b: Daily Trip Generation - Approved		3
TABLE 1c: PM Trip Generation - Approved		3
TABLE 2a: Proposed Land Use		5
TABLE 2b: Daily Trip Generation – Proposed		6
TABLE 2c: PM Trip Generation – Proposed		6
TABLE 3: Trip Generation Reduction		7
TABLE 4: Link Analysis		9
TABLE 5: Cumulative Land Use by Phase		10
TABLE 6: Net New External Trips		11

APPENDICES

- APPENDIX A: Approved Map H / Proposed Map H / Resolution 11-R-01
- APPENDIX B: Approved WATS Trip Generation / Trip Generation for Approved Uses / Trip Generation for Proposed Uses Buildout Phase 4
- APPENDIX C: WATS 3.0 Assignment / Revised Assignment / Parcel by Parcel Assignment Buildout Phase 4
- APPENDIX D: Phasing Analysis / Trip Generation / Link Analysis Phases 1, 2, & 3

INTRODUCTION

O'Rourke Engineering & Planning has completed the analysis to address the traffic impacts associated with the amendments to Map H for Wilson Groves. There are no changes to the intensity or type of development, nor the roadway network. The land use has been relocated slightly.

BUILDOUT ANALYSIS

To assess the impact of moving land uses within Map H, a comparative trip generation for the approved and proposed uses was prepared. After a calculation of the trip generation, the parcels were assigned to the network to ensure the new location was still supported by the proposed network. The steps in the analysis and ensuing results are presented herein.

Approved Map H

Map H includes a set of approved land uses; 5,775 single family dwelling units; 1,925 multi-family dwelling units; 765,000 square feet of retail; 1,583,250 sf of office; 1,361,250 square feet of light industrial; and 382,872 square feet of institutional uses. The allocation of the uses was placed within 566 acres of mixed use, 57 acres of neighborhood commercial, and 1,876 acres of residential use. In addition, there are park sites.

The roadway network for Map H included three east/west streets and three north/south streets.

Proposed Project

The proposed Map Amendment includes: a) retaining the same number of units of land use.

The roadway network will remain the same. **Appendix A** includes the approved Map H and proposed Map H, illustrating the land use and roadway network. Resolution 11-R-01 is also included for reference in Appendix A.

Approved Trip Generation

The traffic study performed for the DRI in 2006 originally was referred to as WATS. The original approval includes a total 141,795 gross daily trips and 14,711 gross pm peak hour trips. The net trips were 96,188 net daily trips and 10,182 net PM peak hour trips. The net trips reflect a reduction within each zone, which varies by zone, and an internal reduction of 22.6% within the Wilson Groves DRI.

For the WATS, the land uses were divided into Traffic Analysis Zones. The traffic analysis zones fell along Parcel Lines. The Parcel Identifiers have changed with the proposed Map H. **Table 1a** summarizes the land use by Parcel and TAZ.

The total trip generation associated with the Approved Map H is summarized in **Table 1b and 1c** for the daily and pm peak hours, respectively. The trips were generated using the latest trip generation from ITE 11th edition with the exception of the civic and institutional uses. The trip generation for the Civic and institutional uses was developed using the rates in the WATS 3.0.

Table 1a: Approved Land Use

				LAN	D USE INTENSI	TY (OLD PARC)	EL ID)	
LAND USE	TOTAL INTENSITY	UNITS	A TAZ 648	B TAZ 652	C TAZ 647	D TAZ 654	E TAZ 653	F TAZ 861
Age Restricted	0	DU						
Single Family Detached Housing	5,775	DU		1,272	1,294	977	1,200	1,032
Multi Family Housing	1,925	DU		975	550		200	200
General Office	1,583,250	SF	1,361,250	142,000	80,000			
Civic Use*	80,687	SF		40,347				40,340
Institution Use*	302,177	SF		30,000	116,450	101,277	54,450	
Industrial Park	1,361,250	SF	1,361,250					
General Commercial	765,000	SF		195,000	105,000	155,000	155,000	155,000
Regional Park	50	Acres		50				
Elementary Schools (2)*	2,420	Students		2,420				
Junior High School	0	Students		0				

			(OLD PA	RCEL ID)			-111-11-11-11
Land Use	A TAZ 648	B TAZ 652	C TAZ 647	D TAZ 654	E TAZ 653	F TAZ 861	Total Trip
Gross Trips Before Pass-by and Intrazonal	15836	33513	22302	17040	16803	17746	123240
		Net Trip	s Leaving th	ie Zane Aft	er Pass-by	and intrazor	nal
Age Restricted	0	0	0	0	0	0	0
Single Family Detached Housing	0	9,883	10,359	7,964	9,671	8,411	46,288
Multi Family Housing (Low-Rise)	0	3,023	1,789		697	697	6,206
Multi Family Housing (Mid-Rise)	0	2,086	1,216	0	442	442	4,186
General Office	11,249	1,275	791	0	0	0	13,315
Civic Use	0	1,781	0	0	0	2,199	3,980
Institution Use	0	742	2,936	3,088	1,660	0	8,426
Industrial Park	4,587	0	0	0	0	0	4,587
General Commercial	0	3,964	1,901	3,325	2,325	3,404	14,919
Regional Park	0	229	183	0	0	0	412
Elementary School	0	4,772	0	0	0	0	4,772
Junior High School	0	0	0	0	0	0	0
TOTAL	15,836	27,755	19,175	14,377	14,795	15,153	107,091
Total Trips after 22.6% Internal Ca	pture	the test and					82888

Land Use		A			В			c			D			E			F		,	Fotal Trip	18
Land Ose		TAZ 648			TAZ 652			TAZ 647			TAZ 654			TAZ 653			TAZ 861				
tare or the company of the same	IN	OUT	TOTAL	IN	OUT	TOTAL	IN	OUT	TOTAL	IN	OUT	TOTAL	IN	OUT	TOTAL	IN	OUT	TOTAL	IN	OUT	TOTAL
Gross Trips Before Pass-by and Intrazonal	435	1988	2423	1749	1585	3334	1296	1119	2415	1030	900	1930	1149	921	2070	1107	881	1988	6766	7394	14160
									Gross Trip	After Pa	iss-by and	Intrazonal									
Age Restricted	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Single Family Detached Housing	0	0	0	589	345	934	625	370	995	425	263	688	550	332	882	465	284	749	2,654	1,594	4,248
Multi Family Housing (Low-Rise)	0	0	0	125	73	198	79	46	125				34	21	55	33	21	54	271	161	432
Multi Family Housing (Mid-Rise)	0	0	0	99	64	163	59	38	97	0	0	0	20	13	33	20	13	33	198	128	326
General Office	333	1,627	1,960	24	152	176	14	88	102	0	0	0	0	0	0	0	0	0	371	1,867	2,238
Civie Use	0	0	0	98	92	190	0	0	0	0	0	0	0	0	0	110	110	220	208	202	410
Institution Use	0	0	0	32	48	80	124	192	316	124	185	309	66	100	166	0	0	0	346	525	871
Industrial Park	102	361	463	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	102	361	463
General Commercial	0	0	0	237	201	438	155	141	296	205	187	392	213	186	399	211	186	397	1,021	100	1,922
Regional Park	0	0	0	4	5	9	3	4	7	0	0	0	0	0	0	0	0	0	7	9	16
Elementary School	0	0	0	140	200	340	0	0	0	0	0	0	0	0	0	0	0	0	140	200	340
Junior High School	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	435	1,988	2,423	1,348	1,180	2,528	1,059	879	1,938	754	635	1,389	883	652	1,535	839	614	1,453	5,318	5,948	11,266
Total Trips after 22.6% Internal Cap	fuma																		4116	4604	8720

As shown, the total gross daily trips are 121,240 and the total gross PM peak hour trips are 14,160. The net trips were 82,888 net daily trips and 8,720 net PM peak hour trips. The difference in the WATS 2006 and the current calculations using ITE 11th Edition is primarily related to changes in the ITE trip generation rates.

Proposed MAP H Trip Generation

As discussed, the location of the uses in Map H was incorporated into the development.

Table 2a summarizes the land use by Parcel and TAZ.

The total trip generation associated with the Proposed Map H using ITE 11th edition rates is summarized in **Table 2b and 2c** for the daily and pm peak hours, respectively. The trips were generated using the latest trip generation from ITE 11th edition with the exception of the civic and institutional uses. The trip generation for the Civic and institutional uses was developed using the rates in the WATS 3.0. Again, multifamily was split between low-rise and mid-rise.

As shown, the total gross daily trips are 123,430 and the total gross PM peak hour trips are 13,714. The net trips were 82,399 net daily trips and 8,677 net PM peak hour trips. The difference between the approved and proposed trip generation using ITE 11th Edition is primarily associated with the internal capture within each zone based on the mix of uses.

The proposed land use generates a reduction in trips on all levels as shown in Table 3.

The details of the trip generation are provided in **Appendix B**. The TAZ map identifying the location of the parcels is included first followed by the detailed calculation by TAZ for the Approved land use, the Proposed Land use and the WATS 3.0 calculations as well. The internal capture calculations for the Approved and Proposed scenarios are also included following the trip generation calculations.

Please note that the trip generation follows the methodology used in the most recent WATS relative to trip generation, internal capture, and pass-by. These assumptions are consistent with other DRI submittals.

5

Table 2a: Proposed Land Use

					LAND USE	INTENSITY		
LAND USE	TOTAL INTENSITY	UNITS	A TAZ 652	B TAZ 654	C TAZ 647	D TAZ 648	E TAZ 861	F TAZ 653
Age Restricted	0	DU						
Single Family Detached Housing	5,775	DU	1,242	850	1,827		879	977
Multi Family Housing	1,925	DU				1,925		
General Office	1,583,250	SF			0	1,583,250		
Civic Use*	80,695	SF				80,695		
Institution Use*	302,177	SF		67,628	90,692	0	67,042	76,815
Industrial Park	1,361,250	SF				1,361,250		
General Commercial	765,000	SF	306,000	76,500		306,000	76,500	
Regional Park	50	Acres				50		
Elementary School*	2,420	Students				2,420		
Junior High School	0	Students						

* Civic/Instituitional, max 382,872 sf, School shown as students

Land Use	A TAZ 652	B TAZ 654	C TAZ 647	D TAZ 648	E TAZ 861	F TAZ 653	Total Trip
Gress Trips Before Pass-by and Intrazenal	21570	12120	17377	49477	12329	10557	123430
		Net Trips	leaving th	e zone aft	er Pass-by	and intra	tonal
Age Restricted	0	0	0	0	0	0	0
Single Family Detached Housing	9,989	7,016	14,570	0	7,237	8,180	46,992
Multi Family Housing (Low-Rise)	0	0	0	6,029	0	0	6,029
Multi Family Housing (Mid-Rise)	0	0	0	4,214	0	0	4,214
General Office	0	0	0	11,263	0	0	11,263
Civic Use	0	0	0	3,862	0	0	3,862
Institution Use	0	2,011	2,751	0	1,993	2,330	9,085
Industrial Park	0	0	0	3,885	0	0	3,885
General Commercial	7,306	1,532	0	5,769	1,529	0	16,136
Regional Park	0	0	0	229	0	0	229
Elementary School	0	0	0	4,764	0	0	4,764
Junior High School	0	0	0	0	0	0	0
TOTAL	17,295	10,559	17,321	40,015	10,759	10,510	106,459

Table 2c . PM Peak	Hour Trip Generation	Proposed

Land Use		A TAZ 652			B TAZ 654			C TAZ 647			D TAZ 648			E TAZ 861			F TAZ 653			Total Trij	15
	IN	OUT	TOTAL	IN	OUT	TOTAL	IN	OUT	TOTAL	IN	OUT	TOTAL	IN	OUT	TOTAL	IN	OUT	TOTAL	IN	OUT	TOTA
Gross Trips Before Pass-by and Intrazonal	1274	1050	2324	773	641	1414	1072	730	1802	2003	3654	5657	788	648	1436	628	453	1091	6538	7176	13714
									Gross T	rlps After	Pass-by	and Intrazo	nal								
Age Restricted	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Single Family Detuched Housing	497	332	829	403	242	645	958	541	1,499	0	0	0	418	251	669	531	300	831	2,807	1,666	4,473
Multi Family Housing (Low-Rise)	0	0	0	0	0	0	0	0	0	212	123	335	0	0	0	0	0	0	212	123	335
Multi Family Housing (Mid-Rise)	0	0	0	0	0	0	0	0	0	176	114	290	0	0	0	0	.0	0	176	114	290
General Office	0	0	0	0	0	0	0	0	0	374	1,851	2,225	0	0	0	0	0	0	374	1,851	2,225
Civic Use	0	0	0	0	0	0	0	0	0	217	212	429	0	0	0	0	0	0	217	212	429
Institution Use	0	0	0	66	124	190	88	166	254	0	0	0	66	122	188	81	140	221	301	552	853
Industrial Park	0	0	0	0	0	0	0	0	0	99	351	450	0	0	0	0	0	0	99	351	450
General Commercial	370	310	680	123	113	236	0	0	0	316	338	654	123	113	236	0	0	0	932	874	1,806
Regional Park	0	0	0	0	0	0	0	0	0	4	5	9	0	0	0	0	0	0	4	5	9
Elementary School	0	0	0	0	0	0	0	0	0	144	197	341	0	0	0	0	0	0	144	197	341
Junior High School	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	867	642	1,509	592	479	1,071	1,046	707	1,753	1,542	3,191	4,733	607	486	1,093	612	440	1,052	5,266	5,945	11,211
et Total Trips after 22.6% Internal	Capture					71													4076	4601	8677

Table 3: Trip Generation Change

	Dail	у	PM Peak Hour						
	GROSS	NET	GROSS	NET					
WATS	141,795	96,188	14,711	10,182					
Approved (ITE)	123,240	82,888	14,160	8,720					
Proposed (ITE)	123,430	82,399	11,211	8,677					
WATS - Proposed	-18,365	-13,789	-3,500	-1,505					
Approved (ITE) - Proposed (ITE)	*190	-489	-2,949	-43					

^{*} Difference related to logarithmic equation and the split of uses resulting in .15% difference.

Link Analysis - Phase 4 Buildout

The WATS study has been revised over time with the latest version being WATS 3.0 prepared by MacKenzie Engineering and Planning. That study reflects the latest in model assumptions controlled for the originally approved assumptions. The model and resultant link volumes were used to assess the impact on the internal Wilson Groves links based on the change in location and trip generation. The assumptions of trip generation by TAZ were included in Appendix B.

A cordon calculation was used to establish a distribution and assignment for Wilson Groves WATS 3.0. Using this assignment, the project trips calculated in WATS 3.0 were removed from the link and the new traffic volumes were assigned to the link. The results are shown in **Table 4** for Buildout Phase **4. Appendix C** includes the WATS 3.0 assignment and the individual parcel assignments for Phase 4.

As shown, the links will not exceed the original assumptions for the roadways. The analysis was provided as a new base line analysis and to support the overall Map H revisions in the Land Use location.

PHASES 1, 2, AND 3

The phasing of the DRI considers an estimated level of development to be constructed in five-year increments. The phasing is an estimate with no limit to crossing a phasing threshold. The roadways are triggered by trips. The roadways shown for each phase are the roads that were estimated to be in place prior to the conclusion of that phase. The timing could vary depending upon the timing and area of development. The trip triggers will determine the specific timing. **Table 5** summarizes the land use by phase with totals consistent with the approved DRI phasing. Table 6 summarizes the trip generation by phase. The tables for each phase are less than the originally approved trip generation by phase.

It is important to note that the DRI refers to Phase 1, 2, and 3 for the roadway network. Basically, those improvements were determined to be needed after the phase referenced in the WATS analysis; Phase 1 land use was run on a network less than the Phase 1 network; Phase 2 land use was run on the Phase 1 network; Phase 3 land was run on the Phase 2 network; and Phase 4 land was run on the Phase 3 network.

A brief discussion of Phases 1 through 3 is provided below. The assumptions applicable to each phase, the trip generation of the land use, the percent assignment and the resultant link tables are provided for each phase in **Appendix D**.

Phase 1

WATS 3.0 did not include a Phase 1 analysis since much of Phase 1 was complete for Southern Grove. Therefore, the Phase 1 from the original WATS was used. The land use allocated for Phase 1 was assigned to the various TAZs. The network assumed for Phase 1 in the original study included Becker Road from Range Line to its existing terminus and N/S A from Becker to E/W 3 plus E/W 3 from N/S A to Community.

The volumes and assignment were adjusted to remove E/W 3 consistent with the network that will be in place to support land use in Phase 1. With the complete Phase 1 network in place for the Phase 2 analysis. The link analysis shows that the proposed roadway network will accommodate the Phase 1 land use.

Phase 2

The WATS 3.0 analysis was used as the baseline for the assignment, network, and volumes. The Wilson Groves trips were removed as they were included in the approved study and replaced with the reassigned Wilson Groves

Table 4: Link Analysis - Phase 4 Buildout

						Approved V	VATS 3.0		SALES CHE	Approved (1)					Propos	ed (2) Wils	on Groves	Daily Trips			50000-1144					
Segment	From	То	Number of Lanes	Direction	Capacity	*Daily Volume	Peak Volume (Adj)	IN / OUT	Approved % Assignment	Daily Trips	% Assignm ent Parcel A	TAZ 652 Parcel A	% Assignme nt Parcel B	TAZ 654 Parcel B	% Assignme nt Parcel C	TAZ 647 Parcel C	% Assignme nt Parcel E	TAZ 861 Parcel E	% Assignm ent Parcel F	TAZ 653 Parcel F	% Assignme nt Parcel D	TAZ 648 Parcel D	Change in Daily Traffic (Proposed - Approved)	Resultant AADT Link Volumes	Resultant Peak hour	Meets Capacit
	RANGE LINE RD	N/S A	2	EB	924	6203	251	-				0	0.0	0	0,0	-	20.5	1956	-	1147	0.0	0	-1324	4879	198	
				WB	924	6203		OUT	4.6	With the second	-	0	0.0	0	0.0		20.5	1956	-	1147	0.0	0	-1324	4879	242	
Discovery Way (E/W 1)	N/S A	N/S B	4	EB	2100	9543	386	-	-		_		0.0	0			30.8	2939		1631	0.0		-1974	7569	307	Y
				WB	2100	9543	-	OUT			0,0		0.0	0	0.0	-	30.8	2939		1631	0.0	-	-1974	7569	375	
	N/S B	COMMUNITY BLVD (4	EB WB	2100	15209 15209	753	OUT			20.8		21.6	2023			-	2023		1939	20,8	_	-247	14962	606	
	hannessass mount in his way	24 4 5 20 (F has 44)						_			_		21.6	2023	_	_	21.2	2023		1939	20,8	7508	-247	14962	741	
ANGE LINE RD	MARSHALL PKWY (E/W #3)	PAAR RD (E/W #4)		NB SB	1080	14144	Tierra birt	OUT			12		12.2	1143	-		12.3	1174		0	12.8	4620	705	14849	601	
ANGE LINE KO	PAAR RD (E/W #4)	BECKER RD	-	NB	1080	14144 13614	700 551		-		12	1872	12.0	1124			12.3	1174 1050		0	12.8	4620	686	14830	734	_
	PAAR RD (E/W #4)	BECKER RD		SB	1080	13614		OUT			0	0	0.0	0	12.4	-	11 11	1050			12.8	4620 4620	1478 1478	15092 15092	611 747	_
	MARSHALL PKWY (E/W #3)	DAAD DD (E/W #4)	Α.	NB	2100	4457	221	_			10.4		10.1	946			20.5	1956	-		10.4	3754	-257	4200	208	_
	MANSHALL PRAVI (E) W #5)	PAAR RD (E) W #4)		SB	2100	4457		OUT			10.4		10.1	946			20.5	1956	-	485	10.4	3754	-257	4200	170	_
N/S A	PAAR RD (E/W #4)	BECKER RD	4	NB	2100	5595	227	_		12223	11.2		25.9	2426			8.2	783		400	10.4	3754	-133	5462	221	
	PARK KD (E/W E-9)	BECKEN ND		SB	2100	5595		OUT			11.2		25.9	2426		-	8.2	783		0	10.4	3754	-133	5462	270	
	MARSHALL PKWY (E/W #3)	PAAR RD (E/W #4)	4	NB	2100	14144	_	OUT		23579	30.4	4742	30.9	2894	30.6		0	0	17.5	1631	30.4	10973	1362	15506	768	_
N/S B		1,	-	SB	2100	14144	573	-		23579	30.4	4742	30.9	2894	30.6	-	0	0	17.5	1631	30.4	10973	1362	15506	628	_
	PAAR RD (E/W #4)	BECKER RD	4	NB	2100	6796	336	_	18.1	17420	0.0		0.0	0	30.6		15.8	1508	24.0	2237	42.4	15304	6330	13126	650	_
				SB	2100	6796	275	OUT	18.1	17420	0.0	0	0.0	0	30.6	4701	15.8	1508	24.0	2237	42.4		6330	13126	532	Y
	RANGE LINE RD	N/S A	2	EB	924	7668	311	IN	4.6	4427	0.0	0	0.0	0	0.0	0	20.5	1956	12.3	1147	0.0	0	-1324	6344	257	Y
	244 23411			WB	924	7668	380	OUT	4.6	4427	0.0	0	0.0	0	0.0	0	20.5	1956	12.3	1147	0.0	0	-1324	6344	314	Y
MARSHALL PKWY	N/S A	N/S B	4	EB	2100	14976	607	IN	6.7	6448	0.0	0	0.0	0	0.0	0	30.8	2939	17.5	1631	0.0	0	-1878	13098	530	Y
(E/W #3)			0.00	WB	2100	14976	741	OUT	5.7	5486	0.0	0	0.0	0	0.0	0	30.8	2939	17.5	1631	0.0	0	-916	14060	696	Y
	N/S B	COMMUNITY BLVD (4	EB	2100	24689	1000	OUT	21.0	20211	20.8	3245	21.6	2023	21.0	3226	21.2	2023	20.8	1939	20.8	7508	-247	24442	990	Υ
				WB	2100	24689	1222	iN	21.0	20211	20.8	3245	21.6	2023	21.0	3226	21.2	2023	20.8	1939	20.8	7508	-247	24442	1210	γ
	RANGE LINE RD	N/S A	4	EB	2100	9137	370	IN	10.7	10298	12	1872	26.6	2491	0	0	17.8	1699	11.0	1025	0.0	0	-3211	5926	240	γ
			0.00	WB	2100	9137	452	-	10.7	10298	12	1872	26.6	2491	0	0	17.8	1699	11.0	1025	0.0	0	-3211	5926	293	Y
E/W 4 Paar Dr	N/S A	N/S B	4	EB	2100	14830	601	_	24.3	23387	42.4	6614	42.4	3971	11.8	1813	27.4	2615	18.2	1697	0.0	0	-6677	8153	330	Y
				WB	2100	14830	734	-		23387	42.4	6614	42.4	3971	11.8	1813	27.4	2615	18.2	1697	0.0	0	-6677	8153	404	_
	N/S B	COMMUNITY BLVD (4	EB	2100	11337	459			6929	0	0	11.5	1077			11.6	1107		0	12.0		1399	12736	516	
				WB	2100	11337	561	_		6929	0	0	11.5	1077	11.8		11,6	1107		0	12.0	4331	1399	12736	630	_
	RANGE LINE RD	N/S A	4	EB	2100	13776	558	-	-	10298	5.2		12.2	1143			0	0	0	0	23.2	8374	3579	17355	703	-
BECKER RD				WB	2100	13776	682		10.7	10298	5.2		12.2	1143	23.1		0	0	0	0	23.2	8374	3579	17355	859	_
	N/S A	N/S B	4	EB	2100	19187	777	IN		24830	24.4	3806	24.5	2295	22.6		8.2	783	0.0	0	67.2	24255	9781	28968	1173	
VE	L.			WB	2100	19187	950	OUT	25.8	24830	24.4	3806	24.5	2295	22.6	3472	8.2	783	0.0	0	67.2	24255	9781	28968	1434	Y
A Could be a second and the second se	Volumes ed using ITE Trip Generation on for each direction but refle		lirections.			Factor (K) = Factor (D) =	0.090		In = Out=	775.17		15600 15600		9366 9366		15364 15364		9543 9543		9322 9322		36094 36094				

Table 5: Cumulative Land Use by Phase

Land Use
Residential
Retail
Office
Industrial
Institutional/Civic
School / Park

Phase 1								
Α	В	С	D	E	F	Totals		
1,242	850	108				2,200		
210,000						210,000		
			136,125			136,125		
			136,125			136,125		
						0		
			50			50		

Land Use
Residential
Retail
Office
Industrial
Institutional/Civic
School / Park

Phase 2							
Α	В	С	D	E	F	Totals	
1,242	850	1,827	1,925	452		6,296	
306,000	24,000					330,000	
			606,500			606,500	
			544,500			544,500	
	50,638					50,638	
						0	

Land Use
Residential
Retail
Office
Industrial
Institutional/Civic
School / Park

Phase 3							
Α	В	С	D	E	F	Totals	
1,242	850	1,827	1,925	879	977	7,700	
306,000	76,500		207,500			590,000	
			1,094,875			1,094,875	
			952,875			952,875	
	67,628	90,692	67,754			226,074	
						0	

Land Use
Residential
Retail
Office
Industrial
Institutional/Civic
School / Park

Phase 4							
Α	В	С	D	E	F	Totals	
1,242	850	1,827	1,925	879	977	7,700	
306,000	76,500		306,000	76,500		765,000	
			1,583,250			1,583,250	
			1,361,250			1,361,250	
	67,628	90,692	80,695	67,042	76,818	382,875	
		50 / 2,420				0	

Table 6: Net New External Trips

	Phase 1		Phase 2		Phase 3		Phase 4	
	Daily	PM	Daily	PM	Daily	PM	Daily	PM
А	11,706	1,099	13,910	1,214	13,369	1,166	13,386	1,168
В	5,659	582	7,263	753	8,162	828	8,173	829
С	848	84	11,748	1,226	13,389	1,355	13,406	1,357
D	1,727	200	14,529	1,487	21,301	2,469	30,972	3,663
Е	0	0	3,124	317	5,762	593	8,327	846
F	0	0	0	0	6,350	655	8,135	814
Totals	19,940	1,965	50,574	4,997	68,333	7,066	82,399	8,677

trips. The network identified in the DRI for Phase 1 is the basis for the Phase 2 analysis. The network included: Becker Road as a two-lane roadway from Rangeline to N/S A, and four lanes from N/S A to the east; and E/W 3 and N/S A as two-lane roadways. The analysis shows Becker will function at acceptable levels of service through Phase 2 as a two-lane roadway, despite the model using four lanes on Becker east of N/S A.

Phase 3

WATS 3.0 assumed all roads were in place as two-lane roadways. Becker Road was assumed four lanes from N/S A to Community. All phase 3 land use can be accommodated on this network.

CONCLUSION

The relocation of the approved land uses within the DRI results in no significant change to the impact of traffic. The trip generation reflects a net reduction. The roadway network continues to support the project with the relocated land use as demonstrated with the link analysis.

The proposed program is consistent with the original approvals.

Appendix A

Approved Map H Proposed Map H Resolution 11-R-01, Page A-4





FIGURE 1-6

WILSON GROVE

Port St. Lucie, Florida



PROPOSED LAND USES

RESIDENTIAL *(INCLUDES ROW ACREAGE) *(INCLUDES FPL ACREAGE)

NEIGHBORHOOD/ VILLAGE COMMERCIAL MIXED-USE *(INCLUDES FPL ACREAGE) 566 AC 15 AC

> TOTAL AREA 2,499 AC

*PROPOSED ACREAGES OF SUBDISTRICTS HAVE BEEN ROUNDED TO THE NEAREST +/- 1 ACRE.

LEGEND

RESIDENTIAL
INCLUDING NEIGHBORHOODS OF HOUSING, WHICH
INCLUDING NEIGHBORHOOD MAY ALSO CONTAIN SCHOOLS, PARKS,
PLACES OF WODRSHIP AND CLYIC FACILITIES ESSENTIAL
TO THE DAILY LIFE OF THE RESIDENTS


NEIGHBORHOOD / VILLAGE COMMERCIAL
INCLUDING COMMERCIAL AND OFFICE USES, PERSONAL AND HOUSEHOLD
SERVICE ESTABLISHMENTS, INSTITUTIONAL USES,
PUBLIC FACILITIES, PARKS, PLAYGROUNDS, AND OTHER SIMILAR SERVICES

MIXED USE
INCLUDING COMMERCIAL AND OFFICE USES, HOSPITAL
AND MEDICAL USES, RESTAURANTS, THEATERS, HOTELS,
INSTITUTIONAL USES, PUBLIC FACILITIES (INCLUDING
UTILITIES), LIGHT INDUSTRIAL, WAREHOUSE/DISTRIBUTION,
RESIDENTIAL AND OTHER SIMILAR SERVICES



1934 Commerce Lano Suite 1 Jupine, Florida 33458 561,747,6336 - Fax 747,1377


COMPREHENSIVE LAND USE PLAN WILSON GROVE





*LOCATION AND CONFIGURATION OF ALL DEVELOPMENT PARCELS INCLUDING ACCESS LOCATIONS, LAKES, OPEN SPACE, RESIDENTIAL AND NON-RESIDENTIAL USES WILL BE FULLY DELINEATED DURING THE ZONING AND OR PLATTING PROCESS.

Proposed



A OF 1

WILSON GROVE

Port St. Lucie, Florida

1834 Commerce Lane Suile 1 Jupiter, Florida 33458 BB1,747,8338 - Fax 747,1377 www.colleurhearing.com



Resolution 11-R-01 is included hereafter in its entirety and original state.

A RESOLUTION OF THE CITY OF PORT ST. LUCIE, FLORIDA, MAKING FINDINGS OF FACT AND DETERMINING CONCLUSIONS OF LAW PERTAINING TO THE WILSON GROVES APPLICATION FOR DEVELOPMENT APPROVAL, A DEVELOPMENT OF REGIONAL IMPACT, AND CONSTITUTING THIS RESOLUTION AS AN AMENDED AND RESTATED DEVELOPMENT ORDER BY THE CITY OF PORT ST. LUCIE IN COMPLIANCE WITH LAW; AND PROVIDING FOR AN EFFECTIVE DATE AND A TERMINATION DATE.

WHEREAS, on July 19, 2004, the City of Port St. Lucie, Florida ("City"), entered into that certain Annexation Agreement to establish the terms and conditions upon which approximately 9,451 acres of agricultural land in unincorporated St. Lucie County, Florida ("Western Annexation Area"), would be annexed into the City for the purpose of urban development; and

WHEREAS, the signatories to the Annexation Agreement included ACR Properties Acquisition, LLC, owner of 2,451.179 acres, more or less, known as Wilson Groves, located in the Western Annexation Area; and

WHEREAS, ACR Properties Acquisition, LLC, ("Developer") is a Florida Delaware limited liability company with its principal place of business in Boynton Beach, Florida; and

WHEREAS, Florida Power & Light Company ("FPL") is a Florida company is the owner of 47.566 acres, more or less, located contiguous to the property of ACR Properties Acquisition, LLC. and with whom together comprise the entirety of the properties which are the subject of that certain development known as the Wilson Groves Development of Regional Impact ("Wilson Groves DRI"); and

WHEREAS, FPL has authorized the Developer and Land Design South of Florida, Inc. a Florida corporation, ("LDS"), to pursue the Wilson Groves DRI and has further authorized LDS to act as FPL's agent in all matters including but not limited to agreeing on FPL's behalf to any conditions which result from such Wilson Groves DRI approval process, such authorization being evidenced in the subject Application for Development Approval ("ADA"); and

WHEREAS, the Wilson Groves DRI ("Project") is a proposed mixed-use development of regional impact to be located on approximately 2,498.745 acres, more or less, located in the Western Annexation Area, as more particularly described in Composite Exhibit "A" ("DRI Property"); and

WHEREAS, on August 31, 2004, the Treasure Coast Regional Planning Council ("TCRPC") convened a pre-application conference at which the Developer, LDS and various agencies addressed methodology issues and other preliminary matters concerning the Project; and

WHEREAS, on September 13, 2005, pursuant to section 380.06, F.S., the Developer filed an Application for Development Approval ("ADA") for the Project, to be located on the DRI Property, and supplemented it with two sufficiency responses (dated March 3, and July 14, 2006, along with compendium documents on August 2, 2006) and,

WHEREAS, complete copies of these submissions and other review materials were provided to the City of Port St. Lucie ("City"); the Florida Department of Community Affairs ("DCA); TCRPC, and other review agencies; and

WHEREAS, under contract to the City, the TCRPC prepared the Western Annexation Traffic Study (dated January, 2006) ("WATS") for the Project and other proposed developments within the Western Annexation Area, and

WHEREAS, on August 2, 2006 the application and supporting materials were determined to be sufficient for purposes of review; and

WHEREAS, notice regarding public hearings for the Application for Development Approval was provided by publication in the Port St. Lucie News on August 18, 2006; and

WHEREAS, on September 15, 2006, the TCRPC recommended approval of the Application for Development Approval with conditions; and

WHEREAS, on October 3, 2006, the Planning and Zoning Board of the City of Port St. Lucie held a public hearing on the Application for Development Approval and recommended approval with conditions; and

WHEREAS, on October 23, 2006, the City Council of the City of Port St. Lucie ("City Council") held a public hearing to consider the Project, the TCRPC regional report, and comments upon the record made at said public hearing, afforded all interested persons an opportunity to be heard and present evidence, and adopted Resolution No. 06-R104, approving the Project subject to conditions; and

WHEREAS, on July 23, 2008, the Developer submitted Notification of Proposed Change No. 1 ("NOPC No. 1") to TCRPC to amend certain conditions of approval for the Project regarding transportation, affordable housing, and dates for phases, buildout and termination, with complete copies to the City, DCA and other review agencies; and

WHEREAS, the Legislature has enacted and the Governor has signed into law Chapter 2007-204, Laws of Florida, which provides that "all phase, buildout, and expiration dates for project that are developments of regional impact and

under active construction on July 1, 2007, are extended for 3 years regardless of any prior extensions and such extensions are not a substantial deviation and may not be considered when determining whether a subsequent extension is a substantial deviation; and

WHEREAS, on October 7, 2008, the Planning and Zoning Board of the City of Port St. Lucie held a public hearing on NOPC No. 1 and recommended approval; and

WHEREAS, on October 27, 2008, the City Council held a public hearing to consider NOPC No. 1, the TCRPC regional report, and comments upon the record made at said public hearing, and afforded all interested persons an opportunity to be heard and present evidence, and adopted Resolution No. 08-R136, approving NOPC No. 1 subject to conditions; and

WHEREAS, on July 9, 2010, the Developer submitted Notification of Proposed Change No. 2 ("NOPC No. 2") to TCRPC to amend certain conditions of approval for the Project regarding the greenway, transportation, wetlands, listed species, and parks and recreation, and Map H with complete copies to the City, DCA and other review agencies; and

WHEREAS, on January 4, 2011, the Planning and Zoning Board of the City of Port St. Lucie held a public hearing on NOPC No. 2 and recommended approval; and

WHEREAS, on January 24, 2011 the City Council held a public hearing to consider NOPC No. 2, the TCRPC comments, and comments upon the record made at said public hearing, and afforded all interested persons an opportunity to be heard and present evidence.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF PORT ST. LUCIE, FLORIDA:

FINDINGS OF FACT

The City Council, having considered all the documents, comments, testimony and evidence presented to it, finds as follows:

- The above recitals are true and correct, and are incorporated into this Development Order by this reference.
- The Project as modified is consistent with the State Comprehensive Plan.
- The Project as modified is consistent with the Port St. Lucie Comprehensive Plan and the Port St. Lucie Land Development Regulations.

- The Project as modified is consistent with the TCRPC's Wilson Groves
 Development of Regional Impact Assessment Report dated September
 2006.
- The Project is not located in an area of critical state concern designated pursuant to section 380.05, F.S.
- This Development Order includes adequate provisions for the public facilities needed to accommodate the impacts of the proposed development pursuant to the requirements of Section 380.06, F.S.
- 7. NOPC No. 4 2 and its supporting documentation were reviewed as required by Chapter 380 F.S., and the local land development regulations and are incorporated into this Development Order by this reference.
- NOPC No. 4 <u>2</u> does not constitute a substantial deviation from the Development Order adopted by the City Council on October 27, 2008 and is otherwise approved, subject to the conditions set forth in this Development Order.

CONCLUSIONS OF LAW

The City Council, having made the findings of fact set forth above, makes the following conclusions of law:

- The City Council is the governing body with legal jurisdiction over the DRI Property and is authorized and empowered by Chapter 380, F.S., to issue this Development Order.
- 10. The Project as modified is approved for development pursuant to section 380.06, F.S., on the DRI Property attached as Composite Exhibit "A", subject to the conditions of approval set forth in Exhibit "B" of this Development Order and the Equivalency Matrix attached as Exhibit "C", all of which are incorporated into this Development Order by this reference.
- 11. Development shall be located substantially as depicted on the Master Development Plan (Map H) attached as Exhibit "D", which is incorporated into this Development Order by reference.
- Development shall be consistent with the Port St. Lucie Comprehensive Plan, the Port St. Lucie Land Development Regulations and this Development Order.
- 13. Within 10 days after adoption of this Development Order, the City Clerk shall render copies of this Development Order with all attachments, certified as complete and accurate, by certified mail (return receipt

- requested) to the Developer, LDS, DCA and TCRPC as required by Rule 9J-2.025(5), F.A.C.
- This Development Order shall take effect, following rendition, as provided by law.
- Notice of the adoption of this Development Order or any amendment shall be recorded by the Developer, within 30 days after its effective date, in accordance with sections 28.222 and 380.06(15)(f), F.S., with the Clerk of the Circuit Court of St. Lucie County, Florida. The notice shall specify that this Development Order runs with the land and is binding on the Developer, its agents, lessees, successors or assigns. A copy of such notice shall be forwarded to the Port St. Lucie Planning and Zoning Department within seven days after recordation.
- 16. The Project as modified shall not be subject to down-zoning, unit density reduction or intensity reduction or other reduction of approved land uses before the expiration date of this Development Order, unless either (a) the Developer consents to such a change, or (b) the City demonstrates that a substantial change in the conditions underlying the approval of the Development Order has occurred, or that the Development Order was based on substantially inaccurate information provided by the Developer, or that the change is clearly established by the City as essential to the public health, safety or welfare.
- 17. This Development Order shall not preclude the City from requiring the payment of impact fees and/or other fees for development or construction within the Project, provided such fees are assessed in accordance with a duly adopted ordinance and are charged to all other similarly situated developers for the same activities within all other areas of the City.
- 18. In the event that the Developer violates any condition of this Development Order, or otherwise fails to act in substantial compliance with this Development Order, the City may stay the effectiveness of this Development Order on the identifiable tract or parcel, or portion of the tract or parcel owned by the person or entity violating the condition, and within the DRI Property described in Exhibit "A", after a stated compliance date. The Developer shall be given a written notice of violation by the City and a reasonable period of time to cure the violation. The Developer may petition the City Council for review of the notice of violation, prior to the stated compliance date, and said review shall be conducted at a public hearing. Filing of a petition for review shall delay the effectiveness of the notice of violation until the review has been conducted. If the violation has not been cured or corrected by the stated compliance date, all further development permits, approvals and services for the development said tract or parcel, or portion of tract or parcel, shall be withheld until the

violation is corrected. For purposes of this condition, the terms "tract" and "parcel" shall mean "any quantity of land capable of being described with such definiteness that its boundaries may be established, which is designated by its owner or developer as land to be used or developed as a unit or which has been used or developed as a unit, located within the DRI Property legally described in Exhibit 'A' attached hereto and the Master Development Plan (Map H) in the ADA."

- 19. Upon request, and in accordance with the City's adopted certificate of concurrency fee, in the development review fee schedule, the City shall provide to the Developer a letter stating whether the portion of the Project at issue is in compliance with applicable conditions of this Development Order.
- Pursuant to Section 380.06(5)(c), F.S., the Project shall be bound by the rules adopted pursuant to Chapters 373 and 403, F.S., in effect at the time of issuance of this Development Order.
- 21. Compliance with this Development Order shall be monitored through normal City permitting procedures, the procedures listed in the specific conditions of approval, and review of the biennial report. The local official responsible for assuring compliance with this Development Order is the Director of Planning and Zoning.
- 22. This Development Order shall be binding upon the Developer, FPL and its assigns or successors in interest. Any reference herein to any governmental agency shall be construed to mean any future instrumentality which may be created and designated as successor in interest to, or which otherwise possesses any of the powers and duties of, any referenced governmental agency in existence on the effective date of this Development Order.
- 23. It is declared to be the City's intent that, if any section, subsection, sentence, clause, condition or provision of this Development Order is held to be invalid by a court of competent jurisdiction, the remainder of this Development Order shall be construed as not having contained said section, subsection, sentence, clause, condition or provision and shall not be affected by such holding.

PASSED AND ADOPTED on this 24 day of January, 2011.

CITY COUNCIL OF THE CITY OF PORT ST. LUCIE, FLORIDA

JoAnn M. Faiella, Mayor

ATTEST:

Karen A. Phillips, City Clerk

APPROVED AS TO FORM:

Roger Ø. Orr, City Attorney

COMPOSITE EXHIBIT "A"

LEGAL DESCRIPTION OF DRI PROPERTY

ACR Properties, LLC Property

The Alan Wilson Grove plat, according to the plat thereof, as recorded in plat book 12, page 50, of the public records of St. Lucie County, Florida, less the west 5.00 feet thereof.

Together with:

The East one-half Sections 30 and 31, Township 37 South, Range 39 East, less the East 200.00 feet thereof.

Said lands situate in St. Lucie County, Florida. Containing 106,773,334 square feet or 2451.179 acres, more or less, subject to easements, restrictions, reservations, covenants and rights-of-way of record.

FPL Property

The East 200.00 feet of sections 30 and 31, Township 37 South, Range 39 East, St. Lucie County, Florida.

Said lands situate in St. Lucie County, Florida. containing 2,071,967 square feet/47.566 acres, more or less, subject to easements, restrictions, reservations, covenants and rights-of-way of record.

EXHIBIT "B"

CONDITIONS OF APPROVAL

EXHIBIT "B"

CONDITIONS OF APPROVAL

Application for Development Approval

 The Wilson Groves Development of Regional Impact Application for Development Approval is incorporated herein by reference. It is relied upon, but not to the exclusion of other available information, by the parties in discharging their statutory duties under Chapter 380, Florida Statutes. Substantial compliance with the representations contained in the Application for Development Approval, as modified by Development Order conditions, is a condition for approval.

For purposes of this Development Order, the Application for Development Approval ("ADA") shall include the following items:

- a. Application for Development Approval dated September 13, 2005;
- Supplemental information dated March 3, 2006; July 14, 2006; and August 2, 2006;
- Western Annexation Traffic Study ("WATS") Final Report dated January 2006;
 and
- d. Annexation Agreement dated July 19, 2004, and revised May 16, 2005, and July 11, 2005, and November 16, 2009, except to the extent that any term of the Annexation Agreement is subsequently amended by the parties thereto ("Annexation Agreement").

Commencement and Process of Development

2. In the event the Developer fails to commence significant physical development within three years from the effective date of the Development Order, development approval shall terminate and the development shall be subject to further Development of Regional Impact review by the Treasure Coast Regional Planning Council, Florida Department of Community Affairs, and City of Port St. Lucie pursuant to Section 380.06, Florida Statutes. However, this time period shall be tolled during the pendency of any appeal pursuant to Section 380.07, F.S. For the purpose of this paragraph, construction shall be deemed to have initiated after placement of permanent evidence of a structure (other than a mobile home) on a site, such as the pouring of slabs or footings or any work beyond the stage of excavation or land clearing, such as the construction of roadways or other utility infrastructure.

EXHIBIT "B"

Phasing

3. A) The phasing of the Wilson Groves Development of Regional Impact is approved and the Developer is authorized to develop the DRI Property as follows:

Phase	Years	Residential ¹ (DU)	Retail (SF)	Office (SF)	Research & Office (SF)	Light Industrial (SF)	Institutional & Civic (SF)
1	2006- 2013	2,200	210,000	0 136,125	136,125	136,125	0
2	2014- 2018	4,096	120,000	62,000470,375	408,375	408,375	50,638
3	2019- 2023	1,404	260,000	80,000488,375	408,375	408,375	175,436
4	2024- 2028	0	175,000	80,000488,375	408,375	408,375	156,798
Total	2006- 2028	7,700	765,000	222,000 1,583,250	1,361,250	1,361,250	382,872

- 1. Residential units consist of 5,775 single family units and 1,925 multi-family units.
- A) The Developer is authorized to develop the DRI Property as follows:

LAND USE	DENSITY / INTENSITY	ACRES
Residential (DUs)		1,989
Single-family	5,775 DU	-) -0
Multi-family	1,925 DU	***************************************
Retail (GSF)	765,000 GSF	87
Office (GSF)	222,000 GSF	26
Research & Office ¹ (GSF)	1,361,250 GSF	125
Light Industrial (GSF)	1,361,250 GSF	100 A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Institutional and Civic (GSF)	382,327 GSF	44
Schools ²	_	50
Recreation/Open Space Regional Park		50

EXHIBIT "B"

LAND USE	DENSITY / INTENSITY	ACRES 90	
Other	_		
TOTAL	_	2,451	

NOTES:

- Research & Office and Light Industrial both located in 125 acre Employment Center.
- 2. Schools include two K-8 schools which acreage may vary by collocation with parks per Condition 52 (a).

Provided, however, that <u>The</u> development of a use in any phase may commence prior to completion of development in the preceding phase so long as all specific conditions for mitigation of transportation impacts are implemented according to the schedule in this Development Order, as it may be modified from time to time, and all other conditions of this Development Order are satisfied.

In addition to those uses described above, the Developer is authorized to develop ancillary and support uses including but not limited to adult congregate living facilities, wireless communication and cable television towers, digital network facilities, civic buildings, community centers, irrigation treatment plant and pumping facilities, libraries, places of worship, public service facilities, recreational facilities and schools as permitted within the New Community Development District.

B) In order to accommodate changing market demands, at the Developer's request in an application for a specific development permit, and without the Developer filing a notification of proposed change pursuant to section 380.06(19), F.S., the City may increase or decrease the amount of an approved land use by applying the Equivalency Matrix attached to this Developer Order as Exhibit "C", which is incorporated into this Development Order by this reference. The use of the Equivalency Matrix shall not allow impacts to water, wastewater, solid waste, transportation or affordable housing to exceed the aggregate impacts projected in the ADA. In addition, to ensure the basic character of the project is not altered, no land use be increased by an amount which exceeds the numeric criteria in section 380.06(19)(b), F.S., and the aggregate amount of non-residential uses within the DRI Property may not be reduced below the minimum established for the DRI Property by the Annexation Agreement. The mix of land uses shall be consistent with that allowed in the Port St. Lucie Comprehensive Plan. The Developer shall report, in each biennial report required by this Development Order, use of the Equivalency Matrix in Exhibit "C" to increase the amount of one approved land use with a concurrent reduction in one or more other approved land uses.

EXHIBIT "B"

Buildout Date

4. The Wilson Groves Development of Regional Impact shall have a buildout date of December 31, 2028, unless otherwise amended pursuant to the conditions of this Development Order and Section 380.06, Florida Statutes.

Expiration and Termination Date

5. This Development Order shall expire and terminate on December 31, 2035, unless extended as provided in Section 380.06(19)(c), Florida Statutes.

Biennial Report

6. The biennial report required by subsection 380.06(18), Florida Statutes, shall be submitted every two years until the expiration of this Development Order on the anniversary date of the adoption of the Development Order to the City of Port St. Lucie, Treasure Coast Regional Planning Council, Florida Department Community Affairs, and such additional parties as may be appropriate or required by law. The contents of the report shall include those items required by this Development Order and Rule 9J-2.025(7), Florida Administrative Code. The City of Port St. Lucie Planning and Zoning Director shall be the local official assigned the responsibility for monitoring the development and enforcing the terms of the Development Order. Notice of transfer of all or portions of the DRI Property shall be filed with the City of Port St. Lucie and included in the biennial report.

General Provisions

- 7. Any modifications or deviation from the approved plans or requirements of this Development Order shall be made according to and processed in compliance with the requirements of Section 380.06(19), Florida Statutes and Rule 9J-2, Florida Administrative Code.
- 8. The definitions found in Chapter 380, Florida Statutes shall apply to this Development Order.
- 9. Reference herein to any governmental agency shall be construed to mean any future instrumentality that may be created or designated as a successor in interest to, or which otherwise possesses the powers and duties of, any referenced governmental agency in existence on the effective date of this Development Order.
- This Development Order shall be binding upon the Developer and its assignees or successors in interest.

EXHIBIT "B"

REGIONAL PLANNING

Master Development Plan

11. Prior to final approval of any zoning application in the Wilson Groves Development of Regional Impact, the City will require the Developer to prepare a conceptual master plan to provide long-term guidance and direction for the project by showing the general location of all residential and non-residential land uses, arterial and collector roads, arterial and collector potable water, wastewater and reclaimed water infrastructure, stormwater facilities, school sites, civic and institutional sites, other major facilities, major access points and multi-use trails and greenways. The conceptual master plan shall demonstrate consistency with the NCD (New Community Development) land use category. The conceptual master plan shall be consistent with the Master Development Plan (Map H) attached to this Development Order as Exhibit "D" but shall not be adopted as an amendment to this Development Order. The conceptual master plan shall be presented to the City's Planning and Zoning Board and the City Council for consideration and approval; provided, however, that notwithstanding the foregoing, the conceptual master plan shall only be a generalized reference tool which is not regulatory but rather a planning reference to provide long range guidance related to those lands being considered for development approval. The conceptual master plan shall be revised by the Developer from time to time as needed to show approved and proposed development, and the City and the Developer shall agree on the mutually acceptable process for doing so.

Greenway

12. Consistent with the City's local comprehensive plan and the Annexation Agreement, the project shall include a continuous, multi-purpose greenway along Range Line Road with an average width of 50 feet and a minimum width of 30 feet, from Range Line Road's eastern right-of-way boundary. The greenway shall be provided in each development parcel within the DRI Property which is adjacent to Range Line Road as a condition of the recording of a residential subdivision plat or final site plan approval for each such development parcel. An appropriate easement shall be placed upon this greenway in perpetuity. The easement shall allow (a) road crossings and pedestrian access; (b) sites for receiving and disposing of irrigation-quality effluent; and (c) landscaping and irrigation. In addition, within the greenway and adjacent to Range Line Road, the Developer shall grant the City a 30-foot perpetual non-exclusive utility easement; provided, however, such utility easement shall allow for (a) landscaping and irrigation, including with reclaimed water; (b) road crossings and pedestrian access; and (c) similar surface uses, with the City's written authorization, which will not interfere with efficient operation of the City's utilities or unduly hinder maintenance. Any landscaping or irrigation system within the utility easement shall be approved by the City's Utilities Systems Department prior to planting or constructing same.

EXHIBIT "B"

TRANSPORTATION

Rights of Way

- 13. Wilson Groves has dedicated the following road rights-of-way within the project to the City: Becker Road (150 feet), Paar Drive (150 feet), E/W 3 (150 feet), N/S A (150 feet), N/S AB (100 feet) and N/S B (30 feet). As part of this development order, N/S AB will be eliminated and N/S B will be widened to a 150-foot corridor. The adjacent DRI, Riverland Kennedy, has dedicated 30 feet of the N/S B road right-of-way to the City. In order to provide the total corridor width, Wilson Groves shall dedicate an additional 90 feet along the western limits of N/S B. No building permits for Wilson Groves Development of Regional Impact shall be issued after July 1, 2007 until right of way within the project along Becker Road, E/W 3 (Road B), E/W 4 (Paar Drive), N/S A, N/S B, N/S AB, the dedication of the 90 foot road right-of-way along the existing right-of-way for N/S B and all intersections thereof, has been dedicated free and clear of all liens and material encumbrances to the City of Port St. Lucie with a reservation unto the developer or community development district, for purpose of constructing and thereafter maintaining roads and other improvements, until acceptance by the City of Port St. Lucie, subject to the requirements of the Annexation Agreement. After Wilson Groves dedicates the needed right-of-way for the widening of N/S B, the City will return the previously dedicated 100-foot right-of-way for N/S AB to Wilson Groves. Should the adjacent DRI to the east, Riverland/Kennedy, submit a request to revise their DRI to the City prior to the construction of N/S B between Becker Road and Paar Drive, the City will negotiate to obtain 45 feet of right-of-way for N/S B from Riverland/Kennedy, and if successful, the City will return 45 feet of the right-of-way for N/S B to Wilson Groves.
- 14. In addition to the aforementioned roadway networks, the Developer shall further enhance the transportation network by providing a system which shall include but not be limited to public collector roads. The roads identified herein shall not include internal networks for gated communities.

Monitoring

15. A) At any time, the Developer may undertake monitoring to ascertain the level of service on facilities where Wilson Groves Development of Regional Impact has significant impact (project is estimated to contribute an amount of traffic equal to or greater than 5% of the maximum service volume under the adopted level of service standard) in order to determine whether the date or trip threshold by which a transportation improvement required by this Development Order may be extended. If the monitoring demonstrates that the facility or facilities will operate at the adopted level of service standard without the improvement at the date or trip threshold by which this Development Order would otherwise require such improvement, then notwithstanding any other provision of this Development Order the date by which such improvement is required shall be extended on terms

EXHIBIT "B"

approved pursuant to the procedure in Condition 4716. The methodology of the monitoring shall be agreed upon by the City of Port St. Lucie, Florida Department of Transportation, and Treasure Coast Regional Planning Council. In the event that a methodology cannot be agreed upon among all parties, the City of Port St. Lucie shall be the final arbiter. No new mitigation measures and/or modifications to the roadway network shall be required on account of such monitoring.

- B) The City of Port St. Lucie may require the Developer to undertake monitoring to ascertain the level of service on transportation facilities within the DRI as specified in Table 1 and/or Table 2 properties that participated in the WATS ("WATS Area") in order to determine whether the date or trip threshold by which a transportation improvement within the WATS Area required by this Development Order, should be accelerated. If the monitoring demonstrates that a facility or facilities will operate below the adopted level of service standard prior to the date or trip threshold by which this Development Order would otherwise require such improvement, then the date by which such improvement is required shall be accelerated on terms approved pursuant to the procedure in Condition 1716. If the monitoring demonstrates that a facility or facilities will operate below the adopted level of service standard prior to the date or trip threshold by which this Development Order would otherwise require such improvement, then the date or trip threshold for such improvement shall be accelerated based on the results of such monitoring, provided that the accelerated schedule for the improvement shall allow 24 months for engineering, permitting and construction of the improvement. The methodology of the monitoring shall be agreed upon by the City of Port St. Lucie, Florida Department of Transportation, and Treasure Coast Regional Planning Council. In the event that a methodology cannot be agreed upon among all parties, the City of Port St. Lucie shall be the final arbiter. No new mitigation measures and/or modifications to the road network within the WATS Area identified in Tables 1 and 2 shall be required on account of such monitoring.
- 16. In accordance with Section 380.06(15)(c)5, Florida Statutes, changes to roadway improvement conditions which are subject to the monitoring program outlined in Condition 15 shall not be subject to the substantial deviation determination/notice of proposed change process, unless otherwise required by the criteria listed in Section 380.06(b), Florida Statutes. Changes to roadway improvements conditions shall be transmitted for approval to the Florida Department of Transportation, Florida Department of Community Affairs, and Treasure Coast Regional Planning Council. The agencies should complete the review within 90 days after submittal by the Developer.
- 17. A trip generation analysis shall be prepared by the applicant and approved by the City of Port St. Lucie prior to each site plan or residential subdivision plat approval. The trip generation analysis shall present calculations for the p.m. peak hour and shall be performed using trip generation rates included in the latest available Institute of Transportation Engineers Trip Generation Report as well as land uses included in the application for development approval. The trip generation analysis shall include

EXHIBIT "B"

internal capture and passer-by, if appropriate, to determine net trips generated by the development. The trip generation shall be cumulative and include all previous site plan and residential subdivision plat approvals. Development order conditions shall be evaluated using the trip generation analysis to determine triggering of any transportation conditions.

Access Road Improvements

18. No building permits shall be issued for development that generates more than the total net external p.m. peak hour trip threshold or residential units identified in Table 1, whichever comes last, until: 1) contracts have been let for the roadway widening or construction projects identified in Table 1 under "Required Improvement"; 2) a local government development agreement consistent with sections 163.3220 through 163.3243, F.S. has been executed; or 3) the improvement is scheduled in the first three years of the applicable jurisdiction's Capital Improvements Program of FDOT's adopted work program.

<u>Table 1</u>

Access Road Improvements

Road	From	<u>To</u>	Trip Threshold*	Residential Units	Required Improvement
		Phas	<u>e 1</u>		
Becker Rd	Village Pkwy	N/S B	0	0	2L
	Emergency Acce Rd at N/S B and R		<u>0</u>	<u>0</u>	Emergency Access Road
Becker Rd	N/S B	Range Line Rd	<u>2,573</u>	2,200	2L
		Phas	<u>e 2</u>	With the I the second s	
Becker Rd	N/S B	Range Line Rd	4,148	3,955	Widen to 4L D

*Wilson Groves Cumulative Total Net External DRI p.m. Peak Hour Trips

Internal Road Improvements

19. No building permits shall be issued for development that generates more than the total net external p.m. peak hour trip threshold or residential units identified in Table 2, whichever comes last, until: 1) contracts have been let for the roadway widening or construction projects identified in Table 2 under "Required Improvement"; 2) a local government development agreement consistent with sections 163.3220 through 163.3243, F.S. has been executed; or 3) the monitoring program included in Condition 15 does not require these improvements: or 4) the improvement is scheduled in the first three years of the applicable jurisdiction's Capital Improvements Program or FDOT's adopted work program.

EXHIBIT "B"

Table 2

Internal Road Improvements

Road	From	<u>To</u>	Trip Threshold*	Residential Units	Required Improvement
		<u>Ph</u>	ase 1		
N/S A	Becker Rd	E/W 3	2,573	2,200	<u>2L</u>
E/W 3	Rangeline Rd	N/S A	2,573	2,200	<u>2L</u>
E/W 3	N/S A	N/S B	2,573	2,200	<u>2L</u>
		<u>Ph</u>	ase 2		
Paar Dr	<u>N/S A</u>	N/S B	4,152	3,960	<u>2L</u>
<u>N/S B</u>	Becker Rd	E/W 3	4.397	4,233	<u>2L</u>
		<u>Ph</u>	ase 3		
N/S A	Becker Rd	E/W 3	6,708	6,564	Widen to 4L D
<u>Paar</u>	N/S A	N/S B	7,148	<u>6,821</u>	Widen to 4L D
<u>Paar</u>	Rangeline Rd	N/S A	7.449	6,997	<u>2L</u>

^{*}Wilson Groves Cumulative Total Net External DRI p.m. Peak Hour Trips

External Roadways Improvements - West of I-95

1720. Based on the results of the Western Annexation Traffic Study, no building permits shall be issued for development that generates more than the total net external p.m. peak hour trips indicated in Table 3 or after December 31 of the indicated year in Table 3, 2010 whichever comes last, until: 1) contracts have been let to build the following roadways with the lane geometry presented below; 2) a local government development agreement consistent with sections 163.3220 through 163.3243, F.S. has been executed; 3) the monitoring program included in Condition 15 does not require these improvements; or 4) the improvement is scheduled in the first three years of the City's adopted Capital Improvements Program or FDOT's adopted work program. For improvements constructed by the Developer, surety or other acceptable evidence shall be provided to the satisfaction of the City of Port St. Lucie that sufficient funds will be available to complete the following roadways as shown in Table 3:

EXHIBIT "B"

Table 3

External Roadway Improvements - West of I-95

Year	*Trip Threshold	Road	From	<u>To</u>	Required Improvement	Status	
2010	7,449	Tradition Pkwy	Village Pkwy	I-95	6L D	Satisfied	
2010	8.650	Village Pkwy	Tradition Pkwy)	<u>Crosstown</u> Pkwy	4LD	Satisfied	
2010	8,650	Tradition Pkwy	Community Blvd.	Village Pkwy	4LD	Satisfied	
2010	8.650	Community Blvd.	Tradition Pkwy	Westcliffe Lane	2L	Satisfied	
2010	8,650	Westcliffe Lane	N/S A	Village Pkwy	2L		
2014	8.650	Crosstown Pkwy	N/S A	Village Pkwy	4L D		
2014	8,650	Crosstown Pkwy	Village Pkwy	Commerce Center Dr	Widen to 6L D		
2014	8,650	Tradition Pkwy	N/S A	Village Pkwy	4LD		
2014	8,650	N/S A	Crosstown Pkwy	Glades Cut-Off Rd	2L		
2018	8,650	Crosstown Pkwy	Range Line Road	N/S A	2L D		
2020	7,810	Village Pkwy	Tradition Pkwy	SW Meeting Street	6L D	Satisfied	
2020	8,650	Village Pkwy	SW Meeting St	Westcliffe Lane	Widen to 6 L D		

*Wilson Groves Cumulative Total Net External DRI p.m. Peak Hour Trips

- a) Village Parkway from Tradition Parkway (Gatlin Boulevard) to Crosstown Parkway: 4 Lane-divided
- b) Tradition Parkway (Gatlin Boulevard) from Community Boulevard to Village Parkway: 4 Lane-divided
- c) Community Boulevard from Tradition Parkway (Gatlin Boulevard) to Westcliffe Lane (E/W XY): 2 Lanes
- d) Westcliffe Lane (E/W-XY) from N/S A to Village Parkway: 2 Lanes

18. Based on the results of the Western Annexation Traffic Study, no building permits shall be issued after December 31, 2014, until: 1) contracts have been let to build the following roadways with the lane geometry presented below; 2) a local government development agreement consistent with sections 163.3220 through 163.3243, F.S. has been executed and attached as an exhibit to the Development Order; 3) the monitoring program included in Condition 15 does not require these improvements; or 4) the improvement is scheduled in the first three years of the City's adopted Capital Improvements Program or FDOT's adopted work program. For improvements constructed by the Developer, surety or other acceptable evidence shall be provided to the satisfaction of the City of Port St. Lucie that sufficient funds will be available to complete the following roadways:

a) Crosstown-Parkway from N/S A to Village Parkway: 4 Lane-divided

EXHIBIT "B"

- b) Crosstown Parkway from Village Parkway to I-95: 6 Lane-divided
- e) Tradition Parkway (Gatlin Boulevard) from N/S A to Village Parkway: 4 Lane-divided
- d) N/S A from Crosstown Parkway to Glades Cut-Off Road: 2 Lanes

19. Based on the results of the Western Annexation Traffic Study, no building permits shall be issued after December 31, 2018, until: 1) contracts have been let to build the following roadways with the lane geometry presented below; 2) a local government development agreement consistent with sections 163.3220 through 163.3243, F.S. has been executed and attached as an exhibit to the Development Order; 3) the monitoring program included in Condition 15 does not require these improvements; or 4) the improvement is scheduled in the first three years of the City's adopted Capital Improvements Program or FDOT's adopted work program. For improvements constructed by the Developer, surety or other acceptable evidence shall be provided to the satisfaction of the City of Port St. Lucie that sufficient funds will be available to complete the following roadways:

a) Crosstown Parkway from Range Line Road to N/S A: 2 Lane divided

20. Based on the results of the Western Annexation Traffic Study, no building permits shall be issued for development that generates more than the net external p.m. peak hour trip threshold identified in Table 1 or after December 31 of the year of failure identified in Table 1, whichever comes last, until: 1) contracts have been let for the roadway widening or construction projects identified in Table 1 under "Improvements"; 2) a local government development agreement consistent with sections 163.3220 through 163.3243, F.S. has been executed; 3) the monitoring program included in Condition 15 does not require these improvements; or 4) the improvement is scheduled in the first three years of the City's adopted Capital Improvements Program or FDOT's adopted work program. For improvements constructed by the Developer, surety or other acceptable evidence shall be provided to the satisfaction of the City of Port St. Lucie that sufficient funds will be available to complete the roadway widening or construction projects included in Table 1.

Table 1
Wilson Groves DRI
Roadway Improvements

- Road Segment	Trip Threshold	Year of Failure	- Improvement
-	-	-	-
Tradition Parkway (Gatlin Boulevard) – Village Parkway to I-95 Village Boulevard – Tradition Parkway (Gatlin Boulevard) to	7,449	2010	6LD
Westeliffe Lane (E/W XY)	7,810	2020	6LD

EXHIBIT "B"

External Road Improvements - East of I-95

21.A) Based on the results of the Western Annexation Traffic Study, no building permits shall be issued for development that generates more than the total net external p.m. peak hour trip threshold identified in Table 2 4 or after December 31 of the year of failure identified in Table 2 4, whichever comes last, until: 1) contracts have been let for the roadway widening or construction projects identified in Table 2 4 under "Required Improvements"; 2) a local government development agreement consistent with sections 163.3220 through 163.3243, F.S. has been executed; 3) the monitoring program included in Condition 15 does not require these improvements; or 4) the improvement is scheduled in the first three years of the City's adopted Capital Improvements Program or FDOT's adopted work program. For improvements constructed by the Developer, surety or other acceptable evidence shall be provided to the satisfaction of the City of Port St. Lucie that sufficient funds will be available to complete the roadway widening or construction projects included in Table 2 4. The City of Port St. Lucie will use its best efforts to undertake the road improvements in Table 2-4 by the dates and trip thresholds indicated.

<u>Table 4</u>

External Road Improvements – East of I-95

Year	*Trip Threshold	Road	From	То	Required Improvement	Status
2015	1,271	Becker Road	1-95	Rosser Blvd	<u>6 L D</u>	Satisfied
2016	8,650	Paar Dr	Rosser Blvd	Savona Blvd	Widen to 4 L D	
2016	8,650	Paar Dr	Savona Blvd	Port St. Lucie Blvd	Widen to 4 L D	
2010	1,878	Becker Road	Florida's Turnpike	Southbend Blvd	4L D	Satisfied
2013	8,650	Rosser Blvd	E/W 3	Gatlin Blvd	Widen to 4 L D	
2021	8,650	Port St. Lucie Blvd	Paar Dr	Darwin Blvd	Widen to 4 L D	
2011	8,650	Port St. Lucie Blvd	Becker Road	St. Lucie County Line	Widen to 4 L D	
2018	8,650	Rosser Blvd	Paar Dr	E/W 3	Widen to 4 L D	
2022	8,650	Port St. Lucie Blvd	Darwin Blvd	Gatlin Blvd	Widen to 6 L D	
2014	8,650	E/W 3	I-95	Rosser Rd	_2L	
2014	8,650	Paar Dr	1-95	Rosser Rd	4L D	
2018	8.650	E/W 3	<u>I-95</u>	Rosser Rd***	Widen to 4L D	
2018	8.650	Paar Dr	<u>I-95</u>	Rosser Rd***	Widen to 6L D	

EXHIBIT "B"

2022	8,650	E/W 3	<u>I-95</u>		Widen to	
				Rosser Rd***	<u>6L D</u>	
2020	<u>NA</u>	Crosstown Pkwy	<u>I-95</u>	Bayshore Blvd	<u>6L D</u>	Satisfied
2020	8,650	Crosstown Pkwy	Bayshore Blvd	U.S. 1**	6L D	
2010	NA	Becker Road		Florida's	4 L D	Satisfied
			<u>I-95</u>	Turnpike		

^{*}Wilson Groves DRI Total Net External p.m Peak Hour Trips

***These segments include a bridge over I-95, provided, however, that the bridge over I-95 shall be subject to monitoring every three years, commencing for development that generates more than 8,650 total net external p.m. peak hour trips or in 2019, whichever comes later, to evaluate the need for the improvements.

Table 2
Wilson Groves DRI
External Roadway Improvements

- Road Segment	Trip * Threshold	Year of Failure	- Improvement
-	=	-	-
Becker Road - I-95 to Rosser Blvd.	1,271	2015	6LD
Paar Drive - Rosser Blvd. to Savona Blvd.	1,240	2016	4LD
Paar Drive - Savona Blvd. to Port St. Lucie Blvd.	1,278	2016	4LD
Becker Road - Florida's Turnpike to Southbend Blvd.	1,878	2010	4 LD
Rosser Boulevard - E/W 3 to Gatlin Blvd.	3,043	2013	4LD
Port St. Lucie Boulevard - Paar Dr. to Darwin Blvd.	1,660	2021	4LD
Rosser Boulevard - Becker Rd. to Paar Dr.	3,573	2015	4LD
Port St. Lucie Boulevard - Becker Rd. to St. Lucie County Line	2,403	2011	4 Lanes
Rosser Boulevard - Paar Dr. to E/W 3	7,826	2018	4LD
Port St. Lucie Boulevard - Darwin Blvd. to Gatlin Blvd.	5,203	2022	6LD
EW 3 - I-95 to Rosser Road (Asterisks to be deleted)	AA	2014	2 Lanes
Paar Drive - I-95 to Rosser Road (Asterisks to be deleted)	AA	2014	4LD
E/W 3 - I-95 to Rosser Road ***	NA	2018	Widen to 4LD
Paar Drive - I-95 to Rosser Road ***	AA	2018	Widen to 6LD
EW 3 - I-95 to Rosser Road ***	NA	2022	Widen to 6LD
Crosstown Parkway - I-95 to Bayshore Blvd.	AH	20132020	eFD
Crosstown Parkway - Bayshore Boulevard to U.S. 1**	AA	2020	6LD
Becker Road - I-95 to Florida's Turnpike	NA.	2010	4LD

^{*} Wilson Groves DRI Net External PM Peak Hour Trips

^{**} Based on permitability

^{**} Based on permitability

^{***}These segments include a bridge over I-95, provided, however, that the bridge over I-95 shall be subject to monitoring every three years, commencing at the start of Phase 3 in 2019 to evaluate the need for the improvement.

EXHIBIT "B"

22. A traffic re-analysis shall be undertaken by the Developer and submitted to the City, DCA, TCRPC and FDOT for any development that generates more than 8,650 total net external p.m. peak hour trips or if by December 31, 2020, whichever comes last, if the six laning of the Crosstown Parkway - Bayshore Boulevard to U.S. 1 segment is: 1) not under contract; 2) not included in a local government development agreement consistent with sections 163.3220 through 163.3243, F.S.; 3) required by the monitoring program included in Condition 15, if applicable; or 4) not scheduled in the first three years of the City's adopted Capital Improvements Program or FDOT's adopted work program. The traffic re-analysis shall be prepared in a manner consistent with the methodology utilized in the WATS, or at the election of the Developer, utilizing an alternative methodology acceptable to the City, DCA and FDOT. If the traffic re-analysis shows that the incomplete segment will result in additional or increased significant impacts to state or regionally significant roads external to the WATS area as identified in the WATS, no building permits shall be issued for any development that generates more than 8,650 total net external p.m. peak hour trips or after December 31, 2020, whichever comes last, until the Development Order has been amended to include mitigation to address such additional or increased significant impacts consistent with Rule 9J-2.045 F.A.C.

Road Improvements Outside the City of Port St. Lucie

23. B) Based on the results of the Western Annexation Traffic Study, no building permits shall be issued for development that generates more than the total net external p.m. peak hour trip threshold identified in Table 3-5 or after December 31 of the year of failure identified in Table 3-5, whichever comes last, until: 1) contracts have been let for the roadway widening or construction projects identified in Table 3 under "Required Improvements"; 2) a local government development agreement consistent with sections 163.3220 through 163.3243, F.S. has been executed; 3) the monitoring program included in Condition 15 does not require these improvements; or 4) the improvement is scheduled in the first three years of the applicable jurisdiction's Capital Improvements Program or FDOT's adopted work program.

Table 5

Roadway Improvements Outside the City of Port St.Lucie

	*Trip	Road			Required	Status
Year	Threshold		From	<u>To</u>	Improvement	
nr-	1.254			Martin County	4LD	
2022		SW Allapattah Rd	CR 714	<u>Line</u>		
	1,254		Martin County		Widen to	
2022		Range Line Rd	<u>Line</u>	Becker Rd	4L D***	
	2,403	The state of the s	St. Lucie		Widen to	
2011		SW Citrus Blyd	County Line	<u>SR 714</u>	4L **	
	4,133	SR 714/Martin	Port St. Lucie	Florida's	Widen to	
2013		Hwy	Blvd	Turnpike	<u>4L D</u>	
Account of the last	4,165	CR 714/Martin	Florida's	High Meadows	Widen to	
2010		Hwy	Turnpike	Ave.	4L D	

EXHIBIT "B"

	5,652	CR 714/Martin	High		Widen to	
2011		Hwy.	Meadows Ave.	Berry Ave.	4L D	

^{*}Wilson Groves DRI Total Net External p.m. Peak Hour Trips

Table 3
Wilson Groves DRI
Roadway Improvements Outside the City of Port St. Lucie

- Road Segment	Trip * Threshold	Year of Failure	- Improvement
Range Line Road SR 714 to Becker Road	1,254	2022	4LD
Port St. Lucie Blvd - St. Lucie County Line to SR 714	2,403	2011	4 Lanes**
SR 714/Martin Hwy Port St. Lucie Blvd. to Florida's Turnpike	4,133	2013	4LD
CR 714/Martin Hwy Florida's Turnpike to High Meadows Av.	4,165	2010	4LD
CR 714/Martin Hwy High Meadows Av. to Berry Av.	5.652	2011	4LD

^{*} Total Wilson Groves DRI Net External PM Peak Hour Trips

24C) A traffic re-analysis shall be undertaken by the Developer and submitted to the City, TCRPC, DCA, and FDOT by the date that development within the Wilson Groves DRI generates more than 2,403 total net external p.m. peak hour trips or by December 31, 2011, whichever comes last, if the four-laning of the Port St. Lucie Boulevard - St. Lucie County Line to SR 714 segment is: 1) not under contract to construct the roadway; 2) not included in a local government development agreement consistent with section 163.3220 through 163.3243, F.S.; 3) required by the monitoring program included in Condition 15, if applicable; or 4) not scheduled in the first three years of an adopted Capital Improvements Program or FDOT's adopted work program. The traffic re-analysis shall be prepared in a manner consistent with the methodology utilized in the WATS, or at the election of the Developer, utilizing an alternative methodology acceptable to the City, DCA, FDOT and TCRPC, and shall be limited to a determination of the effect, if any, of the delay in four laning the segment of Port St. Lucie Boulevard - St. Lucie County Line to SR 714 on road external to the WATS area. If the traffic re-analysis shows that the delay will result in additional or increased significant impacts to state or regionally significant roads as identified in the WATS, no building permits shall be issued after development within the Wilson Groves DRI generates more than 2,403 total net external p.m. peak hour trips or December 31, 2011, whichever comes last, until the Development Order has

^{**}Provided sufficient right-of-way exists for the improvement.

^{***} This condition may be satisfied by a payment to St. Lucie County based on the Settlement Agreement Including Impact Fee Credit Agreement between the Developer and St. Lucie County.

^{**} Provided sufficient right-of-way exists for the improvement

EXHIBIT "B"

been amended to include mitigation to address such additional or increased significant impacts consistent with Rule 9J-2.045, F.A.C.

Roadways within Western Annexation Area

22. Based on the results of the Western Annexation Traffic Study, no building permits shall be issued after December 31, 2010, until: 1) contracts have been let to build the following roads with the lane geometry presented below; 2) a local government development agreement consistent with sections 163.3220 through 163.3243, F.S., has been executed; 3) the monitoring program included in Condition 15 does not require these improvements; or 4) the improvement is scheduled in the first three years of the City's adopted Capital Improvements Program or FDOT's adopted work program. For improvements constructed by the Developer, surety or other acceptable evidence shall be provided to the City's satisfaction that sufficient funds will be available to complete the following improvements:

Becker Road from Range Line Road to N/S A: 2 Lanes
Becker Road from N/S A to I-95: 4 Lane-divided
E/W 3 from N/S A to Community Boulevard: 2 Lanes
N/S A from Becker Road to E/W 3: 2 Lanes
Community Boulevard from Becker Road to E/W 1: 2 Lanes
Community Boulevard from E/W 1 to Gatlin Boulevard: 4 Lane-divided
Village Parkway from Becker Road to Gatlin Boulevard: 4 Lane-divided

23. Based on the results of the Western Annexation Traffic Study, no building permits shall be issued after December 31, 2014 until: 1) contracts have been let to build the following roads with the lane geometry presented below; 2) a local government development agreement consistent with sections 163.3220 through 163.3243, F.S., has been executed; 3) the monitoring program included in Condition 15 does not require these improvements; or 4) the improvement is scheduled in the first three years of the City's adopted Capital Improvements Program or FDOT's adopted work program. For improvements constructed by the Developer, surety or other acceptable evidence shall be provided to the City's satisfaction that sufficient funds will be available to complete the following improvements:

Becker Road from Range Line Road to N/S A: Widen to 4 Lane-divided
Becker Road from N/S AB to I-95: Widen to 6 Lane-divided
Paar Drive from Range Line Road to N/S BC: 2 Lanes
Paar Drive from N/S BC to I-95 western right-of-way: 4 Lane-divided
E/W 3 from Range Line Road to N/S A: 2 Lanes
E/W 3 from Community Boulevard to I-95 western right-of-way: 2 Lanes
E/W 1 from Range Line Road to Community Boulevard: 2 Lanes
E/W 1 from Community Boulevard to Village Parkway: 4 Lane-divided
N/S A from E/W 3 to E/W 1: 2 Lanes
N/S A from E/W 1 to Tradition Parkway (Gatlin Boulevard): 4 Lane-divided

EXHIBIT "B"

N/S A from Tradition Parkway (Gatlin Boulevard) to Crosstown Parkway: 4
Lane divided (May be constructed concurrently, but no later than, with the
construction of Crosstown Parkway from N/S A to Village Parkway.)
N/S AB from Becker Road to Paar Drive: 2 Lanes
N/S B from Becker Road to E/W 1: 2 Lanes
N/S BC from Becker Road to Paar Drive: 2 Lanes
Village Parkway from E/W 1 to Gatlin Boulevard: Widen to 6 Lane divided
Tradition Parkway (Gatlin Boulevard) from N/S A to Range Line Road: 4 Lanedivided

24. Based on the results of the Western Annexation Traffic Study, no building permits shall be issued after December 31, 2018 until: 1) contracts have been let to build the following roads with the lane geometry presented below; 2) a local government development agreement consistent with sections 163.3220 through 163.3243, F.S., has been executed; 3) the monitoring program included in Condition 15 does not require these improvements; or 4) the improvement is scheduled in the first three years of the City's adopted Capital Improvements Program or FDOT's adopted work program. For improvements constructed by the Developer, surety or other acceptable evidence shall be provided to the City's satisfaction that sufficient funds will be available to complete the following improvements:

Paar Drive from N/S A to N/S BC: Widen to 4 Lane divided
Paar Drive from Village Parkway to I-95 western right of way: Widen to 6 Lane divided
E/W 3 from Community Boulevard to I-95 western right of way: Widen to 4 Lane divided
E/W 1 from N/S B to Community Boulevard: Widen to 4 Lane divided
N/S A from Becker Road to E/W 1: Widen to 4 Lane divided
Community Boulevard from Becker Road to E/W 1: Widen to 4 Lane divided
Village Parkway from E/W 1 to Gatlin Boulevard: Widen to 8 Lane divided*
*If required by the City.

25. Based on the results of the Western Annexation Traffic Study, no building permits shall be issued after December 31, 2022 until: 1) contracts have been let to build the following roads with the lane geometry presented below; 2) a local government development agreement consistent with sections 163.3220 through 163.3243, F.S., has been executed; 3) the monitoring program included in Condition 15 does not require these improvements; or 4) the improvement is scheduled in the first three years of the City's adopted Capital Improvements Program or FDOT's adopted work program. For improvements constructed by the Developer, surety or other acceptable evidence shall be provided to the City's satisfaction that sufficient funds will be available to complete the following improvements:

E/W 3 from N/S A to Community Boulevard: Widen to 4 Lane-divided E/W 3 from Village Parkway to I-95: Widen to 6 Lane-divided N/S AB from Becker Road to Paar Drive: Widen to 4 Lane-divided

EXHIBIT "B"

N/S B from Paar Drive to E/W 1: Widen to 4 Lane divided
N/S BC from Becker Road to Paar Drive: Widen to 4 Lane divided
Village Parkway from Becker Road to E/W 1: Widen to 6 Lane divided

26. Intersection lane geometry for all arterial roads between I-95 and Range Line Road included in Master Development Plan (Map H) attached to this Development Order as Exhibit "D" shall, for all 6 lane by 6 lane, 4 lane by 6 lane and 4 lane by 4 lane intersections within rights of way greater than 100 feet, include dual left-turn lanes and an exclusive right-turn lane in all approaches. For all other arterial road intersection types, the Developer shall submit to the City, for approval, an intersection analysis to designate the lane geometry for each intersection.

E/W 3 and I-95 Interchange

2527. A traffic study shall be prepared for development that generates more than 8,650 total net external p.m. peak hour trips or by no later than January 1, 2019, whichever comes last, to evaluate the need for an interchange along I-95 with E/W 3. The methodology for this traffic study shall be discussed with the Developer, and agreed upon by the City of Port St. Lucie and Florida Department of Transportation. The traffic study shall estimate traffic projections at buildout of all DRI developments that participated in the WATS.

2628. If the study required by Condition 2527 justifies an interchange along I-95 with E/W 3, then no building permits shall be issued for development that generates more than 8,650 total net external p.m. peak hour trips or after December 31, 2020, whichever comes last, until the development order has been amended to include provisions for such an interchange and such interchange has been authorized by the Federal Highway Administration and/or FDOT, as applicable. Such amendment to the Development Order shall not be subject to a substantial deviation determination, unless otherwise required by criteria in section 380.06(19)(b), F.S.

Other Issues

27. Intersection lane geometry for all arterial roads between I-95 and Range Line Road included in Master Development Plan (Map H) attached to this Development Order as Exhibit "D" shall, for all 6 lane by 6 lane, 4 lane by 6 lane and 4 lane by 4 lane intersections within rights-of way greater than 100 feet, include dual left-turn lanes and an exclusive right-turn lane in all approaches. For all other arterial road intersection types, the Developer shall submit to the City, for approval, an intersection analysis to designate the lane geometry for each intersection.

<u>2829</u>. All roads expressly addressed in the transportation conditions of this Development Order shall be open to the public.

2930. Commencing in 2008 and continuing every other year thereafter, the Developer shall submit a Biennial Status Report indicating the status (schedule) of guaranteed

EXHIBIT "B"

transportation network modifications. This Biennial Status Report shall be attached to and incorporated into the Biennial Development of Regional Impact Report required by Condition 6.

The Biennial Status Report shall list all roadway modifications needed to be constructed, the guaranteed date of completion for the construction of each needed modification, the party responsible for the guaranteed construction of each modification, and the form of binding commitment that guarantees construction of each modification. Except for improvements which are re-scheduled or determined to be not needed pursuant to monitoring under Condition 15, no further building permits for the Wilson Groves Development of Regional Impact shall be issued at the time the Biennial Status Report reveals that any needed transportation modification included in the Development Order is no longer scheduled or guaranteed, or has been delayed in schedule such that it is not guaranteed to be in place and operational or under actual construction for the entire modification consistent with the timing or trip threshold criteria established in this Development Order.

- <u>30</u>31. In the event that a transportation improvement which the Developer is required to provide pursuant to this Development Order is instead provided by a dependent or independent special district, the improvement shall be deemed to have been provided by the Developer.
- 31. The Developer is responsible for the mitigation of all environmental impacts of all right-of-ways within the Wilson Groves project.

ENVIRONMENTAL AND NATURAL RESOURCES

Wetlands

- 32. The Developer shall comply with all wetland mitigation requirements of the U. S. Army Corps of Engineers and South Florida Water Management District. Any wetland permit issued by the South Florida Water Management District and the US Army Corps of Engineers for all or any portions of the Wilson Groves DRI Property shall satisfy all City rules, regulations, codes, permitting and other requirements pertaining to wetlands and littoral plantings for the portion or portions of the Wilson Groves DRI Property subject to any such permits. Any mitigation required for impacts to existing jurisdictional wetlands shall be completed on the project site. Details of any such required wetland maintenance and enhancement procedures and management schedule shall be provided in a specific Mitigation Management Plan.
- 33.[Deleted in its entirety.] The Developer shall preserve or create a buffer zone of native upland edge vegetation around all preserved and created wetlands on site where required by the Mitigation Management Plan above. The upland buffers shall be designed to be consistent with the buffer requirements of the South Florida Water Management District. Created upland buffers shall include canopy, understory, and

EXHIBIT "B"

ground cover of native upland species. Details of the upland buffer maintenance and management schedule shall be provided in the Mitigation Management Plan.

34.[Deleted in its entirety.] No Certificate of Occupancy shall be issued until the Developer, or a property association created by the Developer ("Association"), prepares the afore stated Mitigation Management Plan for the area specified in the Mitigation Management Plan within the property identified on the Wilson Groves Master Development Plan (Map II) attached to this Development Order as Exhibit "D". The Mitigation Management Plan shall: 1) identify management procedures and provide a schedule for their implementation; 2) include procedures for maintaining suitable habitat for state and federally listed species; and 3) include methods to remove nuisance and exotic vegetation as specified in this Development Order. The management plan shall be approved by the City of Port St. Lucie in consultation with the U.S. Fish and Wildlife Service and Florida Fish and Wildlife Conservation Commission prior to commencement of site clearing activities on the project site. The Mitigation Management Plan required by this condition shall constitute the management plan required by Section 157.26 of the City's Land Development Regulations.

Listed Species

- 35. The Developer or an Association or community development district shall maintain Wood Stork foraging habitat on site by ensuring no additional net loss of wood stork prey jurisdictional wetland function and value. Ten (10) acres of littoral shelves shall be created within All surface waters created on the site, where appropriate, shall include features specifically designed to provide preferred foraging habitat for this species. The features should include areas designed to concentrate prey during dry down periods. The Developer shall comply with all U.S. Fish and Wildlife Service recommendations regarding the design and creation of foraging habitat for this federally endangered species. Details of the wetland creation design, procedures, and management schedule shall be provided in the Mitigation Management Plan.
- 36. In the event that it is determined that any additional representative of a state or federally listed plant or animal species is resident on, or otherwise significantly dependent upon a development parcel, the developer of such parcel shall cease all activities which will negatively affect that individual population and immediately notify the City of Port St. Lucie, and such developer shall provide proper protection to the satisfaction of the City of Port St. Lucie in consultation with the U.S. Fish and Wildlife Service and Florida Fish and Wildlife Conservation Commission.

Exotic Species

37. Prior to obtaining a certificate of occupancy for any future structure located on a particular development parcel, the developer of such parcel shall remove from that parcel all Melaleuca, Brazilian pepper, Old World climbing fern, Australian pine, downy rose-myrtle, and any other plants classified as "Prohibited by Florida Department of Environmental Protection", "Noxious Weed listed by Florida

EXHIBIT "B"

Department of Agriculture and Consumer Services", or "Noxious Weed by the US Department of Agriculture according to the 2005 publication: "List of Florida's Invasive Species" published by the Florida Exotic Pest Plant Council. This includes all such plants listed under Category I or Category II Invasive Exotics. Removal shall be in a manner that minimizes seed dispersal by any of these species. There shall be no planting of these species on site. Methods and a schedule for the removal of exotic and nuisance species should be approved by the City of Port St. Lucie. The entire site, including jurisdictional wetlands and Conservation Areas, if any, shall be maintained free of these species in perpetuity in accordance with all applicable permits.

Stormwater Management

- 38. The developer of each development parcel shall design and construct a stormwater management system within such development parcel to retain the maximum volumes of water consistent with South Florida Water Management District criteria for flood control. The stormwater management system shall be designed and constructed to provide stormwater treatment and attenuation/storage, in accordance with South Florida Water Management District requirements, for the ultimate build-out of all public rights-of-way located within the DRI Property. All discharged water from the surface water management system shall meet the water quality standards of Florida Administrative Code Rule 17-3.
- 39. All elements of the stormwater management system shall be designed to prevent negative impacts to adjacent areas and to the receiving bodies of water. A water quality monitoring program shall be established if required by any applicable federal, state or local agency having jurisdiction.
- 40. The Developer shall work with the City of Port St. Lucie to minimize the amount of impervious surface constructed for automobile parking on the project site. The Developer and the City should consider the use of pervious parking lot materials where feasible.
- 41. The surface water management system shall utilize Best Management Practices to minimize the impact of chemical runoff associated with lawn and landscape maintenance. The Developer shall coordinate with the South Florida Water Management District to formulate and implement Best Management Practices to reduce the use of pesticides and fertilizers throughout the project.
- 42. Maintenance and management efforts required to assure the continued viability of all components of the surface water management system shall be the financial and physical responsibility of the Developer, a community development district, a special assessment district, or other entity acceptable to the City of Port St. Lucie. Any entities subsequently replacing the Developer shall be required to assume the responsibilities outlined above.

EXHIBIT "B"

Water Supply

- 43. No residential subdivision plat shall be recorded nor final site plan approved for any development parcel until the Developer has provided written confirmation from the City of Port St. Lucie Utility Systems Department that adequate capacity of treated potable water is available to serve the development parcel the Developer has provided or others have provided (or have provided surety in a form acceptable to the City) for the necessary water system extensions to serve the development parcel.
- 44. The preferred source of irrigation water shall be treated wastewater effluent at such time as this source is made available to the site. The Developer shall connect each development parcel to the City of Port St. Lucie's reclaimed water system when the system is within 300 feet of the subject development parcel. The project shall be equipped with an irrigation water distribution system to provide reclaimed water to all domestic residential lots when it becomes available. No individual home wells shall be constructed on the project site. Prior to availability of a sufficient supply of reclaimed water, other water supply sources may be used for landscape irrigation subject to meeting South Florida Water Management District permitting criteria in effect at the time of permit application.
- 45. In order to reduce irrigation water demand, xeriscape landscaping shall be encouraged throughout the project. At a minimum, the xeriscape landscaping shall meet the requirements of the City of Port St. Lucie.
- 46. The project shall utilize ultra-low volume water use plumbing fixtures, self-closing and/or metered water faucets, xeriscape landscape techniques, and other water conserving devices and/or methods specified in the Water Conservation Act, Section 553.14, Florida Statutes. These devices and methods shall meet the criteria outlined in the water conservation plan of the public water supply permit issued to the City of Port St. Lucie by the South Florida Water Management District.

Wastewater Management

47. No residential subdivision plat shall be recorded nor final site plan approved for any development parcel until the Developer has been provided written confirmation from the City of Port St. Lucie Utility Systems Department that adequate capacity for wastewater treatment is available to serve such development parcel and the Developer or others have provided (or have provided surety in a form acceptable to the City) for the necessary wastewater system extension to serve such development parcel.

Solid Waste and Hazardous Materials

48. No residential subdivision plat shall be recorded nor final site plan approved for any development parcel until the Developer has provided written confirmation from St. Lucie County or other provider acceptable to the City that adequate solid waste disposal services and facilities will be available when needed for that parcel.

EXHIBIT "B"

Development shall only occur concurrently with the provision of adequate solid waste disposal services and facilities.

Air Quality

49. During land clearing and site preparation, soil treatment techniques appropriate for controlling unconfined particulate emissions shall be undertaken. If construction on a parcel will not begin within thirty days of clearing, the soil shall be stabilized until construction on the parcel begins. Cleared areas may be sodded, seeded, landscaped or mulched to stabilize the soil. Minimal clearing for access roads, survey lines, fence installation, or construction trailers and equipment staging areas is allowed without the need for soil stabilization. The purpose of this condition is to minimize dust production and soil erosion during land clearing and to prevent soil particulates from becoming airborne between the time of clearing and construction. Development within the DRI Property shall comply with all applicable National Pollutant Discharge Elimination System requirements.

HUMAN RESOURCE ISSUES

Housing

50. The Port St. Lucie Comprehensive Plan does not require any affordable housing mitigation or contribution by the Developer. However, the Developer offered to provide voluntary support for affordable housing by means of a local condition. The Developer shall pay a voluntary affordable housing assistance fee of \$500, or a mutually agreed upon amount, for each residential unit constructed on the property, payable at the time of building permit application, into an affordable housing trust fund or other dedicated account established by the city. The city shall determine how to disburse the moneys in such trust fund to encourage affordable housing through such means as (a) acquisition of land; (b) a program of down payment assistance; (c) prepaying of points for qualified homebuyers; (d) rehabilitation of existing affordable housing; (e) construction of new affordable housing by private developers or not-for-profit entities; or (f) other appropriate affordable housing strategies.

As an alternative to the above condition, the developer may choose to participate in a program developed by the City of Port St. Lucie that will provide sufficient workforce housing in proportion to the population, based upon a program of the City of Port St. Lucie upon its adoption in the City of Port St. Lucie comprehensive plan.

Prior to the beginning of each phase subsequent to Phase 1, the supply of affordable housing shall be re-calculated using the East Central Florida Regional Planning Council Housing Methodology (revised June 1999) or, at the election of the Developer, an alternative methodology acceptable to the City and DCA. If the supply calculation for any subsequent phase shows that there is not an adequate supply of affordable housing reasonably accessible to the Wilson Groves DRI to meet the demand from non-residential development in that phase, the Development Order shall be amended to

EXHIBIT "B"

include measures to mitigate the unmet housing need consistent with Rule 9J-2.048, F.A.C. The voluntary affordable housing mitigation assistance fee provided for in this Condition 50 shall be credited against any required mitigation.

Schools

- 51. No residential subdivision plat shall be recorded nor final residential site plan approved for any development parcel after July 1, 2007 until the Developer has secured a development agreement with the St. Lucie County School District that assures the following:
 - a. The dedication to the City of Port St. Lucie, pursuant to the Annexation Agreement, of two K-8 school site of not less than 25 acres, provided that drainage (after all required water quality pretreatment is provided on site at no cost to the Developer) for the K-8 school sites can be accommodated off-site. The net acreage must not include any required upland or wetland preservation areas. Alternatively, if collocated with a park site, and recreational areas can be shared, the site can be reduced to 20 acres.
 - b. For the proposed total development program of 7,700 dwelling units, of which 900 are proposed to be age-restricted, and with current student generation rates for St. Lucie County, the Developer shall contribute a proportionate share of all costs necessary to construct, according to State of Florida and St. Lucie County School District standards, the school facilities for the sites identified in this condition, not to exceed the total amount of educational facilities impact fees for the DRI Property (based upon generally applicable St. Lucie County educational impact fees in effect from time to time), so that there will be adequate school facilities to accommodate the impacts of the development. Such facilities shall be operated and maintained by the St. Lucie County School District.
 - c. The development agreement with the St. Lucie County School District shall provide for a formula for the reimbursement of educational impact fees that would normally be assessed of dwelling units within the proposed development in exchange for the conveyance of the school sites described in subparagraph (a) above.
 - d. The City of Port St. Lucie will use good faith efforts to enter into an appropriate interlocal agreement with the St. Lucie County School District pursuant to which the City of Port St. Lucie will convey the school sites described in subparagraph (a) above to the St. Lucie County School District as and when needed by the St. Lucie County School District.

EXHIBIT "B"

Police and Fire Protection

- 52. No residential subdivision plat shall be recorded nor final site plan approved for any development parcel until the Developer has received a statement from the City of Port St. Lucie Police Department indicating that adequate facilities and police protection are in place to serve the development parcel. The methodology used to determine the demand created as a result of the project and the standards used to determine adequate police protection shall be approved by the City of Port St. Lucie Police Department.
- 53. No residential subdivision plat shall be recorded nor final site plan approved for any development parcel after July 1, 2007 until the Developer has entered into a mutually agreed upon Developers Agreement with the St. Lucie County Fire District for improvements necessary to provide Fire and Emergency Medical Services to the project. The methodology used to determine the demand created as a result of the project and the standards used to determine adequate fire rescue services shall be approved by the St. Lucie County Fire District.

[This condition has been satisfied. See agreement in ORB 2912, Page 1491]

Hurricane Preparedness

- 54. The Developer shall construct one or more on-site buildings to provide a minimum 16,120 SF of hurricane evacuation shelter space for the residents of the Wilson Groves Development of Regional Impact. As an alternative, the Developer may elect to make an equivalent payment to the City for the hurricane shelter space required by this condition and, upon making such payment, the Developer shall have satisfied this condition and shall bear no further responsibility or liability under it. If the space is constructed by the Developer on site, construction will commence before the start of hurricane season during the year that each phase is scheduled to end. If the Developer is to construct same, then a minimum of 4,606 square feet of public hurricane evacuation shelter space shall be under construction by the end of Phase 1; a minimum of 8,541 square feet of public hurricane evacuation shelter space shall be under construction by the end of Phase 2; and a minimum of 2,944 square feet of public hurricane evacuation shelter space shall be under construction by the end of Phase 3. Emergency shelter requirements may be accomplished through providing a combination of safe spaces within home(s) and/or constructing community hurricane shelter spaces or dual use of a facility (including schools) constructed or retrofitted to State of Florida hurricane code within the development. The hurricane shelter mitigation techniques provided shall be approved by the City of Port St. Lucie and St. Lucie County Division of Emergency Management and be consistent with Chapter 9J-2.0256(5) (a), Florida Administrative Code and with Red Cross Standards 4496. If the Development Order is changed to allow an alternate number of residential units, then the numbers in this condition would change proportionately.
- 55. The Port St. Lucie Comprehensive Plan does not require hurricane preparedness mitigation or contribution by the Developer. However, the Developer has previously

EXHIBIT "B"

made a voluntary contribution of \$50,000.00 to the City to enhance hurricane preparedness. This contribution provided sufficient funds to finance space for the City's Emergency Operations Center and adequate special needs public hurricane evacuation shelter space for residents of the project.

Parks and Recreation

56. Prior to January 1, 2008 2012, the Developer shall prepare a plan to be approved by the City of Port St. Lucie Parks and Recreation Department for the provision of neighborhood and community recreational sites and facilities to meet the demand created by residential development in the DRI Property. At a minimum, the plan shall 1) provide for the conveyance to the City, in accordance with the requirements of the Annexation Agreement, of 90 acres of net usable area of public park sites (including the 50 acres of regional park described below), with no individual park sites to be less than 10 acres; 2) show the locations of proposed park sites; 3) provide a schedule for conveyance of the public park sites, with all such park sites to be conveyed by no later than December 31, 2016, and 4) comply with a requirement of 5 acres of parks per 1,000 population, consistent with the level of service required for parks and recreational facilities in the City of Port St. Lucie Comprehensive Plan at the time of the adoption of the original development order. Neighborhood and community recreational facilities shall be available to serve projected demand in accordance with the plan approved by the City of Port St. Lucie Parks and Recreation Department. Nothing in this condition 59 56 shall require the Developer to construct or pay for recreational facilities on public park sites provided by the Developer pursuant to this condition or the Annexation Agreement.

Prior to the issuance of the 6,001 building permit for the Wilson Groves DRI Property On or before October 31, 2007, and subject to the Annexation Agreement, the Developer shall convey to the City 50 net usable acres for a regional park as required by the Annexation Agreement, in the general location shown on the Master Development Plan (Map H) attached to this Development Order as Exhibit "D".

Historic and Archaeological Sites

57. In the event of discovery of any archaeological artifacts during construction of the project, construction shall stop within a 30-foot radius/buffer and immediate notification shall be provided to the City of Port St. Lucie and the Division of Historical Resources, Florida Department of State. Construction may resume within the affected area after the City and the Division of Historical Resources have determined the appropriate mitigation pursuant to Rule 9J-2.043, F.A.C., if any are warranted, and such measures have been implemented by the Developer.

EXHIBIT "B"

Energy

58. The final site and building designs shall comply with Florida Thermal Efficiency Code Part VII, Chapter 553, Florida Statutes. Where practical, the project shall also incorporate measures identified in Council's energy plan guide entitled, Energy Planning in the Twenty-First Century: A Guide for Florida Communities, updated January 2003.

RESOLUTION 11R-01 EXHIBIT "C"

LAND USE EQUIVALENCY MATRIX


WILSON GROVES DRI

TRIP EQUIVALENCY MATRIX


то	ITE Code		1 Resid. Single Family Unit	1 Resid. Multi- Family Unit	1 Hotel Unit	1000 SF Industrial	1000 SF Office	1000 SF Retail	1000 SF Civic	1 Middle School Student	1 Elem. School Student	t University Student	1000 SF Institution al	1 Park Acre	1 Hospita Bed
		PM Total Trip Rate	0.83	0.35	0.7	0.98	1.49	3 88	5 45	0.15	0.14	0.21	3.05	0.06	1.3
FROM															
1 Resid. Single Family Unit	210	0.83	1	2.37	1.19	0.85	0.56	0.21	0.15	5.53	5.93	3.95	0.27	13.83	0.64
1 Resid Multi-Family Unit	230	0.35	0.42	1	0.5	0.36	0.23	0.09	0.06	2.33	2.5	1 67	0.11	5.83	0.27
1 Hotel Unit	310	0.7	0.84	2	1	0.71	0.47	0.18	0.13	4.67	5	3 33	0.23	11.67	0.54
1000 SF Industrial	110	0.98	1 18	2.8	1.4	1	0.66	0.25	0.18	6.53	7	4.67	0.32	16.33	0.75
1000 SF Office	710	1 49	1.8	4.26	2.13	1.52	1	0.38	0.27	9.94	10.65	7.1	0.49	24.85	1.15
1000 SF Retail	820	3.88	4.67	11.09	5.54	3.96	2.6	1	0.71	25.87	27.71	18.48	1.27	64.67	2.98
1000 SF Civic	WAS	5.45	6.57	15.57	7.79	5.56	3.66	1.4	1	36.33	38.93	25.95	1.79	90.83	4.19
1 Middle School Student	522	D.15	0.18	0.43	0.21	0.15	0.1	0.04	0.03	1	1.07	0.71	0.05	2.5	0.12
1 Elem. School Student	520	0.14	0.17	0.4	0.2	0.14	0.09	0.04	0 03	0.93	í	0.67	0.05	2.33	0.11
1 University Student	550	0.21	0.25	0.6	0.3	0.21	0 14	0.05	0.04	1.4	1.5	1	0.07	3.5	0.16
1000 SF Institutional	WAS	3.05	3.67	8.71	4.36	3.11	2.05	0.79	0.56	20.33	21.79	14.52	1	50.83	2.35
1 Park Acre	412	0.06	0.07	0.17	0.09	0.06	0.04	0.02	0.01	0.4	0.43	0 29	0.02	1	0.05
1 Hospital Bed	WAS	1.3	1 56	3.70	1.85	1.33	0.87	0.34	0.24	8.33	9.09	6.25	0.43	20 00	1

EXHIBIT "D"


Wilson Groves DRI Port St. Lucie, FL



Map H Master Plan



"This missol is a metrical discussion of this parametrized coloning investion in set of things, specialwark solutions within share's commission underlying design basis in procession interest on the coloning design basis in procession in metrical coloning design basis in procession and what nor may be set under the register of medical work procession and the coloning design and fallationed distriges, registerises to commission accommissionly evaluate and fallationed distriges, registerises to commission of coloning ways as the analises designation in this appealule registered includings and an extra coloning may be a considered analise of the supplication of the supplication procession and the set of stabled designation placement procession are instead of colonings and coloning in the coloning designation of colonings and state to a special cut understoring marginal sensitivities are without the special cut understoring the procession and without the coloning of colonings and coloning the coloning of colonings and coloning the coloning of colonings and coloning of colonings and coloning of colonings and coloning of colonings and colonings and coloning of colonings and coloning of colonings and coloning of colonings and colonings and colonings and colonings and coloning and colonings a



PORT ST. LUCIE CITY COUNCIL

AGENDA ITEM REQUEST

MEETING:	REGULAR X	SPECIAL	
DATE: 1-24-11			
ORDINANCE _	_RESOLUTION _	X_MOTION	
PUBLIC HEAR	ING <u>1-24-11</u> LEG	AL AD PUBLISH DA	ATE 1-9-11 (copy attached)
NAME OF NEV	VSPAPER <u>St. Lu</u>	cie News Tribune	
ITEM: P10-076		Development of Reginge – 2nd Amendme	ional Impact (DRI) Notice of nt
RECOMMEND	ED ACTION:	unanimously recom	oning Board on January 4, 2011 mended approval of the proposed Wilson Groves DRI development
	. Staff Analysis & . Resolution	Recommendation	
is to change of	conditions of app	roval for the project	MATION: The proposed amendment regarding the development plan, ark and recreation, and Map "H", the
IF PRESENTA	TION IS TO BE M	MADE, HOW MUCH	TIME WILL BE REQUIRED?
SUBMITTING	DEPARTMENT: F	Planning Department	DATE: 1/5/11

NOTICE OF PUBLIC HEARINGS WILSON GROVES – DEVELOPMENT OF REGIONAL IMPACT NOTICE OF PROPOSED CHANGE


Public notice is hereby given by the CITY OF PORT ST. LUCIE of a PUBLIC HEARING for the proposed change to the Wilson Groves – Development of Regional Impact file number P10-076. This amendment provides for changes to the approved Development Order. The request is to amend certain conditions of approval for the project regarding transportation, greenway, wetlands, listed species, parks and recreation, and Map "H", the Master Plan. The property is located north of the C-23 Canal and east of Range Line Road. Legal Description: The Alan Wilson Grove Plat, and portions of Sections 30 & 31, Township 37 South, Range 39 East.

The public hearing will be held at the January 24th, meeting of the City Council at 7:00 PM in the City Hall Council Chambers, Building "A", 121 SW Port St. Lucie Blvd., Port St. Lucie, The proposed Resolution 11-R01, information on the report and the development of regional impact application may be reviewed between the hours of 8:00 AM and 5:00 PM at the City's Planning & Zoning Department, City Hall, Building "A", 121 SW Port St. Lucie Blvd., Port St. Lucie, Florida.

In accordance with the Americans with Disabilities Act of 1990, persons needing special accommodation to participate in this proceeding should contact the City Clerk's office at 772-871-5157 for assistance.

Members of the public are welcome to attend the Public Hearing and provide oral or written comments on the matter. Written comments may be submitted to: 121 SW Port St. Lucie Blvd., Port St. Lucie, Florida, Attn.: Planning and Zoning Department.

General Location Map: The project as shown below is generally located



NOTICE: No stenographic record by a certified court reporter will be made of the foregoing meeting. Accordingly, any person who may seek to appeal any decision involving the matters noticed herein will be responsible for making a verbatim record of the testimony and evidence at said meeting upon which any appeal is to be based. Items listed in this public notice may not appear in the same order on the Board's final agenda. Please contact the Planning & Zoning Department at 871-5212 to obtain a copy of the final agenda.



City of Port St. Lucie Planning and Zoning Department A City for All Ages

TO:

CITY COUNCIL - MEETING OF JANUARY 24, 2011

FROM:

ANNE COX, ASSISTANT DIRECTOR OF PLANNING AND ZONING &

RE:

WILSON GROVES DEVELOPMENT OF REGIONAL IMPACT (DRI)
NOTICE OF PROPOSED CHANGE (PROJECT NO. P10-076) – 2ND

AMENDMENT TO THE DEVELOPMENT ORDER

DATE:

JANUARY 5, 2011

<u>APPLICANT</u>: Erin McCormick Larrinaga of Shelley of Fowler White Boggs Banker, P.A., agent for ACR Acquisition, LLC

OWNERS: ACR Acquisition, LLC and Florida Power and Light

LOCATION: The property is located north of the C-23 Canal and east of Range Line Road. It is bounded to the east and north by the Riverland/Kennedy DRI.

LEGAL DESCRIPTION: The property is legally described as the Alan Wilson Grove Plat and portions of Sections 30 and 31, Township 37 South, Range 39 East. (A full legal description is attached.)

SIZE: 2,499 acres

EXISTING ZONING: St. Lucie County Agricultural, one unit per five acres (AG-5)

EXISTING USE: The subject property is currently an active citrus grove with associated accessory uses.

SURROUNDING USES: North = AG-5 zoning, citrus groves; South = C-23 Canal; East = AG-5 zoning, citrus groves; West = IX (Industrial, Extraction) zoning, sand mining.

EXISTING LAND USE DESIGNATION: NCD (New Community Development District)

PROJECT BACKGROUND: The original Wilson Groves DRI Development Order (Resolution 06-R104) was approved by the City Council on October 23, 2006. The first amendment to the DRI Development Order (Resolution 08-R136) was approved by the City Council on October 27, 2008 to address concerns raised by the Department of Community Affairs (DCA) regarding traffic conditions and the availability of an affordable housing supply. The approved development plan for the property includes 7,700 residential units; 765,000 square feet of retail; 222,000 square feet of office; 1,361,250 square feet of institutional and civic; two school sites and 140 acres for parks. Florida Power and Light owns 47 acres, which consists of a 200 foot wide right-of-way that runs through the middle of the property. No development will take place on the FPL property, other than roads.

PROPOSED CHANGES: The changes to the Development Order proposed by the applicant are attached as "Attachment 1". They include amending conditions of approval for the project regarding the development plan, transportation, greenway, wetlands, listed species, parks and recreation, and Map "H", the Master plan as follows:

Condition 3(Phasing) – Combine the phasing schedule and development plan into one table. The research and office category is proposed to be eliminated and the 1,361,250 square feet of research and office are proposed to be combined with the 222,000 square feet of office for a total of 1,583,250 square feet of office. The research and office square footage was originally intended for the 125 acre industrial/research park that was to be dedicated to the City. Per the fourth amendment to the annexation agreement, dated November 16, 2009, a 50 acre civic site will now be dedicated in lieu of the industrial/research park.

<u>Condition 12 (Greenway)</u> - Change the utility easement required to be granted to the City in the greenway along Range Line Road from an exclusive easement to a non-exclusive easement.

Conditions 13 – 31 (Transportation) – Modify the transportation conditions for the project to separate from the common transportation conditions shared among the three DRIs in the Southwest Annexation area. The conditions were formulated based on the assumption that all three DRI's would complete required transportation improvements within specified time periods, which has now become uncertain. The applicant has proposed conditions which identify a "proportionate-share" mitigation dollar amount for the traffic impacts of the project and proposes to build certain roadway improvements instead of giving the City money to construct the improvements. The road right-of-way for the proposed roads has already been deeded to the City.

Conditions 32 - 34 (Wetlands) – Amend Condition 32 to be consistent with the fourth amendment to the annexation agreement which states wetland permits issued by the South Florida Water Management District and US Army Corps of Engineers shall satisfy the wetland mitigation requirements of the City. Conditions 33 and 34 are proposed to be deleted since the 0.8 acre of wetlands existing on site are proposed to be filled in and mitigated for.

<u>Condition 35 (Listed Species)</u> – Specify the amount of littoral shelves (wetland plantings) that will be created on site to ensure no additional net loss of wood stork prey.

<u>Condition 51 (Schools)</u> – Indicate that parts c and d of this condition have been satisfied since a developers agreement between the developer and the St. Lucie County School District has been executed.

<u>Condition 52 (Fire Protection)</u> - Indicate that this condition has been satisfied since a developers agreement between the developer and the St. Lucie County Fire District has been executed.

Condition 56 (Parks and Recreation) – Extend the date for the submittal of a park plan until January 1, 2012. Amend the requirements of the dedication of park land to be consistent with the fourth amendment to the annexation agreement.

Map "H" Master Plan – Map "H" is proposed to be amended to eliminate the previously designated "Employment Center" since land for a research/industrial park will no longer be dedicated to the City. The map shows that the office square footage assigned to that area would be redistributed to the proposed Mixed Use area. The map is consistent with the revised Figure 19 of the City's Comprehensive Plan, which was adopted by the City Council on September 27, 2010.

ANALYSIS:

The proposed changes to the transportation and park and recreation conditions are presumed to be Substantial Deviations per Chapter 380.06(19), Florida Statutes, requiring further DRI review. However, the applicant maintains that they have rebutted these presumptions by clear and convincing evidence and the changes therefore are not considered substantial deviations.

A public hearing was held by the Planning and Zoning Board on December 7, 2010. At the request of the applicant this item was tabled by the Board. Due to concerns about the proposed roadway conditions, the City staff held a meeting on December 13, 2010 with representatives of all of the DRI projects within the Southwest Annexation Area.

The City's Engineering Department proposed a method of dividing up the roadway improvements within the Southwest Annexation Area proportionally by trips generated and the equivalent lane miles per project. The City Staff requested that any comments on the proposal be submitted in writing by Friday, December 17th. The City has not received any written comments from the representatives of the Riverland/Kennedy or Southern Grove/Western Grove DRI's.

The proposed conditions which are attached reflect the roadway improvements that would be required based on equally distributing or allocating the improvements within the DRI's based on trips generated and the equivalent lane miles. The attached map shows the roadway assignments. The new Tables 1 and 2 show the roadway improvements that would be required through the end of Phase 3 (the project has four phases). The roadway improvements required by the existing Conditions 17 through 21 are not proposed to be deleted and are shown in the new Tables 3 and 4. These are the external roadway requirements west and east of I-95. The new Table 5 shows the required roadway improvements outside of the City, which are not proposed to be changed.

The City has received letters from the Treasure Coast Regional Planning Council (TCRPC) and the Florida Department of Transportation (FDOT) regarding the proposed changes to the development order. The TCRPC has determined that the proposed changes will not create additional impacts on regional resources and facilities and do not constitute a Substantial Deviation under Chapter 380.06(19), Florida States if all of the issues outlined in their letter are included in the Development Order (see attached letter). The amended Development Order as proposed by City staff addresses the TCRPC issues. The applicant has provided a response to FDOT's comments which is included in the file.

STAFF RECOMMENDATION:


Staff finds that the proposed Development Order, as shown in the attached resolution, will not create additional significant impacts on the regional resources and facilities in the area and recommends approval.

PLANNING AND ZONING BOARD ACTION:

At their meeting of January 4, 2011, the Planning and Zoning Board unanimously recommended approval of the proposed Development Order.

SITE LOCATION







CITY OF PORT ST. LUCIE PLANNING & ZONING DEPT. DRI WILSON GROVES DATE: 11/18/10
APPLICATION NUMBER:
P10-076
CADD FILE NAME:
P10-076L
SCALE:1"=1 MI

PREPARED BY: GIS/DATA MANAGEMENT PZ2004.DW

P10-076 \$6,995.00

FORM RPM-BSP-PROPCHANGE-1

STATE OF FLORIDA DEPARTMENT OF COMMUNITY AFFAIRS DIVISION OF COMMUNITY PLANNING BUREAU OF LOCAL PLANNING 2555 Shumard Oak Blvd. Tallahassee, Florida 32399 850/488-4925

RECEIVED JUL 0 9 2010

NOTIFICATION OF A PROPOSED CHANGE TO A PREVIOUSLY APPROVED DEVELOPMENT OF REGIONAL IMPACT (DRI) SUBSECTION 380.06(19), FLORIDA STATUTES

Subsection 380.06(19), Florida Statutes, requires that submittal of a proposed change to a previously approved DRI be made to the local government, the regional planning agency, and the state land planning agency according to this form.

1. I, Erin McCormick Larrinaga, the Authorized Agent for ACR Acquisition LLC, hereby give notice of a proposed change to a previously approved Development of Regional Impact in accordance with Subsection 380.06(19), Florida Statutes. In support thereof, I submit the following information concerning the Wilson Groves Development of Regional Impact, which information is true and correct to the best of my knowledge. I have submitted today, under separate cover, copies of this completed notification to the City of Port St. Lucie, to the Treasure Coast Regional Planning Council and to the Bureau of Local Planning, Department of Community Affairs.

mariage

Applicant (name, address, phone).

The Developer is:

ACR Acquisition, LLC 7593 Boynton Beach Blvd., Suite 220 Boynton Beach, Florida 33427

3. Authorized Agent (name, address, phone).

Linda Loomis Shelley/Erin McCormick Larrinaga Fowler White Boggs P.A. 501 E. Kennedy Boulevard Suite 1700 Tampa, Florida 33602

Telephone:

(813) 222-1180

Facsimile:

(813) 229-8313

Email:

elarrinaga@fowlerwhite.com

 Location (City, County, Township/Range/Section) of approved DRI and proposed change.

The approved Wilson Groves DRI is located in Sections 29-32, Township 37 South, Range 39 East, St. Lucie County, Florida.

5. Provide a complete description of the proposed change. Include any proposed changes to the plan of development, phasing, additional lands, commencement date, build-out date, development order conditions and requirements, or to the representations contained in either the development order or the Application for Development Approval.

A. Amend the Phasing and Land Use Schedule set forth as Condition 3(A) of the Wilson Groves DRI Development Order Conditions of Approval (Exhibit "B" to Resolution 08-R136). The Applicant proposes to amend the Schedule as set forth below.

Anne Cox

From: Pol Africano [pola@cmseng.net]

Sent: Thursday, October 21, 2010 12:28 PM

To: Anne Cox

Subject: FW: NOPC - Florida Power and Light (FPL Ownership)

Anne.

Here is the email from our attorney related to FPL. Please call me if you have any questions.

Thanks - Pol

From: McCormick, Erin [mailto:erin.mccormick@fowlerwhite.com]

Sent: Tuesday, October 19, 2010 2:40 PM

To: Pol Africano

Subject: NOPC - Florida Power and Light (FPL Ownership)

The Developer of record and Applicant for the Wilson Groves DRI Notice of Proposed Change is ACR Acquisition LLC. As set forth in the NOPC, the proposed changes do not constitute a Substantial Deviation. Moreover, the primary purpose of the NOPC application is to allow the Applicant to modify the transportation mitigation for the project by providing its proportionate share contribution to mitigate for transportation impacts. The Applicant also seeks to combine the Land Use/Phasing schedules of the DO into a single schedule, amend the DO condition addressing on-site littoral shelves for Wood Stork prey, and amend the DO conditions relating to parks and to wetland mitigation, so that they are consistent with the most recent amendment to the Annexation Agreement with the City. None of these changes will impact the property owned by Florida Power and Light (FPL), therefore FPL was not included as a signatory to the NOPC. However, in accordance with the Florida Statutes and with the City's Ordinance, notice of the public hearing to consider the NOPC application will be provided to FPL.




Erin McCormick Fowler White Boggs P.A. 501 E. Kennedy Blvd, Suite 1700 Tampa, Florida 33602 Direct: 813 222 1180 Fax: 813 384 2832

erin,mccormick@fowlerwhite.com

www.fowlerwhite.com

Disclaimer under IRS Circular 230: Unless expressly stated otherwise in this transmission, nothing contained in this message is intended or written to be used, nor may it be relied upon or used, (1) by any taxpayer for the purpose of avoiding penalties that may be imposed on the taxpayer under the Internal Revenue Code of 1986, as amended and/or (2) by any person to support the promotion or marketing of or to recommend any Federal tax transaction(s) or matter(s) addressed



TREASURE COAST REGIONAL PLANNING COUNCIL

INDIAN RIVER - ST. LUCIE - MARTIN - PALM BEACH

November 24, 2010

Mr. Daniel Holbrook, AICP Director of Planning & Zoning City of Port St. Lucie Planning & Zoning Department 121 SW Port St. Lucie Boulevard Port St. Lucie, FL 34984

Subject: Wilson Groves Development of Regional Impact Notice of Proposed Change #2 Response to Agency Comments

Dear Mr. Holbrook:

In accordance with the requirements of Section 380.06(19), Florida Statutes, Council has reviewed the "Notification of Proposed Change (NOPC) to a Previously Approved Development of Regional Impact (DRI)" for the Wilson Groves DRI Development Order (DO) dated July 9, 2010 as well as additional information provided by the applicant on October 28, 2010.

The NOPC proposes the following changes:

- Amendment to Condition 3 regarding phasing to: a) combine research and office land
 uses into office, and; b) delete a table showing acres allowed for each of the proposed
 land uses;
- Amendment to Transportation Conditions 14, 15, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 28, and 30 regarding roadway improvements and phasing;
- · Amendment to Condition 32 regarding wetland mitigation;
- Deletion of Conditions 33 and 34 regarding the preparation of a Mitigation Management Plan;
- Amendment to Condition 35 regarding Wood Stork and the Mitigation Management Plan;
- · Amendment to Condition 56 regarding Parks and Recreation.

Mr. Daniel Holbrook, AICP November 24, 2010 Page Two

Council offers the following comments and recommendations:

Transportation

Wilson Groves was one of four DRIs included within the Western Annexation Traffic Study (WATS). The study assumed the roadway network necessary to support the proposed developments (Southern Grove, Western Grove, Wilson Groves and Kennedy/Riverland) would be built when needed. Therefore, all four developments shared date specific conditions to provide the necessary roadway network within the WATS Area. Not all developments have been proceeding as expected under the WATS. Wilson Groves is proposing to amend the Development Order to disconnect from the other developments so that it may proceed individually and according to its own schedule.

Based on this request and the information provided, Council suggests an approach where each DRI can develop individually. The approach requires that the necessary portions of the western annexation transportation network be built according to the phasing and extent illustrated in the attached Exhibits, coupled with the City's ability to require traffic monitoring to ensure all roadways in the WATS area are built when needed. Council recommends the DO be amended as follows:

- 1. Condition 14 Do not amend.
- 2. Condition 15B) Amend as follows:

The City of Port St. Lucie may require the developer to undertake monitoring to ascertain the level of service on transportation facilities within the properties that participated in the WATS ("WATS Area") in order to determine whether the date or trip threshold by which a transportation improvement within the WATS area required by this Development Order, should be accelerated. If the monitoring demonstrates that a facility or facilities will operate below the adopted level of service standard prior to the date or trip threshold by which this Development Order would otherwise require such improvement, then the date or trip threshold by which such improvement is required shall be accelerated on terms approved pursuant to the procedure in Condition 47 16. If the monitoring demonstrates that a facility or facilities will operate below the adopted level of service standard prior to the date or trip threshold by which this Development Order would otherwise require such improvement, then the date or trip threshold for such improvements shall be accelerated based on the results of such monitoring, provided that the accelerated schedule for the improvements shall allow 24 months for engineering,

Mr. Daniel Holbrook, AICP November 24, 2010 Page Three

permitting and construction of the improvement. The methodology of the monitoring shall be agreed upon by the City of Port St. Lucie, Florida Department of Transportation, and Treasure Coast Regional Planning Council. In the event that a methodology cannot be agreed upon among all parties, the City of Port St. Lucie shall be the final arbiter. No nNew mitigation measures and/or modifications to the road network within the WATS Area shall be required on account of such monitoring as a result of monitoring allowed under this condition shall be limited to roads within the WATS Area.

- 3. Condition 21. B) Proposed Table 5 which deals with the multijurisdictional roadway improvements. Leave as proposed with the following revisions:
 - a. Change Range Line Road to S.W. Allapattah Road CR 714 to Martin County Line;
 - b. Change Port St. Lucie Blvd. to S.W. Citrus Boulevard St. Lucie County Line to SR 714;
 - c. The first note under the table should be revised as follows: Total Wilson Groves DRI Total Net External PM Peak Hour Trips
- 4. Insert the following condition between Conditions 28 and 29:

A trip generation analysis shall be prepared by the applicant and approved by the City of Port St. Lucie prior to each site plan approval. The trip generation analysis shall present calculations for the p.m. peak hour and shall be performed using trip generation rates included in the latest available Institute of Transportation Engineers Trip Generation Report as well as land uses included in the application for development approval. The trip generation analysis shall include internal capture and passer-by, if appropriate, to determine net trips generated by the development. The trip generation shall be cumulative and include all previous site plan approvals. Development order conditions shall be evaluated using the trip generation analysis to determine triggering of any transportation conditions.

Proportionate Share

The intent of many of the transportation condition amendments is to satisfy roadway improvements by means of "proportionate share." The proposed Development Order uses the term "proportionate share" to justify roads the developer is proposing to build to provide access

Mr. Daniel Holbrook, AICP November 24, 2010 Page Four

to Wilson Groves. The cost of these improvements is expected to offset other roadway improvements until the end of Phase 3. In summary, the developer is proposing to build roads as presented in the attached Exhibits and extend other development order conditions until the end of Phase 3.

The use of the term "proportionate share" is not appropriate as the proposed Development Order does not include conditions for payment of proportionate share. This issue needs to be addressed by the local government.

Wetlands

The developer is proposing to amend Condition 32 by deleting the requirement for onsite mitigation of wetlands, and delete Conditions 33 and 34 requiring wetland upland buffers and a mitigation management plan. Council does not object to the proposed changes to Conditions 32-34 dealing with wetlands, because these conditions apply to only 0.8 acres of highly impacted wetlands. The modifications to Condition 32 requiring compliance with all wetland mitigation requirements of the U. S. Army Corps of Engineers and the South Florida Water Management District are adequate to address regional concerns.

Listed Species

The developer is proposing to amend Condition 35 to require 10 acres of littoral shelves be created on the project site to provide Wood Storks habitat. Council does not object to this change provided the littoral shelves are designed to concentrate prey and provide preferred foraging habitat for the Wood Stork.

Parks and Recreation

The developer is proposing the following modifications to Condition 56: 1) extend the date from 2008 to 2012 for preparation of a plan for the provision of neighborhood and community recreational sites and facilities on the project site; 2) add language clarifying that the provision of 90 acres of public park sites includes a 50 acre regional park; 3) delete the requirement that all park sites be conveyed to the City by December 31, 2016; 4) add language clarifying that 5 acres of parks per 1,000 population is the level of service for compliance with the City's Comprehensive Plan; and 5) delete the date October 31, 2007 for when the developer is to convey 50 acres to the City for a regional park, and replace this with language requiring the conveyance to occur prior to the issuance of the 6,001 building permit for the Wilson Groves DRI property. Regarding the last modification, Council notes that the development may never achieve 6,001 building permits. Therefore, the City may want to accelerate dedication of the 50 acre regional park to an earlier date certain.

Mr. Daniel Holbrook, AICP November 24, 2010 Page Five

Conclusion

Council has reviewed the NOPC request and information provided by the applicant and has determined the proposed changes to the Wilson Groves DRI-DO will not create additional impacts on regional resources and facilities in the area and do not constitute a Substantial Deviation under Chapter 380.06(19), if all issues presented above have been included in the DO. In addition, please address comments from the Florida Department of Transportation.

Please transmit a certified copy of any development order amendment adopted pursuant to this notice of change. If you have any questions, please do not hesitate to call.

Sincerely,


Michael J. Busha, AICP Executive Director

MJB:lg

Attachments

cc: Bob Dennis, Florida Department of Community Affairs
Anne Cox, City of Port St. Lucie
Roxanne Chesser, City of Port St. Lucie
Kara Wood, St. Lucie County
Nicki van Vonno, Martin County
Gustavo Schmidt, Florida Department of Transportation
Chon Wong, Florida Department of Transportation
Maria Tejera, MTP Group, Inc.
Shaun MacKenzie, MacKenzie Engineering & Planning, Inc.
Erin Rae McCormick, Fowler, White, Boggs, P.A.
Pol Africano, CMS Engineering, LLC

Phase 1 Roadway Improvements Wilson Groves




2 Lanes

Dashed lines indicate roadways to be built during this phase.

4 Lanes

Phase 2 Roadway Improvements Wilson Groves




2 Lanes

enuza 4 Lanes

Dashed lines indicate roadways to be built during this phase. Solid lines indicate roadways built in a previous phase.

Phase 3 Roadway Improvements Wilson Groves




2 Lanes

Dashed lines indicate roadways to be built during this phase.

4 Lanes

Solid lines indicate roadways built in a previous phase.



2 Lanes

Solid lines indicate roadways built during all phases.

Hanes 4 Lanes

ODITIONAL INFORMATIO:

MELVILLE & SOWERBY, P.L.

ATTORNEYS AT LAW
LAUREL PROFESSIONAL PARK
2940 SOUTH 25th STREET
FORT PIERCE, FLORIDA 34981-3605

DATE 1/24/11
RESOLUTION 11-RO1

HAROLD G. MELVILLE* DAVID N. SOWERBY**

TELEPHONE (772) 464-7900 FAX (772) 464-8220

*BOARD CERTIFIED CIVIL TRIAL LAWYER AND BOARD CERTIFIED BUSINESS LITIGATION LAWYER **BOARD CERTIFIED REAL ESTATE LAWYER

January 24, 2011

Via Email and Hand-Delivery

Jerry A. Bentrott, City Manager City of Port St. Lucie 121 S.W. Port St. Lucie Boulevard Port St. Lucie, FL 34984-5042

Re: Wilson Groves Development of Regional Impact - NOPC

Dear Mr. Bentrott:

Our office represents Riverland/Kennedy, LLP ("Riverland") which is the current title holder of an approximate 3,844 acre parcel located in the western portion of the City of Port St. Lucie. The Riverland property is subject to both the Annexation Agreement, as amended, with the City of Port St. Lucie and the Development Order for the Riverland/Kennedy Development of Regional Impact. The Riverland property is immediately adjacent to an approximate 2,451 acre parcel owned by ACR Acquisition, LLC ("Wilson Groves") which parcel is subject to the Development Order for the Wilson Groves Development of Regional Impact and the Annexation Agreement, as amended.

We understand that there is a NOPC for the Wilson Groves DRI which will be coming before the City Council of the City of Port St. Lucie for approval on Monday evening, January 24, 2011. On behalf of Riverland, we are writing to advise you that Riverland is formally objecting to approval of the NOPC for the Wilson Groves DRI, because (i) such approval would have a material adverse impact on Riverland, which effect may have been unforeseen or not anticipated by the City to date in its consideration of the Wilson Groves NOPC and (ii) such approval would constitute an improper amendment of the Annexation Agreement.

RECEIVED

JAN 2 4 2011

City Manager's Office JAN 24 11 PM 25 Jerry A. Bentrott, City Manager January 24, 2011 Page -2-

The Annexation Agreement, as amended, provides that Becker Road will be constructed from I-95 to Rangeline Road and that each of the three developers with parcels along that route (currently, Wilson Groves, Riverland/Kennedy and Southern Groves) will pay for that portion of the construction through their respective parcels. This was the contractual arrangement, because it gave all three parcels access to both Rangeline Road and I-95 with each developer paying their share for the roadway segment through their respective properties. The Annexation Agreement further provides that should a developer not pay for that share of the roadway system being constructed through its property (the "Defaulting Developer"), that one of the other two developers who had paid for that roadway construction could demand full reimbursement from the Defaulting Developer together with interest at 18% per annum, attorneys' fees, etc. Thus, each developer was required to pay for its share of the roadway construction and also had the right to obtain reimbursement if it paid for the construction through another developer's property.

The Wilson Groves NOPC, however, materially changes the underlying concept of the Annexation Agreement and what had been agreed to by the parties, because it now allows Becker Road to stop at the eastern boundary of Wilson Groves and not continue to Rangeline Road until more than 2,200 residential units have been constructed in Wilson Groves. Thus, instead of going all the way through from I-95 to Rangeline Road, Becker Road will dead end two miles east of Rangeline Road, at the eastern boundary of the Wilson Groves property for many years to come. Furthermore, since the roadway construction obligations in the Annexation Agreement are not being addressed by the NOPC, Wilson Groves would potentially have the ability to demand reimbursement from Riverland for that approximate one mile section of Becker Road which would go through the Riverland parcel. Thus, potentially, Riverland could wind up paying to build the road which would give access to the Wilson Groves property. This would be counter to the Annexation Agreement and adversely impact Riverland, because Wilson Groves would then have the benefit of having someone else pay to build a roadway from I-95 to its front door without having the obligation to build Becker Road through its own property.

In a similar manner, the roadway network system described in the Wilson Groves NOPC is being presented as its fair share of the roadway network system for the overall area. As part of that fair share contribution, Wilson Groves, at its own cost, is proposing to extend Becker Road from its current terminus at Village Parkway to its eastern property line. While Riverland has no objection to this methodology, if the Annexation Agreement terms are not modified and if Wilson Groves is then allowed to seek reimbursement from Riverland for this roadway construction, then Wilson Groves will not be paying for its fair share of the roadway network system as required by the Annexation Agreement and the

Jerry A. Bentrott, City Manager January 24, 2011 Page -3-

proposed NOPC coming before the City Council tonight.

From a fundamental standpoint, given the subject matter of the Wilson Groves NOPC, the City should look at both the Development Orders for the DRI's and the Annexation Agreement together since the Annexation Agreement and Development Orders were all considered together as part of an overall development plan for the southwest portion of the City. The Wilson Groves Development Order should not be modified without considering how such modifications would be contrary to the other agreements or impact the various parties through the other agreements. In effect, should the City approve the Wilson Groves NOPC, as presented, Riverland would consider this to be a unilateral modification by the City of the Annexation Agreement, which modification would have a substantial adverse impact to Riverland.

In the Fourth Amendment to the Annexation Agreement dated November 16, 2009, Wilson Groves also obtained the right to seek reimbursement for the construction of Becker Road from a developer annexing into the City west of Rangeline Road. Again, since the construction of Becker Road is being presented as a portion of the Wilson Groves fair share contribution to the roadway network system, should Wilson Groves be able to obtain reimbursement from a third party, then Wilson Groves will not be paying its fair share. In addition, if a party, such as the potential inland port, lying west of Rangeline Road is required to reimburse other developers for a substantial portion of the construction of Becker Road, then it would become extremely difficult for the City to keep the truck traffic from such development off of Becker Road and could prevent the City from forcing that heavy truck traffic onto the desired roadway network of Rangeline Road and Crosstown Parkway and to have those links improved to handle said traffic. No builder should be reimbursed for paying for its fair share of the roadway network.

Finally, Riverland believes that the fair share methodology apparent in the Wilson Groves NOPC has over looked the cost of the various intersections which must be constructed within the roadway network system. The cost of the intersections can be extremely high and the intersection costs should be considered as well as the lane miles when determining the fair share contribution from each of the developers involved. Simply put, if the intersection costs are not included in the analysis, the shares allocated among the developers will not have been determined on a fair or equitable basis.

Jerry A. Bentrott, City Manager January 24, 2011 Page -4-

Please understand that Riverland does not object to the concept of Wilson Groves constructing Becker Road from its present terminus to the eastern edge of the Wilson Groves property as part of the fair share contribution by Wilson Groves. To the contrary, it is the ability of Wilson Groves to seek reimbursement for what should be their fair share from either Riverland or from a subsequent developer lying west of Rangeline which creates the inherent inequity. Furthermore, the fair share methodology should also include an analysis of the intersection costs, as well as the road lane miles involved. For these reasons, Riverland is not suggesting that the NOPC be denied, but simply be deferred or tabled until such time as these issues can be adequately addressed and amendments made, as necessary, to the Annexation Agreement and the fair share methodology analysis.

Thank you very much.

Sincerely,

Harold G. Melville

HMG/sv

CC:

Roger G. Orr, Esq. (via email & hand-delivery)

Pam E. Hakim, Esq. (via email & hand-delivery) Daniel Holbrook (via email & hand-delivery)

MaryAnn Verillo

From:

Shelly Valente [shvalente@bellsouth.net]

Sent:

Monday, January 24, 2011 2:07 PM

To:

MaryAnn Verillo; Roger Orr; Pam Hakim; Daniel Holbrook

Subject:

Tonight's Council Meeting

Importance: High

Attachments: 20110124135329829.pdf

Please find attached correspondence from Attorney Harold G. Melville regarding tonight's 7:00 p.m. City Council meeting.

Thank you,

Shelly Valente Legal Assistant to Harold G. Melville, Esq. Melville & Sowerby, P.L. 2940 South 25th Street Fort Pierce, FL 34981 Tel: (772) 464-7900 Fax: (772) 464-8220 shvalente@bellsouth.net

Appendix B

- Approved WATS 2006 Trip Generation, B-1
- Trip Generation for Approved Uses Buildout Phase 4 by TAZ ITE 11th Edition, B-5
 Trip Generation for Proposed Uses Buildout Phase 4 by TAZ ITE 11th Edition, B-23

Transportation Methodology Wilson Groves DRI

Wilson Groves DRI is a proposed mixed-use development to be located within the western portion of the City of Port St. Lucie. The property is located east of and adjacent to Range Line Road north of the C-23 canal, immediately southwest of and contiguous to the Riverland/Kennedy DRI property. The project is to be built in four phases with buildout in the year 2025. The following table summarizes cumulative development for each phase:

Land Use	Phase 1 (2010)	Phase 2 (2015)	Phase 3 (2020)	Phase 4 (2025)
Single-Family - d.u.	2,000	5,075	5,775	5,775
Multi-Family – d.u.	200	1,219	1,925	1,925
Industrial — s.f.	136,125	544,500	952,875	1,361,249
Commercial - s.f.	210,000	330,000	590,000	765,000
Office/Service - s.f.	136,125	606,500	1,094,875	1,583,249
Civic - s.f.	0	0	40,347	80,695
Institutional — s.f.	0	50,638	185,727	302,177
Schools - students	0	820	2,220	2,220
Parks - acres	50	58	93	130%

d.u. - dwelling units s.f. - square feet * adjusted to 50 acres

Traffic Study

The Wilson Groves DRI traffic impact was evaluated as part of the Western Annexation Traffic Study (WATS). The WATS Final Report for this study is included as Appendix I. Information included here is specific to the Wilson Groves DRI and is not described in any detail in the WATS Final Report.

In order to perform the traffic study, the project was divided into Traffic Analysis Zones (TAZs). Figure TR-1 includes all TAZs within the Western Annexation Area. TAZs 389 through 395 correspond to Wilson Groves. Land uses associated with each TAZ are presented in detail in Exhibit TR-1. It is imperative that the project develops consistent with the land uses allocated within the TAZs as presented in the exhibit.

Trip Generation, distribution and Assignment

Trip generation characteristics of the proposed development were determined using rates and equations included in the *Institute of Transportation Engineers (ITE) Trip Generation Report*, 7th Edition. The following table summarizes the daily and p.m. peak hour gross trip generation for each development phase:

Gross Trip Generation	Phase 1 (2010)	Phase 2 (2015)	Phase 3 (2020)	Phase 4 (2025)
Daily Total In Out	37,619 18,809 18,810	86,186 43,093 43,093	124,233 62,116 62,117	141,794 70,897 70,897
PM Peak Hour Total In Out	3,704 1,946 1,758	8,651 4,464 4,187	12,613 6,142 6,471	14,711 6,802 7,909

Given the mixed use nature of the development, a portion of the identified gross trips generated have the potential to be satisfied on site, and will have no impact to the external roadway network. These trips are referred to as internal capture. Internal capture was estimated within each TAZ and among all TAZs. In addition, reductions for pass-by were applied to the retail portion of the development based on methodology developed for the WATS. The following table presents the daily and p.m. peak hour net trip generation for each development phase:

Net Trip Generation	Phase 1 (2010)	Phase 2 (2015)	Phase 3 (2020)	Phase 4 (2025)
Daily		1		
Total	25,833	61,492	83,762	96,188
In.	12,941	30,746	41,881	48,094
Out	12,942	30,746	41,881	48,094
PM Peak Hour			1	
Total	2,573	6,247	8,650	10,182
In	1,380	3,261	4,166	4,543
Out	1,193	2,986	4,484	5,639

The Florida Standard Urban Transportation Model Structure (FSUTMS) was used for the WATS. This model was used to evaluate future traffic along roadways west of I-95 as well as to determine traffic distribution and assignment for each of the developments.

Significant Impact

Roadway improvements were determined based on the Department of Community Affair's Transportation Standard Rule for DRI's (Rule 9J-2.045, F.A.C.). Based on the rule, roadway improvements are recommended for roadway sections significantly impacted by project traffic which meet the following two criteria:

- Project traffic is five percent (5%) or more of the adopted peak-hour/peak direction level of service, and
- Total traffic exceeds the adopted level of service.

Tables TR-1 through TR-4 present project traffic assignment as well as the determination of significant impact for each development phase.

5-3

Western Annexation Study Daily Trip Generation Summary - By Project Phase 4

Project	TAZ	Gross Trips (Trip Generation)	External Trips (Internal Capture)	Net External Trips (Pass-By)	% Internal Among Proj. TAZ	Total Net External Trips (Internal Among TAZs)	Trips External to WASA	External/Gros
Western Grove	371 372 373	62,378	53,076	50,729	7.4%	46,975		-
Southern Grove	381 382 383 384 385 386 387 388	214,401	188,782	181,245	10.0%	163,121	113,800	53%
Riverland	380 396 379 398 378 375 399 376 400 374 397 377	182,479	167,762	162,509	13.8%	140,083	66,900	37%
Wilson Groves	393 394 392 391 395 389 390	141,794	128,090	124,274	22.6%	96,188	45,500	32%

Trip Generation for Approved Uses by TAZ – ITE 11th Edition **2040 TAZ MAP**




Table 2a - Trip Generation - Map H - Daily- Approved - Phase 4 Buildout - TAZ 648

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directio	nal Split		Gross Tri	ps		Internaliza	ation Trips	ş.	Net I	External T	Trips		Pass-b	y Trips		Ne	t New Tr	ips
Land Ose	TIE Code	inicisity	Cinto	Trip Generation Rate	In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Tota
Age Restricted	251	-	DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%	-	-	-		-		0.0%							0.0%			-
Single- Family Detached Housing	210		DU	Ln(T)=0.92Ln(X)+2.68	50%	50%		-	-				0.0%			-	-			0.0%			-
Multi- Family Housing (Mid-Rise)	221	vi Vi	DU	T = 4.54(X)	50%	50%		-	-				0.0%	-						0.0%			
General Office	710	1,361,250	SR	Ln(T) = 0.87Ln(X) + 3.05	50%	50%	5,625	5,624	11,249	-	-	14	0.0%	5,625	5,624	11,249	-			0.0%	5,625	5,624	11,24
Civic Use			Sft	T=54.51(X)	50%	50%	-	-		-			0.0%					,		0.0%		-	-
Institutional Use			Sft	T=30.49(X)	50%	50%	-		-				0.0%							0.0%			-
Industrial Park	130	1,361,250	Sft	T=3.37(X)	50%	50%	2,294	2,293	4,587		-		0.0%	2,294	2,293	4,587	-	-		0.0%	2,294	2,293	4,58
General Commercial	820		Sft	T = 37.01(X)	50%	50%	-	-	-		-		0.0%				-			34.0%			
Regional Park	417		Acres	T=4.57(X)	50%	50%							0.0%							0.0%			
Elementary School	520		Students	T=2.27(X)	50%	50%	-	-	-		-		0.0%	-			-			0.0%			-
Junior High School	522	-	Students	T=2.10(X)	50%	50%	•	-	-			: e:	0.0%	-				-		0.0%			
Total							7,919	7,917	15,836				0.0%	7,919	7,917	15,836		-		0.0%	7,919	7,917	15,83

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directio	onal Split		Gross Tr	рз		Internaliza	ation Trip	s	Net E	External T	rips		Pass-b	y Trips		No	t New Tri	ps
					In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T)=0.78 Ln(X) + 0.20	61%	39%							0.0%							0.0%	-		
Single- Family Detached Housing	210	-	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	-	-	-	-	-		0.0%	-	-				-	0.0%			-
Multi- Family Housing (Mid-Rise)	221		DU	T = 0.39(X) + 0.34	61%	39%		-			-		0.0%							0.0%			-
General Office	710	1,361,250	SR	T = 1,44(X)	17%	83%	333	1,627	1,960				0.0%	333	1,627	1,960				0.0%	333	1,627	1,960
Civic Use	-	-	Sn	T=5.45(X)	50%	50%		- 1	-	-			0.0%	-	-	-				0.0%	-		-
Institutional Use	-		Sft	T=3.05(X)	40%	60%		-	- 1				0.0%			-				0.0%			
Industrial Park	130	1,361,250	SA	T=0.34(X)	22%	78%	102	361	463	-	-	-	0.0%	102	361	463			-	0.0%	102	361	463
General Commercial	820	-	SR	Ln(T) = 0.72Ln(X) + 3.02	48%	52%	-	-			-		0.0%		-	-	-	- 3		34.0%			-
Regional Park	417	-	Acres	T=0.26(X)	44%	56%		-				-	0.0%	-		-	-			0.0%		•	
Elementary School	520		Students	T=0.16(X)	46%	54%			-				0.0%							0.0%			-
Junior High School	522		Students	T=0.15(X)	48%	52%		-	-	-	-	-	0.0%		£ .	- 1	-			0.0%			
Total				Santa III			435	1,988	2,423				0.0%	435	1,988	2,423	-		-	0.0%	435	1,988	2,42

Table 2a - Trip Generation - Map H - Daily- Approved - Phase 4 Buildout - TAZ 652

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directi	onal Split		Gross Tri	ps		Internaliz	ation Trip		Net	External T	Crips		Pass-by	y Trips		N	et New Tr	ips
and or	112 0000			and community	In	Out	In	Out	Total	In	Out	Total	96	In	Out	Total	In	Out	Total	96	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%							0.0%							0.0%			
Single- Family Detached Housing	210	1,272	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	5,236	5,236	10,472	240	349	589	5.6%	4,996	4,887	9,883				0.0%	4,996	4,887	9,883
Multi- Family Housing (Low-Rive)	220	488	DU	T = 6.41(X) + 75.31	50%	50%	1,602	1,601	3,203	73	107	180	5.6°6	1,529	1,494	3,023				0.0°e	1,529	1,494	3,023
Multi- Family Housing (Mid-Rise)	221	487	DU	T = 4.54(X)	50%	50%	1,106	1.105	2,211	51	74	125	5.7%	1,055	1,031	2,086				0.000	1,055	1,031	2,086
General Office	710	142,000	Sfi	Ln(T) = 0.87Ln(X) + 3.05	50%	50%	787	787	1,574	63	236	299	19.0%	724	551	1,275				0.0%	724	551	1,275
Civic Use		40,347	Sfi	T=54.51(X)	50%	50%	1,100	1,099	2,199	88	330	418	19.0%	1,012	769	1,781				0.0%	1,012	769	1,781
Institutional Use		30,000	Sft	T=30.49(X)	50%	50% n	458	457	915	36	137	173	18,9%	422	320	742				0.0°a	422	320	742
Industrial Park	130		Sfi	T=3.37(X)	50%	50%							0.0%							0.0%			
General Commercial	820	195,000	Sft	T = 37.01(X)	50%	50%	3,609	3,608	7,217	990	221	1,211	16.8%	2,619	3,387	6,006	1,021	1,021	2,042	34.0%	1,598	2,366	3,964
Regional Park	417	50	Acres	T=4.57(X)	50%	50%	115	114	229				0.0%	115	114	229			•	0.0%	115	114	225
Elementary School	520	2,420	Students	T=2.27(X)	50%	50%	2,747	2,746	5,493	317	404	721	13.1%	2,430	2,342	4,772				0.000	2,430	2,342	4,772
Junior High School	522		Students	T=2.10(X)	50%	50%							0.0%							0.0%			
Total							16,760	16,753	33,513	1,858	1,958	3,716	11.156	14,902	14.895	29,797	1,021	1,021	2.042	6.99%	13,881	13,874	27,755

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tri	lps	1	internaliz	ation Trips		Net	External 1	rips		Pass-b	y Trips		N	et New Tri	ps
					In	Out	In	Out	Total	In	Out	Total	96	In	Out	Total	In	Out	Total	96	In	Out	Total
Age Restricted	251		DU	Ln(T)=0.78 Ln(X)+0.20	61%	39%			-				0.0%							0.0%			
Single- Family Detached Housing	210	1,272	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	684	401	1,085	95	56	151	13.9%	589	345	934				0.0%	589	345	934
Multi- Feraily Housing (Low-Rise)	220	488	DU	T = 0.43(X) + 20.55	63%	37%	145	85	230	20	12	32	13.9%	125	73	198				0.0%	125	73	198
Multi- Family Housing (Mid-Rise)	221	487	DU	T = 0.39(X) + 0.34	61%	39%	116	74	190	17	10	27	14.2%	99	64	163		**	- 4	0.0%	99	64	163
General Office	710	142,000	Sft	T = 1.44(X)	17%	83%	35	169	204	11	17	28	13.7%	24	152	176				0.000	24	152	176
Civic Use		40,347	Sft	T=5.45(X)	50%	50%	110	110	220	12	18	30	13.6%	98	92	190				0.000	98	92	190
Institutional Use		30,000	Sfi	T=3.05(X)	40%	60° o	37	55	92	5	7	12	13.0%	32	48	80				0.0%	32	48	80
Industrial Park	130		Sfi	T=0.34(X)	22%	78%			•		-		0.0%			-				0.00%			
General Commercial	820	195,000	Sft	Ln(T) = 0.72Ln(X) + 3.02	48%	52%	438	475	913	89	160	249	27.3%	349	315	664	112	114	226	34.0%	237	201	438
Regional Park	417	50	Acres	T=0.26(X)	44%	56%	6	7	13	2	2	4	30.8%	4	5	9				0.0%	4	5	9
Elementary School	520	2,420	Students	T=0.16(X)	46%	54%	178	209	387	38	9	47	12.1%	140	200	340		*:		0.0%	140	200	340
Junior High School	522		Students	T=0.15(X)	48%	52%							0.0%					- 4	10000	0.0%			-
Total							1,749	1.585	3,334	289	291	580	17.4%	1,460	1.294	2,754	112	114	226	8.2%	1,348	1.180	2,528

Table 2a - Trip Generation - Map H - Dally- Approved - Phase 4 Buildout - TAZ 647

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	nal Split		Gross Tri	ps	1	Internaliza	ation Trips		Net l	External T	Crips		Pass-b;	y Trips		Ne	et New Tri	lps
300000000000000000000000000000000000000	0.50,00,00,000		1,7,650		In	Out	In	Out	Total	In	Out	Total	96	In	Out	Total	In	Out	Total	96	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%							0.0%	-						0.0%			
Single- Family Detached Housing	210	1.294	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	5,320	5,319	10,639	127	153	280	2.6%	5,193	5,166	10,359				0.0%	5,193	5,166	10.35
Multi- Family Housing (Low-Rise)	220	275	DU	T=6.41(X) + 75.31	50%	50%	919	919	1,838	22	27	49	2.7%	897	892	1,789				0.0%	897	892	1,78
Multi- Family Housing (Mid-Rise)	221	275	DU	T = 4.54(X)	50%	50%	625	624	1,249	15	18	33	2.6%	610	606	1,216				0.0%	610	606	1,21
General Office	710	80,000	Sfi	Ln(T) = 0.87Ln(X) + 3.05	50%	50%	478	478	956	24	141	165	17.3%	454	337	791				0.0%	454	337	79
Civic Use		I - manual marit	Sft	T=54.51(X)	50%	50%				-			0.0%							0.0%			
Institutional Use	Lain Section	116,450	Sfi	T=30.49(X)	50%	50%	1,776	1,775	3,551	89	526	615	17.3%	1,687	1,249	2,936				0.0%	1,687	1,249	2,93
Industrial Park	130		Sft	T=3.37(X)	50%	50%				-			0.0%							0.0%			
General Commercial	820	105,000	Sft	T=37.01	50%	50%	1,943	1,943	3,886	797	209	1,006	25.9%	1,146	1,734	2,880	490	489	979	34.0%	656	1,245	1,90
Regional Park	417	40	Acres	T=4.57(X)	50%	50%	92	91	183	-			0.0%	92	91	183	-001			0.0%	92	91	18.
Elementary School	520		Students	T=2.27(X)	50%	50%				-			0.0%							0.0%		•	
Junior High School	522		Students	T=2.10(X)	50%	50%				-			0.0%	-						0.0%			
Total	1				1		11.153	11,149	22,302	1.074	1,074	2,148	9,6%	10,079	10,075	20,154	490	489	979	4,996	9,589	9,586	19.17

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tri	ps	1	internaliz	ation Trips		Net l	External T	Crips		Pass-b	y Trips		Ne	t New Tr	lps
					In	Out	In	Out	Total	In	Out	Total	96	In	Out	Total	In	Out	Total	96	In	Out	Total
Age Restricted	251		DU	Ln(T)=0.78 Ln(X)+0.20	61%	39%							0.0%							0.0%			
Single- Family Detached Housing	210	1,294	DU	Ln(T)=0.94Ln(X)=0.27	63%	37%	695	408	1,103	70	38	108	9.8%	625	370	995				0.0%	625	370	995
Multi-Family Housing (Low-Rise)	220	275	DU	T = 0.43(X) + 20.55	63%	37%	88	51	139	9	5	14	10.1%	79	46	125				0.0%	79	46	125
Multi- Family Housing (Mid-Rise)	221	275	DU	T = 0.39(X) + 0.34	61%	39%	66	42	108	7	4	11	10.2%	59	38	97			-	0.0%	59	38	91
General Office	710	80,000	Sfi	T = 1.44(X)	17%	83%	20	95	115	6	7	13	11.3%	14	88	102				0.0%	14	88	102
Civic Use			Sfi	T=5.45(X)	50%	50%						-	0.0%			-				0.0%	-		-
Institutional Use		116,450	Sft	T=3.05(X)	40%	60° o	142	213	355	18	21	39	11.0%	124	192	316	10000			0.00%	124	192	316
Industrial Park	130		Sti	T=0.34(X)	22%	78%				-			0.0%							0.0%			
General Commercial	820	105,000	Sfi	Ln(T) = 0.72Ln(X) + 3.02	48%	52%	281	304	585	51	86	137	23,496	230	218	448	75	77	152	34.0%	155	141	296
Regional Park	417	40	Acres	T=0.26(X)	44%	56°6	4	6	10	1	2	3	30.0%	3	4	7				0.0%	3	4	
Elementary School	520		Students	T=0.16(X)	46%	54%							0.0%							0.00%			
Junior High School	522		Students	T=0.15(X)	48%	5200						-	0.0%							0.0%			
Total					1		1.296	1.119	2,415	162	163	325	13.5%	1.134	956	2.090	75	27	152	7,3%	1.059	879	1,938

Table 2a - Trip Generation - Map H - Daily- Approved - Phase 4 Buildout - TAZ 654

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directio	nal Split		Gress Tri	ps	I	nternaliz:	tion Trip:	s	Net I	External T	rips		Pass-by	Trips		Ne	t New Tr	ips
	112 Cauc			Trip Generation trans	In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251	-	DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%		-			-		0.0%	-		-			-	0.0%			-
Single- Family Detached Housing	210	977	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	4,108	4,107	8,215	113	138	251	3.1%	3,995	3,969	7.964				0.0%	3,995	3,969	7,964
Multi- Family Housing (Mid-Rise)	221		DU	T = 4.54(X)	50%	50%			- 1	-		-	0.0%	-		-	- 1			0.0%	-		
General Office	710		Sn	Ln(T) = 0.87Ln(X) + 3.05	50%	50%	-	-	-	-		-	0.0%	- 1			-	-		0.0%	-		-
Civic Use			Sft	T=54.51(X)	50%	50%							0.0%	-					-	0.0%	-		
Institutional Use		101,277	Sn	T=30.49(X)	50%	50%	1.544	1,544	3,088	4			0.0%	1,544	1,544	3,088				0.0%	1,544	1,544	3,088
Industrial Park	130		SA	T=3.37(X)	50%	50%							0.0%	-			- 1		-	0.0%	-		-
General Commercial	820	155,000	SA	T-37.01(X)	50%	50%	2,869	2,868	5,737	555	144	699	12.2%	2,314	2,724	5,038	857	856	1,713	34.0%	1,457	1,868	3,325
Regional Park	417		Acres	T=4.57(X)	50%	50%	-		-				0.0%	-	-	-	-	-		0.0%			-
Elementary School	520		Students	T=2.27(X)	50%	50%			-	-		-	0.0%	-			-		-	0.0%			-
Junior High School	522		Students	T=2.10(X)	50%	50%	-	-		-			0.0%	-			-	-		0.0%	-		-
Total							8,521	8,519	17,040	668	282	950	5,6%	7,853	8,237	16,090	857	856	1,713	10.6%	6,996	7,381	14,37

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directio	nal Split		Gross Tri	ps	1	nternaliza	ition Trips		Net E	xternal T	rips		Pass-by	Trips		No	ct New Tri	ips
					In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251	-	DU	Ln(T)=0.78 Ln(X) + 0.20	61%	39%		-	-	- 4		-	0.0%	- 1		-	- 1	-		0.0%	-	-	-
Single- Family Detached Housing	210	977	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	534	313	847	109	50	159	18.8%	425	263	688	- 1	-		0.0%	425	263	688
Multi- Family Housing (Mid-Rise)	221	-	DU	T = 0.39(X) + 0.34	61%	39%		-		-		-	0.0%	-				-		0.0%		-	-
General Office	710		SA	T = 1.44(X)	17%	83%			-	-	-	- 2	0.0%	-	-	-	-	-		0.0%	-	-	-
Civic Use	-	-	Sn	T=5.45(X)	50%	50%		-	-	-		-	0.0%	-	-					0.0%	-	-	-
Institutional Use		101,277	Sft	T=3.05(X)	40%	60%	124	185	309	-		-	0.0%	124	185	309				0.0%	124	185	309
Industrial Park	130	-	Sft	T=0.34(X)	22%	78%	-	-	-	-		-	0.0%	-	-		-	-		0.0%	•		-
General Commercial	820	155,000	SA	Ln(T) = 0.72Ln(X) + 3.02	48%	52%	372	402	774	67	113	180	23.3%	305	289	594	100	102	202	34.0%	205	187	392
Regional Park	417	-	Acres	T=0.26(X)	44%	56%	-						0.0%				-			0.0%			
Elementary School	520	-	Students	T=0.16(X)	46%	54%			-				0.0%	-			-			0.0%			
Junior High School	522		Students	T=0.15(X)	48%	52%	-	100	-		*		0.0%	-			-	-		0.0%		-	-
Total			700				1,030	900	1,930	176	163	339	17.6%	854	737	1.591	100	102	202	12.7%	754	635	1,389

Table 2a - Trip Generation - Map H - Dally- Approved - Phase 4 Buildout - TAZ 653

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directional Split		Gross Trips			Internalization Trips				Net l	External T	Crips	Pass-by Trips				Net New Trips		
Latin Ose	112 0000				In	Out	In	Out	Total	In	Out	Total	96	In	Out	Total	In	Out	Total	96	In	Out	Teta
Age Restricted	251	-	DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%				1000			0.0%			•		-		0.0% n	•		-
Single- Family Detached Housing	210	1,200	DU	Ln(T)=0.92Ln(X)+2.68	50%	50% b	4,963	4,963	9,926	108	147	255	2.6%	4,855	4,816	9,671				0.0%	4,855	4,816	9,67
Multi- Family Housing (Low-Rise)	220	100	DU	T = 6.41(X) + 75.31	50%	50%	358	358	716	8	11	19	2.7%	350	347	697				0.0%	350	347	69
Multi- Family Housing (Mid-Rise)	221	100	DU	T=4.54(X)	50%	50%	227	227	454	5	7	12	2.6%	222	220	442	-			0.0%	222	220	44
General Office	710		Sfi	Ln(T) = 0.87Ln(X) + 3.05	50%	50% o				0.60			0.0%							0.0%			
Civic Use			Sft	T=54.51(X)	50%	50%							0.0%							0.0%			-
Institutional Use		54,450	SĤ	T=30.49(X)	50%	50%	830	830	1,660				0.0%	830	830	1,660			-	0.0%	830	830	1,66
Industrial Park	130		Sfi	T=3.37(X)	50%	50%							0.0%							0.0%			
General Commercial	820	155,000	Sfi	T = 37.01(X)	50%	50%	2,024	2,023	4,047	388	137	525	13.0%	1,636	1,886	3,522	599	598	1,197	34.0%	1,037	1,288	2,32
Regional Park	417		Acres	T=4.57(X)	50%	50%							0.0%						-	0.0%			-
Elementary School	520		Students	T=2.27(X)	50%	50% is				(*)			0.0%							0.0%			
Junior High School	522		Students	T=2.10(X)	50%	50%							0.0%							0.0%			
Total							8,402	8,401	16,803	509	302	811	4.896	7,893	8,099	15,992	599	598	1,197	7,5%	7,294	7,501	14.79

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directional Split		Gross Trips			Internalization Trips				Net	External 1	rips	Pass-by Trips				Net New Trips		
					In	Out	In	Out	Total	In	Out	Total	96	In	Out	Total	In	Out	Total	96	In	Out	Total
Age Restricted	251		DU	Ln(T)= 0.78 Ln(X) + 0.20	61%	39%							0.0%							0.0%			
Single- Family Detached Housing	210	1,200	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	647	380	1,027	97	48	145	14.1%	550	332	882				0.0%	550	332	883
Multi- Family Housing (Low-Rise)	220	100	DU	T = 0.43(X) + 20.55	63%	37%	40	24	64	6	3	9	14.1%	34	21	55				0.0%	34	21	5.
Multi- Family Housing (Mid-Rise)	221	100	DU	T = 0.39(X) + 0.34	61%	39%	24	15	39	4	2	6	15.4%	20	13	33				0.0%	20	13	33
General Office	710		Sfi	T=1.44(X)	1796	83%							0.0%							0.0%			
Civic Use	1		Sfi	T=5.45(X)	50%	50%			***			144	0.0%							0.0%			-
Institutional Use		54,450	Sfi	T=3.05(X)	40%	60%	66	100	166				0.0%	66	100	166				0.0%	66	100	160
Industrial Park	130	-	Sfi	T=0.34(X)	22%	78%							0.0%			•				0.0%			
General Commercial	820	155,000	Sfi	Ln(T) = 0.72Ln(X) + 3.02	48%	52%	372	402	774	57	113	170	22.0%	315	289	604	102	103	205	34.0%	213	186	399
Regional Park	417		Acres	T-0.26(X)	44%	56%	-						0.0%							0.0%			
Elementary School	520		Students	T=0.16(X)	46%	54%							0.0%							0.0%			
Junior High School	522		Students	T=0.15(X)	48%	52%	-						0.0%			-		-		0.0%			-
Total							1,149	921	2,070	164	166	330	15.996	985	755	1,740	102	103	205	11.8%	883	652	1,53

Table 2a - Trip Generation - Map H - Daily- Approved - Phase 4 Buildout - TAZ 861


Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directional Split			Gross Trips			Internalization Trips				External T	rips	Pass-by Trips				Not New Trips		
2000 001					In	Out	In	Out	Total	In	Out	Total	96	In	Out	Total	In	Out	Total	96	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50°6							0.0%							0.0%	-		
Single- Family Detached Housing	210	1,032	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	4,320	4,320	8,640	100	129	229	2.7%	4,220	4,191	8,411	-			0.0%	4,220	4,191	8,41
Multi- Family Housing (Low-Rise)	220	100	DU	T = 6.41(X) + 75.31	50%	50°6	358	358	716	8	11	19	2,7%	350	347	697				0.0%	350	347	69
Multi- Family Housing (Mid-Rise)	221	100	DU	T = 4.54(X)	50%	50%	227	227	454	5	7	12	2.6%	222	220	442				0.0%	222	220	44
General Office	710		Sft	Ln(T) = 0.87Ln(X) + 3.05	50%	50%							0.0%							0.0%	-		-
Civic Use		40,340	Sft	T=54.51(X)	50%	50%	1,100	1,099	2,199				0.0%	1,100	1,099	2,199				0.0%	1,100	1,099	2,19
Institutional Use		I Townson	Sfi	T=30.49(X)	50%	50%							0.0%							0.0%			
Industrial Park	130		Sfi	T=3.37(X)	50%	50%	-	- 1		500			0.0%	-	-	-				0.0%			
General Commercial	820	155,000	Sft	T = 37.01(X)	50%	50%	2,869	2,868	5,737	444	135	579	10.1%	2,425	2,733	5,158	877	877	1,754	34.0% ь	1,548	1,856	3,40
Regional Park	417		Acres	T=4.57(X)	50%	50%				2.00			0.0%				-			0.0%			
Elementary School	520		Students	T=2.27(X)	50%	50%							0.0%							0.0%			
Junior High School	522		Students	T=2.10(X)	50%	50%							0.0%							0.0%	-		-
Total							8,874	8,872	17,746	557	282	839	4.786	8,317	8,590	16,907	877	877	1,754	10.4%	7,440	7,713	15,15

Source: Trip Generation Manual 11th Edition


Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directional Split		Gross Trips			Internalization Trips				Net l	External 7	frips		Pass-by	Trips	Net New Trips			
					In	Out	In	Out	Total	In	Out	Total	96	In	Out	Total	In	Out	Total	96	In	Out	Total
Age Restricted	251		DU	Ln(T)= 0.78 Ln(X) + 0.20	61%	39%							0.0%			- 1				0.0%			
Single- Family Detached Housing	210	1,032	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	561	330	891	96	46	142	15.9%	465	284	749				0.0%	465	284	749
Multi- Family Housing (Low-Rise)	220	100	DU	T = 0.43(X) + 20.55	63%	37%	40	24	64	7	3	10	15.6%	33	21	54				0.0%	33	21	5.
Multi- Family Housing (Mid-Rise)	221	100	DU	T = 0.39(X) + 0.34	61%	39° o	24	15	39	4	2	6	15.4%	20	13	33				0.0%	20	13	37
General Office	710		Sft	T = 1.44(X)	1796	83%	-						0.0%							0.0%			
Civic Use		40,340	Sft	T=5.45(X)	50%	50%	110	110	220				0.0%	110	110	220				0.0%	110	110	220
Institutional Use			Sfi	T=3.05(X)	40%	60%							0.0%							0.0°a			
Industrial Park	130		Sft	T=0.34(X)	22%	78%							0.0%	-		+.			,	0.0%	-		-
General Commercial	820	155,000	Sfi	Ln(T) = 0.72Ln(X) + 3.02	48%	520	372	402	774	59	113	172	22.2%	313	289	602	102	103	205	34.0%	211	186	397
Regional Park	417		Acres	T=0.26(X)	4496	56%		-			•	•	0.0%							0.0%			-
Elementary School	520		Students	T=0.16(X)	46%	54%							0.0%							0.000			
Junior High School	522		Students	T=0.15(X)	48%	52° o							0.0%			-				0.00%			-
Total							1,107	881	1,988	166	164	330	16.696	941	717	1.659	102	103	205	12.40%	839	614	1,453


PROJECT
TRIP INTERNALIZATION - Daily




PROJECT TRIP INTERNALIZATION - PM




PROJECT
TRIP INTERNALIZATION - Daily




PROJECT
TRIP INTERNALIZATION - PM




PROJECT
TRIP INTERNALIZATION - Daily




PROJECT TRIP INTERNALIZATION - PM




PROJECT TRIP INTERNALIZATION - Daily




PROJECT TRIP INTERNALIZATION - PM




PROJECT
TRIP INTERNALIZATION - Daily




PROJECT
TRIP INTERNALIZATION - PM



PROJECT
TRIP INTERNALIZATION - Daily



PROJECT
TRIP INTERNALIZATION - PM



Trip Generation for Proposed Uses by TAZ – ITE 11th Edition Table 2a - Trip Generation - Map H - Daily- Proposed - Phase 4 - TAZ 652 Parcel A

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directio	onal Split		Gross Tri	ps	1	nternaliza	ation Trip	4	Net I	External	Crips		Pass-b	y Trips		N	et New Tr	ips
	1.3330333030		0.505000000		In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%		- 1					0.0%							0.0%			-
Single-Family Detached Housing	210	1,242	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	5,123	5,122	10,245	102	154	256	2.5%	5.021	4,968	9.989				0.0%	5,021	4,968	9,98
Multi- Family Housing (Mid-Rise)	221		DU	T = 4.54(X)	50%	50%		-					0.0%			-				0.0%			
General Office	710		Sft	Ln(T) = 0.87Ln(X) + 3.05	50%	50%							0.0%							0.0%			
Civic Use			Sft	T=54.51(X)	50%	50%							0.0%			-			-	0.0%			-
Institutional Use			Sft	T=30.49(X)	50%	50%							0.0%							0.0%		-	
Industrial Park	130		Sft	T=3.37(X)	50%	50%							0.0%							0.0%			
General Commercial	820	306,000	Sft	T = 37.01(X)	50%	50%	5,663	5,662	11,325	154	102	256	2.3%	5,509	5,560	11,069	1.882	1,881	3,763	34.0%	3,627	3,679	7,30
Regional Park	417		Acres	T=4.57(X)	50%	50%							0.0%							0.0%		-	
Elementary School	520		Students	T=2.27(X)	50%	50%			-				0.0%			-				0.0%	-	-	
Junior High School	522		Students	T≈2.10(X)	50%	50%							0.0%		-	-				0.0%	-		-
Total							10,786	10,784	21,570	256	256	512	2.4%	10,530	10,528	21,058	1,882	1,881	3,763	17.9%	8,648	8,647	17,29
Interzonal Capture																	-	-,,,,,	-,		6,694	6,693	-
1/2 Interzonal Capture							-						-								7,671		15,34

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tr	ips	1	nternaliz	atlon Trip		Net I	External T	rips		Pass-b	y Trips		No	t New Tr	ps
					In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T)= 0.78 Ln(X) + 0.20	61%	39%							0.0%		•					0.0%		-	-
Single-Family Detached Housing	210	1,242	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	668	393	1,061	171	61	232	21.9%	497	332	829				0.0%	497	332	829
Multi- Family Housing (Mid-Rise)	221		DU	T = 0.39(X) + 0.34	61%	39%							0.0%	-						0.0%			-
General Office	710		Sft	T = 1.44(X)	17%	83%							0.0%							0.0%	-		-
Civic Use			Sft	T=5.45(X)	50%	50%							0.0%					-		0.0%			
Institutional Use			Sft	T=3.05(X)	40%	60%							0.0%							0.0%		-	-
Industrial Park	130		Sft	T=0.34(X)	22%	78%							0.0%							0.0%			
General Commercial	820	306,000	Sft	Ln(T) = 0.72Ln(X) + 3.02	48%	52%	606	657	1,263	61	171	232	18.4%	545	486	1.031	175	176	351	34.0%	370	310	680
Regional Park	417		Acres	T=0.26(X)	44%	56%			-				0.0%							0.0%	-	-	-
Elementary School	520		Students	T=0.16(X)	46%	54%			-				0.0%							0.0%			
Junior High School	522		Students	T=0.15(X)	48%	52%							0.0%							0.0%	-		-
Total						7	1,274	1,050	2,324	232	232	464	20.0%	1,042	818	1,860	175	176	351	18.9%	867	642	1,509
Interzonal Capture					000																671	497	1,168
1/2 Interzonal Capture					7-2-2													-	200	-	769	569	1,338

Table 2a - Trip Generation - Map H - Daily- Proposed - Phase 4 Buildout - TAZ 654 Parcel B

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tr	lps	1	nternaliz	ation Trip	1	Net l	External '	Frips		Pass-b	y Trips		N	et New Tr	ips
Latte Ost	III Cour	antenan,		Tip sensimon mae	In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Tota
Age Restricted	251	Same work	DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%							0.0%				-			0.0%			
Single- Family Detached Housing	210	850	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	3,614	3,613	7,227	93	118	211	2.9%	3,521	3,495	7,016	•			0.0%	3,521	3,495	7,01
Multi- Family Housing (Mid-Rise)	221		DU	T = 4.54(X)	50%	50%							0.0%							0.0%			
General Office	710		Sft	Ln(T) = 0.87Ln(X) + 3.05	50%	50%		-				- 3	0.0%				-	-		0.0%			-
Civic Use			Sft	T=54.51(X)	50%	50%							0.0%							0.0%			
Institutional Use		67,628	Sft	T=30.49(X)	50%	50%	1,031	1,031	2,062	51		51	2.5%	980	1,031	2,011			-	0.0%	980	1,031	2,01
Industrial Park	130		Sft	T=3.37(X)	50%	50%		-	-	-			0.0%		7.			- 4		0.0%	-		-
General Commercial	820	76,500	Sft	T = 37.01(X)	50%	50%	1,416	1,415	2,831	397	113	510	18.0%	1,019	1,302	2,321	395	394	789	34.0%	624	908	1,53
Regional Park	417		Acres	T=4.57(X)	50%	50%							0.0%					-		0.0%			
Elementary School	520		Students	T=2.27(X)	50%	50%							0.0%	4						0.0%			
Junior High School	522		Students	T=2.10(X)	50%	50%			-				0.0%							0.0%			
Total							6,061	6,059	12,120	541	231	772	6.4%	5,520	5,828	11,348	395	394	789	7.0%	5,125	5,434	10,55
Interzonal Capture																					3,967	4,206	8,17
1/2 Interzonal Capture								1000				20-1-1-10-2	1000		7.000						4,546	4,820	9,36

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tr	lps	1	nternaliza	ation Trip		Net	External '	Γrips		Pass-b	y Trips		N	et New Tr	lps .
		140			In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DÜ	Ln(T)=0.78 Ln(X) + 0.20	61%	39%							0.0%							0.0%			
Single- Family Detached Housing	210	850	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	468	275	743	65	33	98	13.2%	403	242	645				0.0%	403	242	645
Multi- Family Housing (Mid-Rise)	221		DU	T = 0.39(X) + 0.34	61%	39%					•		0.0%							0.0%			
General Office	710		Sft	T = 1.44(X)	17%	83%							0.0%							0.0%		-	
Civic Use			Sft	T=5.45(X)	50%	50%							0.0%							0.0%			-
Institutional Use		67,628	Sft	T=3.05(X)	40%	60%	82	124	206	16		16	7.8%	66	124	190			. Ta . N	0.0%	66	124	190
Industrial Park	130		sn	T=0.34(X)	22%	78%	-	- 3	•	-			0.0%							0.0%			
General Commercial	820	76,500	Sft	Ln(T) = 0.72Ln(X) + 3.02	48%	52%	223	242	465	40	68	108	23.2%	183	174	357	60	61	121	34.0%	123	113	236
Regional Park	417		Acres	T=0.26(X)	44%	56%							0.0%							0.0%			
Elementary School	520	-	Students	T=0.16(X)	46%	54%	-			-			0.0%							0.0%			
Junior High School	522		Students	T=0.15(X)	48%	52%							0.0%						-	0.0%			
Total							773	641	1,414	121	101	222	15.7%	652	540	1,192	60	61	121	10.2%	592	479	1,071
Interzonal Capture																					458	371	829
1/2 Interzonal Capture		7577.ES	1																		525	425	950

Table 2a - Trip Generation - Map H - Daily- Proposed - Phase 4 Buildout - TAZ 647 Parcel C

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tr	ips		Internaliza	ation Trips		Net	External 7	Crips		Pass-b	y Trips		N	et New Tri	ips
Estita Ose	II Couc	incing	Ciata	Trip Generation rease	In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%		- 1					0.0%							0.0%		•	
Single- Family Detached Housing	210	1,827	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	7,306	7,306	14,612	28	14	42	0.3%	7,278	7,292	14,570				0.0%	7,278	7,292	14,57
Multi- Family Housing (Mid-Rise)	221		DU	T = 4.54(X)	50%	50%							0.0%	-						0.0%			
General Office	710		Sft	Ln(T) = 0.87Ln(X) + 3.05	50%	50%							0.0%							0.0%	10-		
Civic Use			Sft	T=54.51(X)	50%	50%					- 60		0.0%		•	•				0.0%			
Institutional Use		90,692	Sft	T=30.49(X)	50%	50%	1,383	1,382	2,765	14		14	0.5%	1,369	1,382	2,751				0.0%	1,369	1,382	2,75
Industrial Park	130		Sft	T=3.37(X)	50%	50%							0.0%					- 0	- 1	0.0%		-	-
General Commercial	820		Sft	T = 37.01(X)	50%	50%							0.0%		•					34.0%			-
Regional Park	417		Acres	T=4.57(X)	50%	50%		-					0.0%							0.0%			
Elementary School	520		Students	T=2.27(X)	50%	50%	- 2						0.0%	-						0.0%		-	-
Junior High School	522		Students	T=2.10(X)	50%	50%		- 1					0.0%							0.0%			
Total							8,689	8,688	17,377	42	14	56	0.3%	8,647	8,674	17,321				0.0%	8,647	8,674	17,32
Interzonal Capture											September 1										6,693	6,714	13,40
1/2 Interzonal Capture																					7,670	7,694	15,36

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	nal Split		Gross Tr	ips	1	internaliza	tion Trips		Net !	External T	rips		Pass-b	y Trips		Ne	et New Tri	ps
		100			In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T)=0.78 Ln(X) + 0.20	61%	39%							0.0%							0.0%		•	
Single- Family Detached Housing	210	1,827	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	961	564	1,525	3	23	26	1.7%	958	541	1,499				0.0%	958	541	1,499
Multi- Family Housing (Mid-Rise)	221		DU	T = 0.39(X) + 0.34	61%	39%			•		•		0.0%							0.0%			-
General Office	710		SA	T = 1.44(X)	17%	83%							0.0%			-				0.0%			-
Civic Use	-	14	Sft	T=5.45(X)	50%	50%		-				- 61	0.0%	*						0.0%			
Institutional Use		90,692	Sft	T=3.05(X)	40%	60%	111	166	277	23		23	8.3%	88	166	254				0.0%	88	166	254
Industrial Park	130	-	Sft	T=0.34(X)	22%	78%					*		0.0%		*		F-			0.0%			
General Commercial	820	8-	Sft	Ln(T) = 0.72Ln(X) + 3.02	48%	52%					•	*:	0.0%	•	*					34.0%			-
Regional Park	417		Acres	T=0.26(X)	44%	56%							0.0%							0.0%			
Elementary School	520	- 1	Students	T=0.16(X)	46%	54%							0.0%			14				0.0%			
Junior High School	522		Students	T=0.15(X)	48%	52%							0.0%							0.0%			-
Total							1,072	730	1,802	26	23	49	2.7%	1,046	707	1,753				0.0%	1,046	707	1,753
Interzonal Capture	10000																				810	547	1,35
1/2 Interzonal Capture				and the state of t		1															928	627	1,555

Table 2a - Trip Generation - Map H - Daily- Proposed - Phase 4 Buildout - TAZ 648 Parcel D

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tr	ips		internaliza	tion Trips		Net	External 7	Trips		Pass-b	y Trips		N	let New Tr	dps
	107070000000000000000000000000000000000	STREET,	125755500	aras contractor contac	In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%							0.0%		-					0.0%			-
Single- Family Detached Housing	210		DU	Ln(T)=0.92Ln(X)+2.68	50%	50%			•				0.0%							0.0%			
Multi- Family Housing (Low-Rise)	220	963	DU	T = 6.41(X) + 75.31	50%	50%	3,124	3,124	6,248	104	115	219	3.5%	3,020	3,009	6,029	(4)			0.0%	3,020	3,009	6,02
Multi- Family Housing (Mid-Rise)	221	962	DU	T = 4.54(X)	50%	50%	2,184	2,183	4,367	72	81	153	3.5%	2,112	2,102	4,214				0.0%	2,112	2,102	4,21
General Office	710	1,583,250	Sft	Ln(T) = 0.87Ln(X) + 3.05	50%	50%	6,415	6,414	12,829	462	1,104	1,566	12.2%	5,953	5,310	11,263			•	0.0%	5,953	5,310	11,26
Civic Use		80,695	Sft	T=54.51(X)	50%	50%	2,200	2,199	4,399	158	379	537	12.2%	2,042	1,820	3,862				0.0%	2,042	1.820	3,86
Institutional Use			Sft	T=30.49(X)	50%	50%	+						0.0%							0.0%			
Industrial Park	130	1,361,250	Sft	T=3.37(X)	50%	50%	2,294	2,293	4,587	207	495	702	15.3%	2,087	1,798	3,885	140			0.0%	2.087	1,798	3,88
General Commercial	820	306,000	Sfi	T = 37.01(X)	50%	50%	5,663	5,662	11,325	2,104	480	2,584	22.8%	3,559	5,182	8,741	1,486	1,486	2,972	34.0%	2,073	3,696	5,76
Regional Park	417	50	Acres	T=4.57(X)	50%	50%	115	114	229	-/-			0.0%	115	114	229				0.0%	115	114	22
Elementary School	520	2,420	Students	T=2.27(X)	50%	50%	2,747	2,746	5,493	109	620	729	13.3%	2,638	2,126	4,764				0.0%	2,638	2,126	4,76
Junior High School	522		Students	T=2.10(X)	50%	50%							0.0%							0.0%			
Total							24,742	24,735	49,477	3,216	3,274	6,490	13.1%	21,526	21,461	42,987	1,486	1,486	2,972	6.9%	20,040	19,975	40,015
Interzonal Capture				SW 178-33-35W														-			15,511	15,461	30,97
1/2 Interzenal Capture															255		112000				17,775	17,718	-

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	TTE Code	Intensity	Units	Trip Generation Rate	Directi	onal Split		Gross Tr	ips	1	internaliza	tion Trips		Net	External 7	rips		Pass-by	Trips		N	et New Tri	ips
					In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	0/4	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.78 Ln(X) + 0.20	61%	39%							0.0%							0.0%			-
Single- Family Detached Housing	210		DU	Ln(T)=0.94Ln(X)+0.27	63%	37%							0.0%							0.0%			-
Multi- Family Housing (Low-Rise)	220	963	DU	T = 0.43(X) + 20.55	63%	37%	274	161	435	62	38	100	23.0%	212	123	335				0.0%	212	123	335
Multi- Family Housing (Mid-Rise)	221	962	DU	T = 0.39(X) + 0.34	61%	39%	229	147	376	53	33	86	22.9%	176	114	290			1.0	0.0%	176	114	290
General Office	710	1,583,250	Sft	T = 1.44(X)	17%	83%	388	1,892	2,280	14	41	55	2.4%	374	1,851	2,225				0.0%	374	1.851	2,225
Civic Use		80,695	Sft	T=5.45(X)	50%	50%	220	220	440	3	8	11	2.5%	217	212	429				0.0%	217	212	429
Institutional Use			Sft	T=3.05(X)	40%	60%							0.0%							0.0%		-	
Industrial Park	130	1,361,250	Sft	T=0.34(X)	22%	78%	102	361	463	3	10	13	2.8%	99	351	450				0.0%	99	351	450
General Commercial	820	306,000	Sft.	Ln(T) = 0.72Ln(X) + 3.02	48%	52%	606	657	1,263	122	150	272	21.5%	484	507	991	168	169	337	34.0%	316	338	654
Regional Park	417	50	Acres	T=0.26(X)	44%	56%	6	7	13	2	2	4	30.8%	4	5	9				0.0%	4	5	9
Elementary School	520	2,420	Students	T=0.16(X)	46%	54%	178	209	387	34	12	46	11.9%	144	197	341				0.0%	144	197	341
Junior High School	522		Students	T=0.15(X)	48%	52%				-	-		0.0%			-		(*)		0.0%			
Total							2,003	3,654	5,657	293	294	587	10.4%	1,710	3,360	5,070	168	169	337	6.6%	1,542	3,191	4,733
Interzonal Capture											-										1,194	2,470	3,663
1/2 Interzonal Capture						-					(0.50)	C									1,368	2,830	4,198

Table 2a - Trip Generation - Map H - Daily- Proposed - Phase 4 Buildout - TAZ 861 Parcel E

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directi	onal Split		Gross Tr	ps	1	nternaliza	tion Trips		Net :	External 7	Erips		Pass-b	y Trips		N	et New Tr	ips
		antonia,			In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Tota
Age Restricted	251		DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%					-		0.0%				•		-	0.0%			-
Single- Family Detached Housing	210	879	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	3,727	3,727	7,454	95	122	217	2.9%	3,632	3,605	7,237				0.0%	3,632	3,605	7,23
Multi- Family Housing (Mid-Rise)	221		DU	T = 4.54(X)	50%	50%				-			0.0%							0.0%	-		
General Office	710		Sft	Ln(T) = 0.87Ln(X) + 3.05	50%	50%							0.0%							0.0%			
Civio Use			Sft	T=54.51(X)	50%	50%							0.0%							0.0%			
Institutional Use		67,042	Sft	T=30.49(X)	50%	50%	1,022	1,022	2,044	51		51	2.5%	971	1,022	1,993	•			0.0%	971	1,022	1,99
Industrial Park	130		Sft	T=3.37(X)	50%	50%							0.0%							0.0%			
General Commercial	820	76,500	Sft	T = 37.01(X)	50%	50%	1,416	1,415	2,831	398	116	514	18.2%	1,018	1,299	2,317	394	394	788	34.0%	624	905	1,529
Regional Park	417		Acres	T=4.57(X)	50%	50%		-		-		-	0.0%					-	-	0.0%			-
Elementary School	520		Students	T=2.27(X)	50%	50%							0.0%							0.0%			
Junior High School	522		Students	T=2.10(X)	50%	50%				-	•		0.0%							0.0%		- 2	
Total							6,165	6,164	12,329	544	238	782	6.3%	5,621	5,926	11,547	394	394	788	6.8%	5,227	5,532	10,759
Interzonal Capture														1							4,046	4,282	8,32
1/2 Interzonal Capture																					4,636	4,907	9,54

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	nal Split		Gross Tr	ps		Internaliza	tion Trips		Net	External '	Crips .		Pass-b	y Trips		Ne	t New Tr	pa
	11000000000		128000		In	Out	ln	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251	-	DU	Ln(T) = 0.78 Ln(X) + 0.20	61%	39%				-		-	0.0%	-				-	-	0.0%	-		-
Single- Family Detached Housing	210	879	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	483	284	767	65	33	98	12.8%	418	251	669				0.0%	418	251	669
Multi- Family Housing (Mid-Rise)	221		DU	T = 0.39(X) + 0.34	61%	39%	-				- 4	•	0.0%		-	-		-	-	0.0%			
General Office	710		Sft	T = 1.44(X)	17%	83%							0.0%							0.0%			
Civio Use	-		Sft	T=5.45(X)	50%	50%	-					7.	0.0%							0.0%		-	-
Institutional Use		67,042	SA	T=3.05(X)	40%	60%	82	122	204	16		16	7.8%	66	122	188				0.0%	66	122	188
Industrial Park	130		SA	T=0.34(X)	22%	78%							0.0%							0.0%	-		-
General Commercial	820	76,500	Sft	Ln(T) = 0.72Ln(X) + 3.02	48%	52%	223	242	465	40	68	108	23.2%	183	174	357	60	61	121	34.0%	123	113	236
Regional Park	417		Acres	T=0.26(X)	44%	56%							0.0%							0.0%			
Elementary School	520		Students	T=0.16(X)	46%	54%	-		-				0.0%		24.1	-		- 21		0.0%			
Junior High School	522		Students	T=0.15(X)	48%	52%						35	0.0%			10				0.0%			
Total							788	648	1,436	121	101	222	15.5%	667	547	1,214	60	61	121	10.0%	607	486	1,093
Interzonal Capture											ardice.					-					470	376	846
1/2 Interzonal Capture			-												- 22						538	431	969

Table 2a - Trip Generation - Map H - Daily- Proposed - Phase 4 Buildout - TAZ 653 Parcel F


Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	nal Split		Gross Tr	ips		Internaliz:	ation Trips		Net	External '	Γrips		Pass-l	y Trips		No	t New Tr	ips
					In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(1) = 0.85Ln(X) + 2.47	50%	50%		-					0.0%				-			0.0%			-
Single-Family Detached Housing	210	977	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	4,108	4,107	8,215	23	12	35	0.4%	4,085	4,095	8,180	2			0.0%	4,085	4,095	8,180
Multi- Family Housing (Mid-Rise)	221		DU	T = 4.54(X)	50%	50%	-	-					0.0%				9			0.0%			-
General Office	710		Sft	Ln(T) = 0.87Ln(X) + 3.05	50%	50%			•				0.0%			-	-	-		0.0%			
Civic Use			Sft	T=54.51(X)	50%	50%							0.0%							0.0%			-
Institutional Use		76,815	Sft	T=30.49(X)	50%	50%	1,171	1,171	2,342	12		12	0.5%	1,159	1,171	2,330	*			0.0%	1,159	1,171	2,330
Industrial Park	130		Sft	T=3.37(X)	50%	50%		-					0.0%							0.0%			
General Commercial	820		Sft	T = 37.01(X)	50%	50%		*	1.0	-			0.0%			-				34.0%	- 42		-
Regional Park	417		Acres	T=4.57(X)	50%	50%			0.00			*	0.0%	-						0.0%			
Elementary School	520		Students	T=2.27(X)	50%	50%		-			2 4		0.0%		-	-	- 4			0.0%			
Junior High School	522	-	Students	T=2.10(X)	50%	50%		-					0.0%							0.0%	- 0	×:	
Total						- XX	5,279	5,278	10,557	35	12	47	0.4%	5,244	5,266	10,510				0.0%	5,244	5,266	10,510
Interzonal Capture																	- N-V				4,059	4,076	8,13
1/2 Interzonal Capture									race in recognit	in the second											4,651	4,671	9,32

Source: Trip Generation Manual 11th Edition


Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	nal Split		Gross Tr	ps		internaliza	tion Trips		Net	External T	'rips		Pass-b	y Trips		Ne	t New Tri	ps
			2000		In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.78 Ln(X) + 0.20	61%	39%	-		.*/;			•	0.0%							0.0%			-
Single-Family Detached Housing	210	977	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	534	313	847	3	13	16	1.9%	531	300	831				0.0%	531	300	831
Multi- Family Housing (Mid-Rise)	221		DU	T = 0.39(X) + 0.34	61%	39%					7.		0.0%	•			-			0.0%	*1		
General Office	710		Sft	T = 1.44(X)	17%	83%				S*8			0.0%							0.0%			
Civic Use			Sft	T=5.45(X)	50%	50%		-					0.0%	-		•				0.0%			
Institutional Use		76,815	Sft	T=3.05(X)	40%	60%	94	140	234	13		13	5.6%	81	140	221				0.0%	81	140	221
Industrial Park	130		Sft	T=0.34(X)	22%	78%		-				V 60	0.0%	-	-	-	-	-		0.0%			
General Commercial	820		Sft	Ln(T) = 0.72Ln(X) + 3.02	48%	52%				5 ± 5			0.0%		•					34.0%			
Regional Park	417		Acres	T=0.26(X)	44%	56%	+						0.0%		-	-				0.0%	-		
Elementary School	520		Students	T=0.16(X)	46%	54%				348			0.0%			-		-		0.0%	20		
Junior High School	522	-	Students	T=0.15(X)	48%	52%							0.0%				-			0.0%			
Total							628	453	1,081	16	13	29	2.7%	612	440	1,052				0.0%	612	440	1,052
Interzonal Capture																			-		474	341	814
1/2 Interzonal Capture																					543	390	933


PROJECT
TRIP INTERNALIZATION - Daily




PROJECT
TRIP INTERNALIZATION - PM




PROJECT
TRIP INTERNALIZATION - Daily




PROJECT
TRIP INTERNALIZATION - PM




PROJECT
TRIP INTERNALIZATION - Daily




PROJECT
TRIP INTERNALIZATION - PM




PROJECT
TRIP INTERNALIZATION - Daily




PROJECT TRIP INTERNALIZATION - PM




PROJECT
TRIP INTERNALIZATION - Daily



PROJECT
TRIP INTERNALIZATION - PM



PROJECT
TRIP INTERNALIZATION - Daily



PROJECT TRIP INTERNALIZATION - PM




Table 3a: WATS 3.0 - Trip Gen: 20 40

				LAN	D USE INTENSI	ISE INTENSITY (OLD PARCEL ID)						
LAND USE	TOTAL INTENSITY	UNITS	A TAZ 648	B TAZ 652	C TAZ 647	D TAZ 654	E TAZ 653	F TAZ 861				
Age Restricted	0	DU										
Single Family Detached Housing	5,775	DU		1,272	1,294	977	1,200	1,032				
Multi Family Housing (Mid-Rise)	1,925	DU		975	550		200	200				
General Office	1,503,250	SF	-1,361,250	142,000								
Civic Use	40,347	SF		40.347								
Institution Use	185,727	SF		30,000		101,277	54,450					
Industrial Park	1,361,250	SF	1,361,250									
General Commercial	590,000	SF		150,000	80,000	120,000	120,000	120,000				
Regional Park	135	Acres	50	50	35							
Elementary School	820	Students		820								
Junior High School	1,600	Students		1,600								

Table 3b: WATS 3.0 - Daily Trip Gen (OLD PARCEL ID) Total Trips Land Use В C D E TAZ 648 TAZ 652 TAZ 647 TAZ 654 TAZ 653 TAZ 861 0 Age Restricted Single Family Detached Housing 10,791 10,963 8,465 10,228 8,903 49,350 4,664 2,835 1,176 1,176 9,851 Multi Family Housing (Mid-Rise) 0 11,709 General Office 9,961 1,748 0 0 0 Civic Use 2,199 0 0 0 0 2,199 0 915 0 3,088 1,660 0 5,663 Institution Use 0 0 9,474 9,474 0 0 Industrial Park 0 5,874 7,645 7,645 37,648 General Commercial 8,839 7,645 Regional Park 114 114 80 0 0 0 308 Elementary School 1,058 0 0 0 1,058 Junior High School 0 2,592 0 0 0 0 2,592 TOTAL 19,549 32,920 19,752 19,198 20,709 17,724 129,852

19,157

25,766

17,129

15,308

16,703 14,439

108,502

Land Use		A TAZ 648			B TAZ 652			C FAZ 647			D TAZ 654			E TAZ 653			F TAZ 861			Total Trip	s
	IN	OUT	TOTAL	IN	OUT	TOTAL	IN	OUT	TOTAL	IN	OUT	TOTAL	IN	OUT	TOTAL	IN	OUT	TOTAL	IN	OUT	TOTA
Age Restricted	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Single Family Detached Housing	0	0	0	653	383	1,036	663	390	1,053	515	302	817	619	364	983	541	318	859	2,991	1,757	4,748
Multi Family Housing (Mid-Rise)	0	0	0	261	128	389	163	80	243	0	0	0	71	35	106	71	35	106	566	278	844
General Office	273	1,330	1,603	36	176	212	0	0	0	0	0	0	0	0	0	0	0	0	309	1,506	1,815
Civic Use	0	0	0	110	110	220	0	0	0	0	0	0	0	0	0	0	0	0	110	110	220
Institution Use	0	0	0	37	55	92	0	0	0	124	185	309	66	100	166	0	0	0	227	340	567
Industrial Park	246	925	1,171	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	246	925	1,171
General Commercial	0	0	0	409	426	835	269	279	548	352	367	719	352	367	719	352	367	719	1,734	1,806	3,540
Regional Park	1	2	3	1	2	3	1	1	2	0	0	0	0	0	0	0	0	0	3	5	8
Elementary School	0	0	0	60	63	123	0	0	0	0	0	0	0	0	0	0	0	0	60	63	123
Junior High School	0	0	0	125	131	256	0	0	0	0	0	0	0	0	0	0	0	0	125	131	256
TOTAL	520	2,257	2,777	1,692	1,474	3,166	1,096	750	1,846	991	854	1,845	1,108	866	1,974	964	720	1,684	6,371	6,921	13,29
ADJUSTED TOTAL	510	2247	2757	1371	1152	2523	976	630	1606	808	671	1479	919	677	1596	810	565	1375	5394	5942	11330

ADJUSTED TOTAL

TCRPM TAZ

390

648

DAILY TRIP GENERATION

Land Use	Intensity	Unit	ITE Code	Trip Generation Rate/Equation (8th Ed)	Daily Trips
Single-Family Residential	0	·d.u.	[210]	Ln(T) = 0.92*Ln(X) + 2.71	
Multi-Family Residential	0	-d.u.	[230]	Ln(T) = 0.87*Ln(X) + 2.46	
Age-Restricted Single-Family	0	d.u.	[251]	Ln(T) = 0.85*Ln(X) + 2.38	
Age-Restricted Multi-Family	0	d.u.	[252]	T=3.48"(X)	
Hotel	0	rooms	[310]	T=8.92*(X)	
industrial Park	1,361,250	s.f.	[130]	T = 6.96*(X/2000)	9,474
Commercial Retail	0	5.F.	[820]	Ln(T) = 0.65*Ln(X/1000) + 5.83	
Service & Office	1,361,250	s.f.	[710]	Ln(T) = 0.77*Ln(X/1000) + 3.65	9,961
Research & Development(1)	0	s.f.	[760]	Ln(Y) = 0.82°Ln(X/1000) + 3.14	
Hospital	0	beds	[610]	T=11.81*(X)	
Civic Use	0	s.ť.	-	T=54.51*(X/1000)	
Institutional Use	0	s.f.	-	T=30.49*(X/1000)	
Park	50	acres	[412]	T = 2.28*(X)	114
Elementary School	0	students	[520]	T=1.29°(X)	
K-8 School	0	students	[522]	T = 1.62*(X)	
High School	0	students	[530]	Ln(T) = 0.81° $Ln(X) + 1.86$	
Congregate Care Facility	0	d.u.	[253]	T = 2,02*(X)	
Assisted Living Facility	0	beds	[254]	T = 2,60°(X)	
				Total Gross Trips =	19,549
(1) Equation is used for Research and Development	opment up to 1,860,600	DSF		Total Gross Residential Trips =	0
Linear rate is used for Research and Dave	lopment beyond 1,800,	000 SF		Total-Gross Non-Residential Trips =	19,549
	viete acompany of the National Co			Internal Capture % among TAZ =	2.01%
				Internal Capture trips among TAZ =	392

mmercial Retail Pass-By Calculation:		
Intensity =	0	S.T.
External Trips from Matrix =	0	trips
Pass-By Percent =	34%	
Pass-By Reduction ≈	0	trips

NET NEW EXTERNAL DAILY TRIPS = 19,157

PM PEAK HOUR TRIP GENERATION:

Land Use	Intensity	Unit	ITE Code	Trip Generation Rate/Equation	Total Trips	Inbound	Outbound
Single-Family Residential	0	d.u.	[210]	Ln(T) = 0.90*Ln(X) + 0.51; (63% in)			
Multi-Family Residential	0	.ઇ.ઘ.	[230]	Ln(T) = 0.82*Ln(X) + 0.32; (67% in)			
Age-Restricted Single-Family	0	٠d.υ.	[251]	ln(T) = 0.72*Ln(X) + 0.58; (61% in)			
Age-Restricted Multi-Family	0	d.u.	[252]	T = 0.11*(X); (61% in)			
Hotel	0	rooms	[310]	T = 0.70*(X); (49% in)			
Industrial Park	1,361,250	5.4.	[130]	T = 0.86*(X/1000); (21% in)	2,172	246	925
Commercial Retail	0	5.%	[820]	Ln(T) = 0.67° $Ln(X/1000) + 3.37$; (49% in)			
Service & Office ⁽²⁾	1,361,250	\$.₹.	[710]	T = 1.12*(X/1000)+78.81; (17% in)	0,603	273	1,330
Research & Development(1)	0	5.7.	[760]	Ln(T) = 0.82*Ln(X/1000) + 1.09; (15%in)	,		
Hospital	0	beds	[610]	T = 1.31*(X); (36% in)			
Civic Use	0	s.f.		T = 5.45*(X/1000); (50% in)			
Institutional Use	0	s.f.		T = 3.05*(X/3000); (40% in)			
Park	50	acres	[412]	T=0.06*(X); (41% in)	3	1	2
Elementary School	0	students	[520]	T = 0.15*(X); (49% in)			
K-8 School	0	students	[522]	T = 0.16*(X); (49% in)			
High School	0	students	[530]	T = 0.13"(X); (47% in)			
Congregate Care Facility	0	·d.u.	[253]	T=0.05*(X) + 2.13; (60% in)			
Assisted Living Facility	0	beds	[254]	T = 0.19*(X); (63% in)			
Louis accession of the control of th	NAMES OF TAXABLE PARTY OF TAXABLE PARTY.	a principal desirement and a Thinking they probe to	Control of the Contro	Total Gross Trips =	2,777	520	2,257
(1) Equation is used for Research and Level	opment up to 1,800,000) SF		Total Gross Residential Trips =	0	0	0
Linear rate is used for Research and live	topment beyond 1,800,	000 SF		Total Gross Non-Residential Trips =	2,777	520	2,257
(2) Equation is used for Service & Office pre	ater than 500,000 SF			Internal Capture % among TAZ =	0.72%	-	-
				Internal Capture trips among TAZ =	20	10	10

nmercial Retail Pass-By Calculation: Intersity =	0	s.f.
External Trips from Matrix =	0	trips
Pass-By Percent =	34%	
Pass-By Reduction =	0	trips

	Total	Inbound	Outbound
NET NEW EXTERNAL	2.757	510	2.247
PM PEAK HOUR TRIPS =	2,737	3,50	Lights

WATS TAZ

TCRPM TAZ

395

652

DAILY TRIP GENERATION:

Land Use	Intensity	Unit	ITE Code	Trip Generation Rate/Equation (8th Ed)	Daily Trips
Single-Family Residential	1,272	d.u.	[210]	ln(T) = 0.92*ln(X) + 2.71	10,791
Multi-Family Residential	975	d.u.	[230]	ln(T) = 0.87*ln(X) + 2.46	4,664
Age-Restricted Single-Family	0	d.u.	[251]	Ln(T) = 0.85*Ln(X) + 2.38	
Age-Restricted Multi-Family	0	d.u.	[252]	T=3.48*(X)	
Hotel	Ü	rooms	[310]	T=8.92°(X)	
Industrial Park	0	s.f.	[130]	T=6.95*(X/1000)	
Commercial Retail	150,000	s.f.	[820]	ln(T) = 0.65 * ln(X/1000) + 5.83	8,839
Service & Office	142,000	s.f.	[710]	Ln(T) = 0.77*Ln(X/1000) + 3.65	1,748
Research & Development(1)	0	s.t.	[760]	Ln(T) = 0.82*Ln(X/1000) + 3.14	
Hospital	0	beds	[610]	T = 11.81*(X)	- Autoritions - Autoriting
Civic Use	40,347	s.f.	T -	T = 54.51*(X/1000)	2,199
Institutional Use	30,000	s.f.	-	T=30.49*(X/1000)	915
Park	50	acres	[412]	T = 2.28*(X)	114
Elementary School	820	students	[520]	T = 1.29*(X)	1,058
K-8 School	1,600	students	[522]	T = 1.62*(X)	2,592
High School	0	students	[530]	Ln(T) = 0.81* $Ln(X) + 1.85$	
Congregate Care Facility	0	·d.u.	[253]	T = 2.02*(X)	
Assisted Living Facility	0	beds	[254]	T=2.60°(X)	
				Total Gross Trips =	32,920
(1) Equation is used for Research and Davelo	opment up to 1,800,00	0 SF		Total Gross Residential Trips =	15,455
Linear rate is used for Research and Divel				Total Gross Non-Residential Trips =	17,465
				Internal Capture % among TAZ =	16.09%
				Internal Capture trips among TAZ =	5,298

nmercial Retail Pass-By Calcration:		
Intensity =	150,000	s.f.
External Trips from Matrix =	7,278	trips
Pass-By Percent =	34%	
Pass-By Reduction =	1.856	trips

NET NEW EXTERNAL DAILY TRPS =

25,766

PM PEAK HOUR TRIP GENERATION:

Land Use	Intensity	Unit	ITE Code	Trip Generation Rate/Equation	Total Trips	Inbound	Outbound
Single-Family Residential	1,272	d.u.	[210]	lin(T) = 0.90°in(X) + 0.51; (63% in)	1,036	653	383
Multi-Family Residential	975	:d.u.	[230]	Ln(T) = 0.82*Ln(X) + 0.32; (67% in)	389	261	128
Age-Restricted Single-Family	0	d.u.	[251]	Ln(T) = 0.72*Ln(X) + 0.58; (61% in)			
Age-Restricted Multi-Family	0	id.u.	[252]	T = 0.11*(X); (61% in)			
Hotel	0	rooms	[310]	T=0.70°(X); (49% in)			
Industrial Park	0	5.f.	[130]	T = 0.86*(X/2000); (21% in)			
Commercial Retail	150,000	s.f.	[820]	Ln(T) = 0.67°Ln(X/1000) + 3.37; (49% in)	835	409	426
Service & Office ⁽²⁾	142,000	5.1.	[710]	T=1.49*(X/1000); (17% in)	212	36	176
Research & Development ⁽¹⁾	0	s.f.	[760]	ln(T) = 0.82*Ln(X/1000) + 1.09; (15%in)			
Hospital	0	beds	[610]	T=1.31*(X); (36% in)			
Civic Use	40347	s.f.	-	T = 5.45*(X/±000); (50% in)	220	110	110
Institutional Use	30000	5.f.	-	T=3.05"(X/±000); (40% in)	92	37	55
Park	50	acres	[412]	T=0.06*(X); (41% in)	3	1	2
Elementary School	820	students	[520]	T=0.15*(X); (49% in)	123	60	63
K-8 School	1600	students	[522]	T = 0.16*(X); (49% in)	256	125	131
High School	0	students	[530]	T = 0.13*(X); (47% in)			
Congregate Care Facility	0	d.u.	[253]	T = 0.05*(X) + 2.13; (60% in)			
Assisted Living Facility	0	beds	[254]	T = 0.19*(X); (63% in)			
La contraction of the contractio			Harristand unproduced	Total Gross Trips =	3,166	1,692	1,474
(1) Equation is used for Research and Disele	pment up to 1,800,00	0 SF		Total Gross Residential Trips =	2,425	914	511
Linear rate is used for Research and Ervel	opment beyond 1,800	000 SF		Total Gross Non-Residential Trips =	2,743	778	963
(2) Equation is used for Service & Officegre	ster than 500,000 5F			Internal Capture % among TAZ =	14.72%	-	-
				1 1-4	100	100	222

465

233

233

Internal Capture trips among TAZ =

Commercial Retail Pass-By Calculation:			
Intersity =	150,000	s.f.	
External Trips from Natrix =	696	trips	
Pass-By Pexent =	34%		
Pass-By Reduction =	177	trips	

	Total	Inbaund	Outbound
NET NEW EXTERNAL PAM PEAK HOUR TRIPS =	2,523	1,371	1,152

389

647

DAILY TRIP GENERATION:

Land Use	Intensity	Unit	ITE Code	Trip Generation Rate/Equation (8th Ed)	Dally Trips
Single-Family Residential	1,294	·d.u.	[210]	ln(7) = 0.92*ln(X) + 2.71	10,963
Multi-Family Residential	550	d.u.	[230]	Ln(T) = 0.87*Ln(X) + 2.46	2,835
Age-Restricted Single-Family	0	d.u.	[251]	$Ln(T) \approx 0.85*Ln(X) + 2.38$	***************************************
Age-Restricted Multi-Family	0	d.u.	[252]	T=3.48*(X)	TWO LEWIS OF SAL
Hotel	0	rooms	[310]	T=8.92*(X)	
ndustrial Park	0	s.f.	[130]	T=6.96*(X/1000)	
Commercial Retail	80,000	s.f.	[820]	ln(Y) = 0.65*ln(X/1000) + 5.83	5,874
Service & Office	0	s.f.	[710]	Ln(T) = 0.77*Ln(X/1000) + 3.65	
Research & Development(1)	0	s.f.	[760]	Ln(T) = 0.82°Ln(X/1000) + 3.14	
Hospital	0	heds	[610]	T=11.81*(X)	
Civic Use	0	s.f.	-	T=54.51*(X/1000)	
Institutional Use	0	5.f.	-	T = 30.49*(X/1000)	
Park	35	acres	[412]	T=2.28*(X)	80
Elementary School	0	students	[520]	T=1.29*(X)	
K-8 School	0	students	[522]	T=1.62*(X)	
High School	0	students	[530]	ln(T) = 0.81*ln(X) + 1.86	
Congregate Care Facility	0	d.u.	[253]	T=2.02°(X)	
Assisted Living Facility	0	beds	[254]	T = 2.60*(X)	
			A	Total Gross Trips =	19,752
(1) Equation is used for Research and develo	opment up to 1,800,00	O SF		Total Gross Residential Trips =	13,798
Linear rate is used for Research and Divel				Total Gross Non-Residential Trips =	5,954

Total Gross Trips =	19,752
Total Gross Residential Trips =	13,798
Total Gross Non-Residential Trips =	5,954
internal Capture % among TAZ = }	6.47%
Internal Capture trips among TAZ =	1,278

Internal Capture % among TAZ =

Internal Capture trips among TAZ =

6.18%

114

Commercial Retail Pass-By Calcration: 80,000 \$.f. Intensity = External Trips from Matrix = 5,275 trips Pass-By Percent = 34% Pass-By Reduction = 1,345 trips

NET NEW EXTERNAL DAILY TRPS = 17,129

PM PEAK HOUR TRIP GENERATION:

Land Use	Intensity	Unit	ITE Code	Trip Generation Rate/Equation	Total Trips	Inbound	Outbound
Single-Family Residential	1,294	d.u.	[210]	Ln(T) = 0.90*Ln(X) + 0.51; (63% ln)	2,053	663	390
Multi-Family Residential	550	d.u.	[230]	Ln(T) = 0.82*Ln(X) + 0.32; (67% in)	243	163	80
Age-Restricted Single-Family	0	d.u.	[251]	[tn(T) = 0.72°tn(X) + 0.58; (61% in)			
Age-Restricted Multi-Family	1 0	d.u.	[252]	T=0.11*(X); (61% in)			
Hotel	0	rooms	[310]	T = 0.70*(X); (49% in)			
Industrial Park	1 0	5.7.	[130]	T=0.86*(X/1000); (21% in)			
Commercial Retail	80,000	s.f.	[820]	Ln(T) = 0.67*Ln(X/1000) + 3.37; (49%in)	548	269	279
Service & Office ⁽²⁾	0	5.1.	[710]	T=1.49*(X/1000); (17% in)			
Research & Development(1)	0	5.f.	[760]	Ln(T) = 0.82*Ln(X/1000) + 1.09; (15% in)			
Hospital	0	beds	[610]	T=1.31*(X): (36% in)			
Civic Use	0	5.f.	-	T = 5.45*(X/1000); (50% in)			
Institutional Use	0	5.f.	-	T = 3.05°(X/2000); (40% in)			
Park	35	acres	[412]	[T ≈ 0.06°(X); (41% in)	2	1	1
Elementary School	0	students	[520]	T = 0.15*(X); (49% in)			
K-8 School	0	students	[522]	$T = 0.16^{\circ}(X)$; (49% in)			
High School	0	students	[530]	T = 0.13*(X); (47% in)			
Congregate Care Facility	0	-d.u.	[253]	T = 0.05*(X) + 2.13; (60% in)			
Assisted Living Facility	0	beds	[254]	T=0.19*(X); (63% in)			
Lancard Control of the Control of th			***************************************	Total Gross Trips =	1,846	1,096	750
(1) Equation is used for Research and Deck	opment up to 1,600,00	O SF		Total Gross Residential Trips =	1,296	826	470
Honor rate is used for Research and Dire	longent beyond 1.200	non se		Total Gross Non-Residential Trips =	550	270	280

(2) Equation is used for Service & Officepreater than 500,000 SF

Commercial Retail Pass-By Calcustion: 80,000 5.f. Intersity = External Trips from Mitrix = 493 trips Pass-By Perent = 34% Pass-By Reduction = 126 trips

	Total	Inbound	Outbound
NET NEW EXTERNAL PM PEAK HOUR TRIPS =	1,606	976	630

392

554

DAILY TRIP GENERATION:

Land Use	Intensity	Unit	ITE Code	Trip Generation Rate/Equation (8th Ed)	Daily Trips
Single-Family Residential	977	d.u.	[210]	ln(T) = 0.92*ln(X) + 2.71	8,465
Multi-Family Residential	0	d.u.	[230]	Ln(T) = 0.87*Ln(X) + 2.46	
Age-Restricted Single-Family	0	d.u.	[251]	Ln(T) = 0.85*Ln(X) + 2.38	
Age-Restricted Multi-Family	0	d.u.	[252]	T = 3.48*(X)	******
Hotel	0	rooms	[310]	T = 8.92*(X)	
Industrial Park	0	5.f.	[130]	T=6.96*(X/1000)	
Commercial Retail	120,000	s.f.	[820]	ln(T) = 0.65*ln(X/1000) + 5.83	7,645
Service & Office	0	\$.f.	[720]	$Ln(T) = 0.77^{4}Ln(X/1000) + 3.65$	**************************************
Research & Development(1)	0	5.4.	[760]	ln(T) = 0.82* $ln(X/1000) + 3.14$	
Hospital	0	beds	[610]	T=11.81*(X)	***************************************
Civic Use	0	s.f.		T=54.51*{X/1000}	
Institutional Use	101,277	S.f.	-	T=30.49°(X/1000)	3,088
Park	0	acres	[412]	T= 2.28*(X)	
Elementary School	0	students	[520]	T= 1.29*(X)	
K-8 School	0	students	[522]	T = 2.62*(X)	
High School	0	students	[530]	ln(T) = 0.81*ln(X) + 1.86	
Congregate Care Facility	0	d.u.	[253]	T=2.02*(X)	
Assisted Living Facility	0	beds	[254]	T = 2.60°(X)	
				Total Gross Trips =	19,198
(1) Equation is used for Research and Revelo	opment up to 1,600,00	O SF		Total Gross Residential Trips =	8,465

Linear rate is used for Research and Divelopment beyond 1,500,000 SF

	Total Gross Trips =	19,198
	Total Gross Residential Trips =	8,465
	Total Gross Non-Residential Trips =	10,733
	Internal Capture % among TAZ =	11.32%
9	Internal Capture trips among TAZ =	2,174

ommercial Retail Pass-By Calculation:		
Intensity =	120,000	s.f.
External Trips from Matrix =	6,729	trips
Pass-By Percent =	34%	
Pass-By Reduction =	1.716	trips

NET NEW EXTERNAL DAILY TRPS =

15,308

PM PEAK HOUR TRIP GENERATION:

Land Use	Intensity	Unit	ITE Code	Trip Generation Rate/Equation	Total Trips	Inbound	Outbound
Single-Family Residential	977	d.u.	[210]	Ln(T) = 0.90°Ln(X) + 0.51; (63% in)	817	515	302
Multi-Family Residential	0	d.u.	[230]	Ln(T) = 0.82° $Ln(X) + 0.32$; (67% in)			
Age-Restricted Single-Family	0	d.u.	[251]	Ln(T) = 0.72*Ln(X) + 0.58; (61% in)			
Age-Restricted Multi-Family	0	d.u.	[252]	T=0.11*(X);161%(n)			
Hotel	0	rooms	[310]	T=0.70*(X); (49% in)			
Industrial Park	0	5.4.	[130]	T=0.86*(X/1000); (21% in)			
Commercial Retail	120,000	5.f.	[820]	Ln(T) = 0.67*Ln(X/1000) + 3.37; (49%in)	719	352	367
Service & Office ⁽²⁾	0	s.f.	[710]	T = 1.49*(X/1000); (17% in)			
Research & Development ⁽¹⁾	0	s.f.	[760]	Ln(T) = 0.82*Ln(X/1000) + 1.09; (15%in)			
Hospital	0	beds	[610]	T=1.31*(X); (36% in)			
Civic Use	0	s.f.	-	T=5.45*(X/1000); (50% in)			
Institutional Use	101277	s.f.	-	T= 3.05*(X/1000); (40% in)	309	124	185
Park	0	acres	[412]	T=0.06*(X); (41% in)			
Elementary School	0	students	[520]	T=0.15*(X); (49% in)			
K-8 School	0	students	[522]	T=0.16*(X); (49% in)			
High School	0	students	[530]	T=0.13*(X); (47% in)			
Congregate Care Facility	0	d.u.	[253]	T=0.05*(X) + 2.13; (60% in)			
Assisted Living Facility	0	beds	[254]	T=0.19*(X); (63% in)			
				Total Gross Trips =	1,845	991	854
(1) Equation is used for Research and Development up to 1,800,000 SF Uncer rate is used for Research and Development beyond 1,800,000 SF [2] Equation is used for Service & Office preser than 500,000 SF				Total Gross Residential Trips =	817	515	302
				Total Gross Non-Residential Trips =	1,028	476	552
				Internal Capture % among TAZ =	11.06%		-
				Internal Capture trips among TAZ =	204	102	102

Commercial Retail Pass-By Calculation:			
Intersity =	120,000	s.f.	
External Trips from Natrix =	633	trips	
Pass-By Percent =	34%		
Pass-By Reducion =	162	trips	

	Total	Inbound	Outbound
NET NEW EXTERNAL	1,479	808	671
PM PEAK HOUR THIPS =	7)442	000	0.2

394

653

DAILY TRIP GENERATION:

Land Use	Intensity	Unit	ITE Code	Trip Generation Rate/Equation (8th Ed)	Daily Trips
Single-Family Residential	1,200	d.u.	[210]	lin(T) = 0.92*ln(X) + 2.71	10,228
Multi-Family Residential	200	٠d.u.	[230]	ln(T) = 0.87*ln(X) + 2.46	1,176
Age-Restricted Single-Family	0	d.u.	[251]	ln(T) = 0.85*ln(X) + 2.38	organism salamananan
Age-Restricted Multi-Family	0	່ວ່.ບ.	[252]	T=3.48*(X)	
Hotel	0	rooms	[310]	T = 8.92*(X)	
Industrial Park	0	s.f.	[130]	T=6.96*(X/100D)	
Commercial Retail	120,000	. s.f.	[820]	ln(T) = 0.65*ln(X/1000) + 5.83	7,645
Service & Office	0	S.Ť.	[710]	$[\ln(Y) = 0.77* \ln(X/1000) + 3.65$	
Research & Development(1)	0	s.f.	[760]	ln(T) = 0.82*ln(X/1000) + 3.14	
Hospital	0	beds	[610]	T=11.81*(X)	
Civic Use	0	s.f.	-	T=54.51"(X/1000)	
Institutional Use	54,450	s.f.	-	T=30.49*(X/1000)	1,650
Park	0	acres	[412]	T=2.28*(X)	
Elementary School	0	students	[520]	T=1.29*(X)	*****
K-8 School	0	students	[522]	T = 1.62*(X)	
High School	0	students	[530]	$Ln(T) \approx 0.81 * Ln(X) + 1.86$	***************************************
Congregate Care Facility	0	'd.u.	[253]	T= 2.02*(X)	
Assisted Living Facility	0	beds	[254]	T = 2.60*(x)	-
			***************************************	Total Gross Trips =	20,709

(1) Equation is used for Research and Development up to 1,800,000 SF Linear rate is used for Research and Development beyond 1,800,000 SF

Total Gross Trips =	20,709
Total Gross Residential Trips =	11,404
Total Gross Non-Residential Trips ≈	9,305
internal Capture % among TAZ =	11.06%
Internal Capture trips among TAZ =	2,290

Commercial Retail Pass-By Cakuation:			
Intensity =	120,000	s.f.	
External Trips from Matrix =	6,729	trips	
Pass-By Parcent =	34%		
Pass-By Reduction =	1,716	trips	

NET NEW EXTERNAL DAILY TRPS = 16,703

PM PEAK HOUR TRIP GENERATION:


Land Use	Intensity	Unit	ITE Code	Trip Generation Rate/Equation	Total Trips	Inbound	Outbound
Single-Family Residential	1,200	d.u.	[210]	Ln(T) = 0.90*Ln(X) + 0.51; (63% in)	983	619	364
Multi-Family Residential	200	d.u.	[230]	Ln(T) = 0.82°Ln(X) + 0.32; (67% in)	106	71	35
Age-Restricted Single-Family	0	:d.u.	[251]	Ln(T) = 0.72°Ln(X) + 0.58; (61% in)			
Age-Restricted Multi-Family	0	'd.u.	[252]	T=0.11*(X); (61% in)			1
Hotel	0	rooms	[310]	T = 0.70°(X); (49% in)			
industrial Park	0	s.f.	[130]	T = 0.86*(X/1000); (21% in)			
Commercial Retail	120,000	5.f.	[820]	$Ln(T) \approx 0.67$ * $Ln(X/1000) + 3.37$; (49% in)	719	352	367
Service & Office ⁽²⁾	0	s.f.	[710]	T=1.49*(X/1000); (17% in)			
Research & Development(1)	0	s.f.	[760]	len(T) = 0.82"Ln(X/1000) + 1.09; (15% in)	100000000000000000000000000000000000000		
Hospital	0	beds	[610]	T = 1.31*(X); (36% in)			
Civic Use	0	s.f.	-	T = 5.45*(X/2000); (50% in)			1
institutional Use	54450	5.1,	-	T = 3.05*(X/1000); (40% in)	166	66	100
Park	0	acres	[412]	T = 0.06*(X); (41% In)			T
Elementary School	0	students	[520]	T = 0.15*(X); (49% in)			
K-8 School	0	students	[522]	T = 0.16*(X); 149% in)		1	
High School	0	students	[530]	T = 0.13°(X); (47% in)			
Congregate Care Facility	0	'd.u.	[253]	T = 0.05*(X) + 2.13; (60% in)			
Assisted Living Facility	0	beds	[254]	T = 0.19*(X); (63% in)			
				Total Gross Trips =	1,974	1,108	866
(1) Equation is used for Research and Declopment up to 1,800,900 SF			Total Gross Residential Trips =	1,089	690	399	
Linear rate is used for Research and Level	opment beyond 1,800	,000 SF		Total Gross Non-Residential Trips =	885	418	467
(2) Equation is used for Service & Office re-	ster than 500,000 SF			Internal Capture % among TAZ =	10.94%	-	-
			Internal Capture trips among TAZ =	216	108	108	


Commercial Retail Pass-By Calcultion:			
Intersity =	120,000	s.f.	
External Trips from Natrix =	633	trips	
Pass-By Pekent =	34%		
Pass-By Reduction =	162	trips	


	Total	Inbound	Outbound
NET NEW EXTERNAL PM PEAK HOUR TRIPS =	1,596	919	677


Appendix C


- WATS 3.0 Assignment Buildout
- Parcel by Parcel Assignment Buildout




















Appendix D

PHASING ANALYSIS

Phase 1: D-3 through D-15

Phase 2: D-16 though D-28

Phase 3: D-29 through D-42

WATS 3.0 - Wilson	Groves	Daily	Trip Generation	
Not Evi	ernal to	7one	Trins	

	rect External to Zone Trips				
TAZ	2030	2035	2040		
861	7134	14439	14439		
653	12046	16703	16703		
654	13764	15308	15308		
652	16880	24799	25766		
647	15363	17129	17129		
648	8557	13937	19157		
Total:	73744	102315	108502		
Adjusted for internal to W.G.:	59290	79089	83981		
Internal trips:	7227	11613	12261		
With 1/2 Internal Trips Assigned:	66517	90702	96242		
-		LHIATC 2.0			

Source: Approved WATS 3.0

Phase 1: Provided trips from the TAZ at total 35,562 (see Phase 1 analysis.)

Trips to be removed from Model.

PERCENT INTERNAL BY PHASE - WILSON GROVES

% Internal	Phase	% External
21.70%	1	78.30%
19.60%	2	80.40%
22.70%	3	77.30%
22.60%	4	77.40%


Source: WATS, 2005/2006

PHASE 1

Link Analysis - Phase 1

						Approved V	VATS 3.0			Approved (1)			Propose	ed (2) Wilso	on Groves I	Daily Trips						
Segment	From	То	Number of Lanes		Capacity	*Daily Volume	Peak Volume (Adj)	IN/ OUT	Approved % Assignment	Daily Trips	% Assign ment Parcel A	TAZ 652 Parcel A	% Assignme nt Parcel B	TAZ 654 Parcel B	% Assignme nt Parcel C	TAZ 647 Parcel C	% Assignme nt Parcel D	TAZ 648 Parcel D	Change in Daily Traffic (Proposed - Approved)	Resultant AADT Link Volumes	Resultant Peak hour	Meet: Capaci
	MARSHALL PKWY (E/W #3)	PAAR RD (E/W #4)	2	NB	1080	2400	97	OUT	4.2	1494	15.2	2026	15.2	979	15.2	147	15.2	299	1957	4357	176	Y
RANGE LINE RD				SB	1080	2400	119	IN	4.2	1494	15.2	2026	15.2	979	15.2	147	15.2	299	1957	4357	216	Y
RANGE LINE KD	PAAR RD (E/W #4)	BECKER RD	2	NB	1080	2400	97	IN	4.2	1494	15.2	2026	15.2	979	15.2	147	15.2	299	1957	4357	176	Y
			41.4	SB	1080	2400	119	OUT	4.2	1494	15.2	2026	15.2	979	15.2	147	15.2	299	1957	4357	216	Y
	MARSHALL PKWY (E/W #3)	PAAR RD (E/W #4)	2	NB	924	12400	614	IN	23.2	8250	0.0	0	0.0	0	0.0	0	0.0	0	-8250	4150	205	,
N/S A				SB	924	12400	502	OUT	23.2	8250	0.0	0	0.0	0	0.0	0	0.0	0	-8250	4150	168	Y
N/3 A	PAAR RD (E/W #4)	BECKER RD	2	NB	924	12400	502	IN	26.1	9282	17.6	2346	36.3	2339	36.3	350	0.0	0	-4247	8153	330	1
				SB	924	12400	614	OUT	26.1	9282	17.6	2346	36.3	2339	36.3	350	0.0	0	-4247	8153	404	1
	RANGE LINE RD	N/S A	2	EB	924	9500	385	IN	16,5	5868	27.5	3665	36.2	2332	36.2	349	27.5	541	1019	10519	426	1
BECKER RD				WB	924	9500	470	OUT	16,5	5868	27.5	3665	36.2	2332	36.2	349	27.5	541	1019	10519	521	Y
DECKEN NO	N/S A	N/S B	2	EB	924	20700	838	IN	53.6	19061	72.5	9663	72.5	4671	72.5	700	72.5	1425	-2602	18098	733	1
				WB	924	20700	1025	OUT	53.6	19061	72.5	9663	72.5	4671	72.5	700	72.5	1425	-2602	18098	896	Y
ulated using 11th Ed	ase 1 volumes and network dition hown for each direction but ref	ect the total in both dire	ctions.		Adjustment	t Factor (K) = t Factor (D) = royed Trips =	0.090 0.550		In = Out=			13328 13328		6443 6443		965 965		1966 1966				

Proposed Trips =




TCRPM 2010 TCRPM WESTERN ANNEXATION STUDY PHASE I WILSON GROVES DRI TRIP DISTRIBUTION PERCENTAGES

28APR05 10:41:53

Figure 5a: 2010 Wilson Groves Distribution (Internal Roads) Western Annexation Transportation Study Phase I-Final 4-29-2005


Legend:

XX Percent Distribution /10



TCRPM 2010 TCRPM WESTERN ANNEXATION STUDY PHASE I TWO-WAY LINK VOLUMES (x100)

Figure 2a: 2010 Total Volume Internal Roadways Western Annexation Transportation Study Phase I-Final 4-29-2005



D-6

TABLE 1
WESTERN ANNEXATION TRANSPORTATION STUDY
ITE AND TCRPM TRIPS COMPARISON

4/29/2005

	102		ITE	TCRPM	
		AZ	DAILY	CALIBRATED	
DEVELOPMENTS	Reg	SLC	TRIPS	DAILY TRIPS	%DIFF
		PROJECTS			
Western Grove DRI	371	221	4,688	4,714	0.6%
	372	222	3,364	3,404	1.29
	373	223	0	0	0.0%
Riverland	374	224	550	546	-0.7%
	375	225	6,645	6,686	0.6%
	376	226	0	0	0.09
	377	227	0	0	0.0%
	378	228	12,230	12,378	1.2%
	379	229	6,960	7,044	1.29
	380	230	0	0	0.0%
Southern Grove DRI	381	231	0	0	0.09
	382	232	9,698	9,796	1.0%
	383	233	0	0	0.0%
	384	234	0	0	0.0%
	385	235	0	0	0.09
9	386	236	0	o	0.0%
	387	237	0	o	0.0%
	388	238	4,370	4,422	1.29
Wilson Groves DRI	389	239	9,326	9,372	0.5%
CITY>>	390	240	2,602	2,598	-0.2%
	391	241	6,320	6,360	0.6%
	392	242	12,616	12,784	1.39
	393	243	0	0	0.0%
3	394	244	0	ol	0.0%
	395	245	4,406	4,448	0.9%
Riverland	396	246	2,192	2,196	0.2%
CITY>>	397	247	2,602	2,606	0.2%
Oni	398	248	2,002	2,000	0.0%
	399	249	0	o	0.0%
	400	250	6,282	6,334	0.8%
Overall	400	200	94,851	95,688	0.9%
o voi all	COMMITT	ED DEVELO		00,000	0.07
St. Lucie West DRI	335	185	8,919	9,028	1.2%
ot. Ludic vvest Di (i	336	186	33,915	35,308	3.9%
	337	187	48,752	50,040	2.6%
	338	188	18,813	19,028	1.19
		1 12.00			
	339	189	10,847	11,068	2.0%
The Reserve DRI	352 368	202 218	20,968	21,624	3.0%
The Reserve DRI	370		2,512	2,598	
PGA Village DRI	367	220	34,223	34,488	0.8%
		217	12,486		-1.2%
Traditions DRI	361	211	5,025	5,016	-0.2%
	362 363	212 213	14,648	14,560	-0.6%
		0.000,000	4,052	4,048	-0.19
	364	214	15,852	15,646	-1.3%
1	365	215	10,058	10,180	1.29
TO Donah DDI	366	216	6,217	6,284	1.19
LTC Ranch DRI	333	183	1,727	1,718	-0.5%
	369	219	12,843	12,858	0.19
Tesoro	360	210	8,648	8,690	0.5%
		0.00			
St. Lucie Land, LTD. Glassman Tract	357 340	207 190	24,236 19,572	24,472 20,034	2.3%

35,562

Notes:

ITE daily trips obtained from MTP Group, Inc.

Table 2a - Trip Generation - Map H - Daily- Proposed - Phase 1 Buildout - TAZ 652 Parcel A

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tr	ps	1	nternaliza	tion Trip	s	Net 1	External '	l'rips		Pass-b	y Trips		No	et New Tr	lps
Land Osc	TIL COUL			The order and Ame	In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%				-	•		0.0%	-						0.0%			-
Single-Family Detached Housing	210	1,242	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	5,123	5,122	10,245	102	154	256	2.5%	5,021	4,968	9,989	•			0.0%	5,021	4,968	9,989
Multi- Family Housing (Mid-Rise)	221		DU	T = 4.54(X)	50%	50%							0.0%							0.0%			
General Office	710		Sft	Ln(T) = 0.87Ln(X) + 3.05	50%	50%							0.0%				3.0			0.0%			
Civic Use			Sñ	T=54.51(X)	50%	50%							0.0%							0.0%			
Institutional Use			Sft	T=30.49(X)	50%	50%							0.0%							0.0%			
Industrial Park	130		SA	T=3.37(X)	50%	50%							0.0%				•	(e):		0.0%			
General Commercial	820	210,000	SA	T = 37.01(X)	50%	50%	3,886	3,886	7,772	154	102	256	3.3%	3,732	3,784	7,516	1,278	1,277	2,555	34.0%	2,454	2,507	4,961
Regional Park	417		Acres	T=4.57(X)	50%	50%							0.0%							0.0%			
Elementary School	520		Students	T=2.27(X)	50%	50%							0.0%							0.0%			
Junior High School	522		Students	T=2.10(X)	50%	50%							0.0%							0.0%			
Total							9,009	9,008	18,017	256	256	512	2.8%	8,753	8,752	17,505	1,278	1,277	2,555	14.6%	7,475	7,475	14,950
Total Adjusted for Internal Capture																					5,853	5,853	11,700
Total Adjusted for 1/2 Internal Capture		CONTROL																	2000		6,664	6,664	13,328

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	nal Split		Gross Tri	ps	I	nternaliza	tion Trip	.	Net I	External T	Trips .		Pass-by	Trips		No	t New Tr	pa
					In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T)=0.78 Ln(X)+0.20	61%	39%							0.0%							0.0%	-		-
Single- Family Detached Housing	210	1,242	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	668	393	1,061	130	46	176	16.6%	538	347	885				0.0%	538	347	885
Multi- Family Hossing (Mid-Rise)	221		DU	T = 0.39(X) + 0.34	61%	39%					•		0.0%						•	0.0%			
General Office	710		Sft	T = 1.44(X)	17%	83%							0.0%							0.0%			
Civic Use			Sft	T=5.45(X)	50%	50%							0.0%							0.0%			
Institutional Use			Sft	T=3.05(X)	40%	60%							0.0%							0.0%			
Industrial Park	130		SR	T=0.34(X)	22%	78%							0.0%							0.0%			
General Commercial	820	210,000	SA	Ln(T) = 0.72Ln(X) + 3.02	48%	52%	462	501	963	46	130	176	18.3%	416	371	787	133	135	268	34.0%	283	236	519
Regional Park	417		Acres	T=0.26(X)	44%	56%							0.0%							0.0%			
Elementary School	520		Students	T=0.16(X)	46%	54%							0.0%							0.0%	-		
Junior High School	522		Students	T=0.15(X)	48%	52%						•	0.0%							0.0%			
Total							1,130	894	2,024	176	176	352	17.4%	954	718	1,672	133	135	268	16.0%	821	583	1,404
Total Adjusted for Internal Capture												SWAMOO			200			10000			643	456	1,099
Total Adjusted for 1/2 Internal Capture					The state of		all had				1			- 8					1025		732	520	1,252

Table 2a - Trip Generation - Map H - Daily- Proposed - Phase 1 - TAZ 654 Parcel B

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	nal Split		Gross Tri	ips		Internaliz	ation Trip:		Net I	External 7	Frips		Pass-b	y Trips		Ne	t New Tri	ips
2000	112 0000			2.14 2.11.11.11.11.11.11.11.11.11.11.11.11.11	In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%							0.0%	•						0.0%	-	-	
Single- Family Detached Housing	210	850	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	3,614	3,613	7,227				0.0%	3,614	3,613	7,227				0.0%	3,614	3,613	7,22
Multi- Family Housing (Mid-Rise)	221		DU	T = 4.54(X)	50%	50%							0.0%							0.0%			
General Office	710		Sft	Ln(T) = 0.87Ln(X) + 3.05	50%	50%			-			0.65	0.0%							0.0%			
Civic Use			Sft	T=54.51(X)	50%	50%							0.0%			-				0.0%			
Institutional Use			Sfi	T=30.49(X)	50%	50%							0.0%							0.0%			-
Industrial Park	130		Sft	T=3.37(X)	50%	50%			-				0.0%							0.0%			
General Commercial	820		Sft	T = 37.01(X)	50%	50%							0.0%							34.0%			
Regional Park	417		Acres	T=4.57(X)	50%	50%							0.0%							0.0%			
Elementary School	520		Students	T=2.27(X)	50%	50%							0.0%	•			196	•		0.0%			
Junior High School	522		Students	T=2.10(X)	50%	50%							0.0%							0.0%			
Total							3,614	3,613	7,227				0.0%	3,614	3,613	7,227	1.40			0.0%	3,614	3,613	7,22
Total Adjusted for Internal Capture																					2,830	2,829	5,65
otal Adjusted for 1/2 Internal Capture	-						7											0.000			3,222	3,221	6,44

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directio	nal Split		Gross Tr	lps		Internaliz	ation Trips		Net 1	External 7	l'rips		Pass-b	y Trips		No	t New Tr	ps
					In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	$Ln(T) \approx 0.78 Ln(X) + 0.20$	61%	39%			-	•			0.0%					-		0.0%	-		-
Single- Family Detached Housing	210	850	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	468	275	743				0.0%	468	275	743				0.0%	468	275	743
Multi- Family Housing (Mid-Rise)	221	•	DU	T = 0.39(X) + 0.34	61%	39%				•			0.0%							0.0%	-	-	-
General Office	710		Sft	T = 1.44(X)	17%	83%			-				0.0%							0.0%			
Civic Use	-		Sft	T=5.45(X)	50%	50%			-				0.0%							0.0%			
Institutional Use			Sft	T=3.05(X)	40%	60%			-				0.0%							0.0%	-		-
Industrial Park	130		Sft	T=0.34(X)	22%	78%			-				0.0%				-			0.0%	-		
General Commercial	820		Sft	Ln(T) = 0.72Ln(X) + 3.02	48%	52%							0.0%							34.0%			
Regional Park	417		Acres	T=0.26(X)	44%	56%							0.0%							0.0%			
Elementary School	520		Students	T=0.16(X)	46%	54%			-	-			0.0%							0.0%			
Junior High School	522		Students	T=0.15(X)	48%	52%							0.0%							0.0%		-	-
Total							468	275	743				0.0%	468	275	743				0.0%	468	275	743
Total Adjusted for Internal Capture							3														366	215	582
Total Adjusted for 1/2 Internal Capture						187.85	1			11924									8"		417	245	662

Table 2a - Trip Generation - Map H - Daily- Proposed - Phase 1 - TAZ 647 - Parcel C

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tri	ps		Internaliz	ation Trips		Net I	External T	Trips		Pass-b	y Trips		Ne	t New Tri	ps
and the	112 0000	20002000	- Camille		In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%							0.0%			-				0.0%		-	
Single- Family Detached Housing	210	108	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	542	541	1,083				0.0%	542	541	1,083				0.0%	542	541	1,08
Multi- Family Housing (Mid-Rise)	221		DU	T = 4.54(X)	50%	50%			-			0)+2	0.0%							0.0%		+ :	-
General Office	710		SA	Ln(T) = 0.87Ln(X) + 3.05	50%	50%							0.0%							0.0%			
Civic Use			Sft	T=54.51(X)	50%	50%							0.0%	-	-	-	- Sig.			0.0%		-	-
Institutional Use			Sft	T=30.49(X)	50%	50%							0.0%	*0			98			0.0%			
Industrial Park	130		Sft	T=3,37(X)	50%	50%							0.0%							0.0%			
General Commercial	820		Sfl	T = 37.01(X)	50%	50%				100			0.0%							34.0%	(*)		
Regional Park	417	100	Acres	T=4.57(X)	50%	50%				100			0.0%							0.0%			
Elementary School	520		Students	T=2.27(X)	50%	50%							0.0%		-					0.0%	-	-	
Junior High School	522		Students	T=2.10(X)	50%	50%							0.0%	•						0.0%		•	
Total							542	541	1,083				0.0%	542	541	1,083				0.0%	542	541	1,083
Total Adjusted for Internal Capture			-922 com			- 10-															424	424	841
Total Adjusted for 1/2 Internal Capture				w.m																	483	482	965

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tr	fps		Internaliz:	ation Trips		Net E	xternal T	rips		Pass-b	y Trips		No	et New Tri	ps
	100000000000000000000000000000000000000		Determined.		In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	9/6	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.78 Ln(X) + 0.20	61%	39%							0.0%		- 1	-				0.0%			
Single- Family Detached Housing	210	108	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	67	40	107				0.0%	67	40	107	-			0.0%	67	40	107
Multi- Family Housing (Mid-Rise)	221	-	DU	T = 0.39(X) + 0.34	61%	39%			-				0.0%			-				0.0%			-
General Office	710		Sft	T = 1.44(X)	17%	83%							0.0%			-				0.0%			
Civic Use			SA	T=5.45(X)	50%	50%							0.0%			-				0.0%		7.	-
Institutional Use			Sft	T=3.05(X)	40%	60%							0.0%			-				0.0%		-	
Industrial Park	130	12	Sft	T=0.34(X)	22%	78%		- 0.0	-				0.0%							0.0%	-	121	-
General Commercial	820		Sft	Ln(T) = 0.72Ln(X) + 3.02	48%	52%							0.0%							34.0%			-
Regional Park	417		Acres	T=0.26(X)	44%	56%							0.0%			-				0.0%		-	
Elementary School	520		Students	T=0.16(X)	46%	54%	-			- 4			0.0%							0.0%			-
Junior High School	522		Students	T=0.15(X)	48%	52%							0.0%							0.0%			
Total							67	40	107		17		0.0%	67	40	107				0.0%	67	40	107
Total Adjusted for Internal Capture			0 0 3																di Serie		52	31	84
otal Adjusted for 1/2 Internal Capture		100				211872	SHIP OF SHIP			TALVO LOS											60	36	95


Table 2a - Trip Generation - Map H - Daily- Proposed - TAZ 648- Phase 1 Parcel D


Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directi	onal Split		Gross Tr	ps		Internaliz	ation Trips		Net	External 7	Trips		Pass-l	y Trips		No	et New Tr	ips
Dania Cat	1111 0000	amenda,	Olan.	Trip denotation rate	In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Tota
Age Restricted	251		DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%							0.0%							0.0%	-	-	-
Single- Family Detached Housing	210		DU	Ln(T)=0.92Ln(X)+2.68	50%	50%					+	•	0.0%						•	0.0%	•		-
Multi- Family Housing (Low-Rise)	220	V.	DU	T = 6.41(X) + 75.31	50%	50%	-						0.0%							0.0%			
Multi- Family Housing (Mid-Risc)	221		DU	T = 4.54(X)	50%	50%	-		-				0.0%							0.0%			-
General Office	710	136,125	Sft	Ln(T) = 0.87Ln(X) + 3.05	50%	50%	759	758	1,517	D.			0.0%	759	758	1,517				0.0%	759	758	1,51
Civic Use			Sft	T=54.51(X)	50%	50%				•			0.0%							0.0%			
Institutional Use			Sft	T=30.49(X)	50%	50%				300			0.0%			-				0.0%		-	
Industrial Park	130	136,125	Sft	T=3.37(X)	50%	50%	230	229	459				0.0%	230	229	459				0.0%	230	229	45
General Commercial	820		sn	T = 37.01(X)	50%	50%							0.0%							34.0%			
Regional Park	417	50	Acres	T=4.57(X)	50%	50%	115	114	229	S.*	(*):	*	0.0%	115	114	229				0.0%	115	114	22
Elementary School	520		Students	T=2.27(X)	50%	50%					E		0.0%							0.0%			
Junior High School	522		Students	T=2.10(X)	50%	50%							0.0%			-				0.0%			-
Total							1,104	1,101	2,205				0.0%	1,104	1,101	2,205				0.0%	1,104	1,101	2,20
Total Adjusted for Internal Capture													9								864	862	1,72
Total Adjusted for 1/2 Internal Capture																		- 3	(4.5)		984	982	1,96


Source: Trip Generation Manual 11th Edition


Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directi	onal Split		Gross Tr	tps		Internaliz	ation Trips		Net	External 7	Prips		Pass-l	y Trips		No	et New Tri	ips
					In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T)=0.78 Ln(X) + 0.20	61%	39%		•					0.0%		-		-			0.0%			
Single- Family Detached Housing	210		DU	Ln(T)=0.94Ln(X)+0.27	63%	37%							0.0%							0.0%		-	
Multi- Family Housing (Low-Rise)	220		DU	T = 0.43(X) + 20.55	63%	37%					100		0.0%				- 54			0.0%		- 6	
Multi- Family Housing (Mid-Rise)	221		DU	T = 0.39(X) + 0.34	61%	39%							0.0%							0.0%		-8	
General Office	710	136,125	SA	T = 1.44(X)	17%	83%	33	163	196				0.0%	33	163	196				0.0%	33	163	196
Civic Use	-		Sñ	T=5.45(X)	50%	50%					3.5		0.0%							0.0%		40	
Institutional Use			Sft	T=3.05(X)	40%	60%							0.0%					-		0.0%			
Industrial Park	130	136,125	SR	T=0.34(X)	22%	78%	10	36	45	2.0		1.4	0.0%	10	36	46	- 1			0.0%	10	36	46
General Commercial	820		SA	Ln(T) = 0.72Ln(X) + 3.02	48%	52%							0.0%							34.0%			
Regional Park	417	50	Acres	T=0.26(X)	44%	56%	6	7	13				0.0%	6	7	13				0.0%	6	7	13
Elementary School	520		Students	T=0.16(X)	46%	54%) •						0.0%							0.0%			
Junior High School	522		Students	T=0.15(X)	48%	52%	C		•				0.0%							0.0%			-
Total							49	206	255				0.0%	49	206	255				0.0%	49	206	255
Total Adjusted for Internal Capture												L.									38	161	200
Total Adjusted for 1/2 Internal Capture							l moss													- 27	44	184	227









PHASE 2

Table 4.2 - Link Analysis - Phase 2

						Approved V	VATS 3.0			Approved (1)					Propose	ed (2) Wilse	on Groves Da	illy Trips	and the same		A					
Segment	From	То	Number of Lanes	Direction	Capacity	*Dally Volume	Peak Volume (Adj)	IN / OUT	Approved % Assignment	Dally Trips	% Assignment Parcel A	TAZ 652 Parcel A	% Assignment Parcel B	TAZ 654 Parcel B	% Assignme nt Parcel C	TAZ 647 Parcel C	% Assignment Parcel E	TAZ 861 Parcel E	% Assignment Parcel F	TAZ 653 Parcel F	% Assignment Parcel D	TAZ 648 Parcel D	Change in Daily Traffic (Proposed - Approved)	Resultant AADT Link Volumes	Resultant Peak hour	
	RANGE LINE RD	N/S A	2	EB	924	8573	347	-	1.0	665			1.0	81	1.0	132	1.0			0	1.0	163	-100			
				WB	924		_	OUT	1.0	665			1.0	81	1.0	132	1.0			. 0	1.0	163	-100			_
Scovery Way (E/W 1)	N/S A	N/S B	2	EB	924	11389	461		1.6	1064			1.6	130	1.6	211	1.6	-			1,6	261	-160			
, ,, ,, ,-,				WB	924	11389	_	OUT	1.6	1064			1.6	130	1.6	211	1.6		1,6	0	1.6	261	-160			_
1	N/S B	COMMUNITY BLVD (2	EB	924	16927		OUT	8.2	5454			8.2	668	8.2	1081	8.2	-	8.2		8.2	1337	-801			
				WB		16927		IN		5454			8.2	668	8.2	1081	8.2		8.2	-	8.2	1337	-801			
	MARSHALL PKWY (E/W #3)	PAAR RD (E/W #4)	2	NB	1080	12869		OUT	6.6	4390		767	5	407	12.4	1634	13.6		0.0	0	5.0	815	-280			
RANGE LINE RD	2442 22 (2444)	DESCRIPTION OF	-	SB	1080	12869	637 541	-	6.6	4390		767	5	407	12.4	1634 1634	13.6		0.0	0	5,0	815	-280			
	PAAR RD (E/W #4)	BECKER RD	- 2	SB	1080	13369 13369		OUT	6.6	4390 4390		767	5	407 407	12.4	1634	13.6	487 487	0.0	0	5.0	815 815	-280 -280			
	MARSHALL PKWY (E/W #3)	DAAD DD (EAN HA)	- 1	NB.		12418	615	-	40.5	26939			52.6	-	30.2	3980	28.8		42,4	0	22.6	3684	-5892			-
	MAKSHALL PKWY (E/W #3)	PAAN ND (E/W #4)		SB	924	12418		OUT	40.5	26939		8065	52.6	4286	30.2	3980	28.8	1032	42,4	0	22.6	3684	-5892	6526		_
N/S A	PAAR RD (E/W #4)	BECKER RD	2	NB	924	12476	505	_		18625		8065	22.6	1841	30.2	3980	28.8	1032	0.0	0	22.6	3684	-23			
	FAMILIED (L) W 114)	DECREIN NO		SB		12476		OUT	28.0	18625			22.6	1841	30.2	3980	28.8	1032	0.0	0	22.6	3684	-23			
	RANGE LINE RD	N/S A	2	EB		5773	234	IN	10.5	6984	10.0	1533	10.0	815	0.0	0	28,6	1025	15.0	0	10.0	1630	-1981	3792		
				WB	924	5773	286	OUT	10.5	6984	10.0	1533	10.0	815	0.0	0	28.6	1025	15.0	0	10,0	1630	-1981	3792	188	3 YI
MARSHALL PKWY	N/S A	N/S B	2	EB	924	12622	511	IN	30.6	20354	33.3	5106	33.3	2713	20.2	2662	33.3	1193	33.3	0	33.3	5428	-3252	9370	379	YI YI
(E/W #3)				WB	924	12622	625	OUT	30.6	20354	33.3	5106	33.3	2713	20.2	2662	33.3	1193	33.3	0	33,3	5428	-3252	9370	464	I Y
VOX3835530726	N/S B	COMMUNITY BLVD (4	EB	2100	19542	791	OUT	23.4	15565	24.2	3710	24.2	1972	20.2	2662	24.2	867	24,2	0	24.2	3945	-2409	17133	694	
				WB	2100	19542	967	IN	23.4	15565	24.2	3710	24.2	1972	20.2	2662	24.2	867	24.2	0	24.2	3945	-2409	17133	848	3 YI
	RANGE LINE RD	N/S A	2	EB	924	11428	463	IN	20.5	13636	18.6		37.6	3064	23.2	3058	0	0	13.6	0	18.6	3032	-1630	9798	397	7 YI
BECKER RD	West, State of the			WB	924	11428		OUT	20.5	13636		2852	37.6	3064	23.2	3058	0	0	13.6	0	18.6	3032	-1630	9798	485	
Decreat ND	N/S A	N/S B	4	EB	2100	34795	1409		33.7	22416		4416	28.8	2347	46.6	6142	28.8	1032	28.8	0	38.8	6324	-2155	32640	1322	
				WB	2100	34795	1722	OUT	33.7	22416	28.8	4416	28.8	2347	46.6	6142	28.8	1032	28.8	0	38.8	6324	-2155	32640	1616	y YI
) From WATS 3.0, 2030) Calculated using 11th Note: The AADT is show	Edition				Adjustmen	t Factor (K) =	0.090		ln =	66517		15332		8148		13180		3583		0		16300				

Table 2a - Trip Generation - Map H - Daily- Proposed - Phase 2,3,4 - TAZ 652Parcel A

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tri	ps	1	nternaliz	ntion Trip	5	Net l	External 7	Frips		Pass-b	y Trips		No	et New Tr	dps
Land Ose	III Couc	Amenany	-	Trip Generation Time	In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%		-					0.0%				-	-		0.0%		-	
Single- Family Detached Housing	210	1,242	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	5,123	5,122	10,245	102	154	256	2.5%	5,021	4,968	9,989				0.0%	5,021	4,968	9,989
Multi- Family Housing (Mid-Rise)	221		DU	T = 4.54(X)	50%	50%							0.0%							0.0%			
General Office	710		SA	Ln(T) = 0.87Ln(X) + 3.05	50%	50%			-				0.0%				•	•	•	0.0%			
Civic Use			Sft	T=54.51(X)	50%	50%			-				0.0%							0.0%			
Institutional Use			SA	T=30.49(X)	50%	50%			-				0.0%							0.0%			
Industrial Park	130		Sft	T=3.37(X)	50%	50%						•	0.0%							0.0%			
General Commercial	820	306,000	Sft	T = 37.01(X)	50%	50%	5,663	5,662	11,325	154	102	256	2.3%	5,509	5,560	11,069	1,882	1,881	3,763	34.0%	3,627	3,679	7,300
Regional Park	417		Acres	T=4.57(X)	50%	50%			-		-		0.0%	-		-				0.0%			
Elementary School	520		Students	T=2.27(X)	50%	50%							0.0%			•				0.0%			
Junior High School	522		Students	T=2,10(X)	50%	50%							0.0%							0.0%			
Total							10,786	10,784	21,570	256	256	512	2.4%	10,530	10,528	21,058	1,882	1,881	3,763	17.9%	8,648	8,647	17,295
Interzonal Capture																(6,956	6,955	13,910
Total Less 1/2 Interzonal Capture																					7,666	7,666	15,332

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	nal Split		Gross Tr	ips	1	nternaliza	ation Trip	•	Net	External ?	l'rips		Pass-b	y Trips		No	et New Tri	ips
		9.	1	30	In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T)=0.78 Ln(X) + 0.20	61%	39%							0.0%					-		0.0%			-
Single- Family Detached Housing	210	1,242	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	668	393	1,061	171	61	232	21.9%	497	332	829				0.0%	497	332	829
Multi- Family Housing (Mid-Rise)	221	-	DU	T = 0.39(X) + 0.34	61%	39%			-	-			0.0%							0.0%	-		-
General Office	710	-	Sft	T = 1.44(X)	17%	83%							0,0%							0.0%	-		
Civic Use		-	Sft	T=5.45(X)	50%	50%				-			0.0%	•	5.95					0.0%	-		
Institutional Use		-	Sft	T=3.05(X)	40%	60%		-					0.0%							0.0%	-		
Industrial Park	130		Sft	T=0.34(X)	22%	78%		-					0.0%							0.0%			
General Commercial	820	306,000	Sft	Ln(T) = 0.72Ln(X) + 3.02	48%	52%	606	657	1,263	61	171	232	18.4%	545	486	1,031	175	176	351	34.0%	370	310	680
Rogional Park	417		Acres	T=0.26(X)	44%	56%							0.0%							0.0%			
Elementary School	520		Students	T=0.16(X)	46%	54%					-		0.0%							0.0%	-		
Junior High School	522		Students	T=0.15(X)	48%	52%							0.0%							0.0%			
Tetal							1,274	1,050	2,324	232	232	464	20.0%	1,042	818	1,860	175	176	351	18.9%	867	642	1,509
Interzonal Capture								made la de		-							San History				697	516	1,214
Total Less 1/2 Interzonal Capture					100																769	569	1,338

Table 2a - Trip Generation - Map H - Daily- Proposed - Phase 2 - TAZ 654 Parcel B

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gress Tr	ips	1	nternaliz:	ation Trip	9	Net I	External T	Frips		Pass-b	y Trips		Ne	et New Tr	ps
Land Cac	III. Code	amenany	0	Inp ocueration rate	In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%	-	-	-		-		0.0%	-	-	-	-			0.0%	-		-
Single-Family Detached Housing	210	850	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	3,614	3,613	7,227	64	48	112	1.5%	3,550	3,565	7,115				0.0%	3,550	3,565	7,115
Multi- Family Housing (Mid-Risc)	221	200	DU	T=4.54(X)	50%	50%	-	-	-	-			0.0%	-	-	-	1.2	-	- 1	0.0%	-		-
General Office	710		Sft	Ln(T) = 0.87Ln(X) + 3.05	50%	50%		-	-	-			0.0%	-			-			0.0%			
Civic Use			SR	T=54.51(X)	50%	50%		-	-				0,0%							0.0%			
Institutional Use		50,638	Sft	T=30.49(X)	50%	50%	772	772	1,544	39		39	2.5%	733	772	1,505	•			0.0%	733	772	1,505
Industrial Park	130		Sft	T=3.37(X)	50%	50%							0.0%							0.0%			
General Commercial	820	24,000	Sft	T = 37.01(X)	50%	50%	444	444	888	182	80	262	29.5%	262	364	626	107	106	213	34.0%	155	258	413
Regional Park	417		Acres	T=4.57(X)	50%	50%		-					0.0%		-	-				0.0%	-		
Elementary School	520		Students	T=2.27(X)	50%	50%		-	-	-		-	0.0%	-		- 1		-		0.0%		-	
Junior High School	522	-	Students	T=2.10(X)	50%	50%	-	-			-	-	0.0%	-	-	-	142	-		0.0%			-
Total							4,830	4,829	9,659	285	128	413	4.3%	4,545	4,701	9,246	107	106	213	2.3%	4,438	4,595	9,033
Interzonal Capture																					3,568	3,694	7,263
1/2 Interzonal Capture																					4,003	4,145	8,148

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directio	nal Split		Gross Tr	ips	1	nternaliza	tion Trip		Net	External 7	Crips		Pass-b	y Trips		N	t New Tr	ips
					In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T)=0.78 Ln(X) + 0.20	61%	39%	-	- 1	-		-	-	0.0%			-			-	0.0%			-
Single- Family Detached Housing	210	850	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	468	275	743	29	21	50	6.7%	439	254	693			-	0.0%	439	254	69
Multi- Family Housing (Mid-Rise)	221		DU	T = 0.39(X) + 0.34	61%	39%							0.0%							0.0%			
General Office	710		Sft	T = 1.44(X)	17%	83%						•	0.0%							0.0%			
Civic Use		-	Sft	T=5.45(X)	50%	50%		-			*		0.0%		-					0.0%			
Institutional Use		50,638	Sft	T=3.05(X)	40%	60%	62	92	154	13		13	8.4%	49	92	141				0.0%	49	92	14
Industrial Park	130		Sft	T=0.34(X)	22%	78%			-	-	+		0.0%		-				-	0.0%			-
General Commercial	820	24,000	Sft	Ln(T) = 0.72Ln(X) + 3.02	48%	52%	97	105	202	18	29	47	23.3%	79	76	155	26	27	53	34.0%	53	49	10
Regional Park	417	-	Acres	T=0.26(X)	44%	56%	•						0.0%							0.0%			
Elementary School	520		Students	T=0.16(X)	46%	54%	- 1		-	0		in seed	0.0%	-	-	-	-	-	-	0.0%		-	-
Junior High School	522		Students	T=0.15(X)	48%	52%		- 2	-	4	-		0.0%		-					0.0%			
Total							627	472	1,099	60	50	110	10.0%	567	422	989	26	27	53	5.4%	541	395	93
Interzonal Capture										3											435	318	75
1/2 Interzonal Capture																	1				488	356	84

Table 2a - Trip Generation - Map H - Daily- Proposed - Phase 2 - TAZ 647 - Parcel C

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directle	onal Split		Gross Tr	ips		Internaliz	ation Trip	8	Net I	External 7	rips		Pass-b	y Trips		No	t New Tr	ips
Land Ose	II E Coue	Antensity	l Units	Trip Generation Mate	In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%	-	-	-		-		0.0%	-	*		-	-	-	0.0%	-	-	-
Single-Family Detached Housing	210	1,827	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	7,306	7,306	14,612				0.0%	7,306	7,306	14,612			-	0.0%	7,306	7,306	14,61
Multi- Family Housing (Mid-Rise)	221	100	DU	T = 4.54(X)	50%	50%			-				0.0%							0.0%			
General Office	710		SA	Ln(T) = 0.87Ln(X) + 3.05	50%	50%					•		0.0%							0.0%	+		
Civic Use		-3500-	Sft	T=54.51(X)	50%	50%	-	-					0.0%							0.0%			
Institutional Use			Sft	T=30.49(X)	50%	50%	-		-	-	-		0.0%		-	-	-	-		0.0%		-	
Industrial Park	130		Sft	T=3.37(X)	50%	50%					-		0.0%	-		-	-			0.0%			
General Commercial	820		Sft	T = 37.01(X)	50%	50%							0.0%							34.0%			
Regional Park	417		Acres	T=4.57(X)	50%	50%		-					0.0%							0.0%			
Elementary School	520		Students	T=2.27(X)	50%	50%		-				-	0.0%					-		0.0%			
Junior High School	522	-	Students	T=2.10(X)	50%	50%					-		0.0%							0.0%			
Total							7,306	7,306	14,612	-	-	-	0.0%	7,306	7,306	14,612	-	-	-	0.0%	7,306	7,306	14,612
Total less interzonal																					5,874	5,874	11,748
Total less 1/2 interzonal		100																			6,590	6,590	13,180

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tr	ips		Internaliza	ation Trip:		Net l	External 7	rips		Pass-b	y Trips		N	et New Tri	ips
					In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T)=0.78 Ln(X)+0.20	61%	39%	-	-	-	-	-		0.0%		-	-		-	-	0.0%	-	-	-
Single-Family Detached Housing	210	1,827	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	961	564	1,525		-	-	0.0%	961	564	1,525				0.0%	961	564	1,525
Multi-Family Housing (Mid-Rise)	221		DU	T = 0.39(X) + 0.34	61%	39%	-	-	-		-		0.0%	-		-	-	-	-	0.0%		-	
General Office	710	-	Sft	T = 1.44(X)	17%	83%		-			-		0.0%			-			-	0.0%		-	
Civic Use			Sft	T=5.45(X)	50%	50%							0.0%			-	-110.00			0.0%		-	
Institutional Use	-		Sft	T=3.05(X)	40%	60%				-	-		0.0%	-		-				0.0%	-	-	
Industrial Park	130		Sft	T=0.34(X)	22%	78%			-	•	-		0.0%		-	-				0.0%			
General Commercial	820		SR	Ln(T) = 0.72Ln(X) + 3.02	48%	52%	-	-	-	- 2	-		0.0%		- 2	-	-	-		34.0%		2	-
Regional Park	417		Acres	T=0.26(X)	44%	56%							0.0%			-				0.0%		-	
Elementary School	520		Students	T=0.16(X)	46%	54%							0.0%							0.0%		-	-
Junior High School	522	-	Students	T=0.15(X)	48%	52%		-	-		-		0.0%	-	-	-	-	-	-	0.0%	-		
Total							961	564	1,525	-	-		0.0%	961	564	1,525	-	-	-	0.0%	961	564	1,525
Total less interzonal																					773	453	1,226
Total less 1/2 interzonal																and the second		10			867	509	1,376

Table 2a - Trip Generation - Map H - Daily- Proposed - TAZ 648- Phase 2 Parcel D

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directi	onal Split		Gress Tr	lps		Internaliz	ation Trips		Net	External '	l'rips		Pass-b	y Trips		N	et New Tr	ips
Limit osc	110 0000	2000000			In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%						-	0.0%							0.0%			-
Single- Family Detached Housing	210		DU	Ln(T)=0.92Ln(X)+2.68	50%	50%						•	0.0%							0.0%			
Multi- Family Housing (Low-Rise)	220	963	DU	T = 6.41(X) + 75.31	50%	50%	3,124	3,124	6,248	39	13	52	0.8%	3,085	3,111	6,196	•			0.0%	3,085	3,111	6,19
Multi- Family Housing (Mid-Rise)	221	962	DU	T = 4.54(X)	50%	50%	2,184	2,183	4,367	27	9	36	0.8%	2.157	2.174	4,331				0.0%	2,157	2,174	4,33
General Office	710	606,500	SA	Ln(T) = 0.87Ln(X) + 3.05	50%	50%	2,784	2,784	5,568	17	50	67	1.2%	2,767	2.734	5,501				0.0%	2,767	2,734	5,50
Civie Use		-	Sñ	T=54.51(X)	50%	50%							0.0%	-						0.0%	-		
Institutional Use			SA	T=30.49(X)	50%	50%	-						0.0%							0.0%			
Industrial Park	130	544,500	SA	T=3.37(X)	50%	50%	918	917	1,835	5	16	21	1.1%	913	901	1,814				0.0%	913	901	1,81
General Commercial	820		Sfl	T = 37.01(X)	50%	50%			•	*			0.0%							34.0%	-	,	
Regional Park	417	50	Acres	T=4.57(X)	50%	50%	115	114	229				0.0%	115	114	229			-	0.0%	115	114	22
Elementary School	520	-	Students	T=2.27(X)	50%	50%							0.0%						*	0.0%	-		
Junior High School	522		Students	T=2.10(X)	50%	50%							0.0%							0.0%			
Total							9,125	9,122	18,247	88	88	176	1.0%	9,037	9,034	18,071				0.0%	9,037	9,034	18,07
Interzonal Capture																					7,266	7,263	14,52
1/2 Interzonal Capture		na and a second													N 60						8,151	8,149	16,300

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Trip	35	1	nternaliza	tion Trips	į.	Net 1	External T	rips		Pass-t	y Trips		No	et New Tri	ps
Approved Land Use																							
Age Restricted	251		DU	Ln(T)=0.78 Ln(X) + 0.20	61%	39%							0.0%							0.0%			
Single-Family Detached Housing	210		DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	•						0.0%				0.1			0.0%			
Multi- Family Housing (Low-Rise)	220	963	DU	T = 0.43(X) + 20.55	63%	37%	274	161	435	5	3	8	1.8%	269	158	427				0.0%	269	158	427
Multi- Family Housing (Mid-Rise)	221	962	DU	T = 0.39(X) + 0.34	61%	39%	229	147	376	5	3	8	2.1%	224	144	368				0.0%	224	144	368
General Office	710	606,500	Sft	T = 1.44(X)	17%	83%	148	725	873	5	7	12	1.4%	143	718	861				0.0%	143	718	861
Civio Use			Sft	T=5.45(X)	50%	50%	•						0.0%			-				0.0%	-		-
Institutional Use			Sft	T=3.05(X)	40%	60%							0.0%			(4				0.0%			
Industrial Park	130	544,500	Sft	T=0.34(X)	22%	78%	41	144	185	1	2	3	1.6%	40	142	182				0.0%	40	142	182
General Commercial	820		Sft	Ln(T) = 0.72Ln(X) + 3.02	48%	52%			- •				0.0%		•		7/46			34.0%			-
Regional Park	417	50	Acres	T=0.26(X)	44%	56%	6	7	13		1	1	7.7%	6	6	12				0.0%	6	6	12
Elementary School	520		Students	T=0.16(X)	46%	54%							0.0%							0.0%			
Junior High School	522		Students	T=0.15(X)	48%	52%							0.0%						- 6	0.0%			
Total							698	1,184	1,882	16	16	32	1.7%	682	1,168	1,850				0.0%	682	1,168	1.850
Interzonal Capture																					548	939	1,487
1/2 Interzonal Capture																	8				615	1,054	1,669


Susan E. O'Rourke, P.E. Inc.


Table 2a - Trip Generation - Map H - Daily- Proposed - Phase 2 - TAZ 861 Parcel E


Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tr	lps		Internaliza	ation Trips		Net	External T	Trips		Pass-h	y Trips	1	Ne	t New Tr	ips
Land Cat	112 0000	Amening		Tip Continue time	In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%	-	-	-		2.00		0.0%				-			0.0%			-
Single-Family Detached Housing	210	452	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	2,021	2,021	4,042				0.0%	2,021	2,021	4,042				0.0%	2,021	2,021	4,04
Multi- Family Housing (Mid-Rise)	221		DU	T = 4.54(X)	50%	50%							0.0%		•		-			0.0%			-
General Office	710		Sft	Ln(T) = 0.87Ln(X) + 3.05	50%	50%	(# c						0.0%							0.0%			
Civic Use			Sft	T=54.51(X)	50%	50%							0.0%							0.0%			
Institutional Use			Sñ	T=30.49(X)	50%	50%				3.46		5.00	0.0%		•	*	•	* /		0.0%			-
Industrial Park	130		Sft	T=3.37(X)	50%	50%							0.0%							0.0%			-
General Commercial	820		Sft	T = 37.01(X)	50%	50%			1.		•		0.0%							34.0%			
Regional Park	417		Acres	T=4.57(X)	50%	50%	•			•			0.0%		*					0.0%	*	*	
Elementary School	520		Students	T=2.27(X)	50%	50%							0.0%							0.0%			-
Junior High School	522		Students	T=2.10(X)	50%	50%							0.0%	•						0.0%			-
Total							2,021	2,021	4,042				0.0%	2,021	2,021	4,042				0.0%	2,021	2,021	4,04
Interzonal Capture										Wall live										2-1-1-1	1,562	1,562	3,12
Total Less 1/2 Interzonal Capture																					1,792	1,792	3,58


Table 2c - Trip Generation - Map H - PM Peak Hour


Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tr	ips		Internaliz	ation Trips		Net	External 7	l'rips		Pass-b	y Trips		No	et New Tri	ps
		10000000	5-01000		In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T)=0.78 Ln(X) + 0.20	61%	39%							0.0%							0.0%		-	-
Single- Family Detached Housing	210	452	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	258	152	410	7.			0.0%	258	152	410				0.0%	258	152	410
Multi-Family Housing (Mid-Rise)	221		DU	T = 0.39(X) + 0.34	61%	39%							0.0%	•					¥:	0.0%			
General Office	710		Sft	T = 1.44(X)	17%	83%				1000			0.0%							0.0%		-	
Civic Use	-		Sft	T=5.45(X)	50%	50%							0.0%	*:						0.0%			
Institutional Use			Sft	T=3.05(X)	40%	60%							0.0%							0.0%			
Industrial Park	130		Sft	T=0.34(X)	22%	78%							0.0%						-	0.0%			-
General Commercial	820		Sft	Ln(T) = 0.72Ln(X) + 3.02	48%	52%							0.0%							34.0%			
Regional Park	417		Acres	T=0.26(X)	44%	56%							0.0%							0.0%			
Elementary School	520		Students	T=0.16(X)	46%	54%	(**)						0.0%					- 4	1.0	0.0%			-
Junior High School	522		Students	T=0.15(X)	48%	52%							0.0%							0.0%		-	
Total		V-50-1					258	152	410				0.0%	258	152	410				0.0%	258	152	410
Interzonal Capture																					199	117	317
Total Less 1/2 Interzonal Capture																					229	135	363

















PHASE 3




Table 4: Link Analysis Phase 3

						Approved V	O,E STAV			Approved (1)					Propos	ed (2) Wilso	on Groves	Dally Trips								
Segment	From	То	Number of Lanes	Direction	Capacity	*Daily Volume	Peak Volume (Adj)	IN / OUT	Approved % Assignment	Daily Trips	% Assignm ent Parcel A	TAZ 652 Parcel A	% Assignme nt Parcel B	TAZ 654 Parcel B	Assignme nt Parcel C	Parcel C I	% Assignme nt Parcel E	TAZ 861 Parcel E	% Assignm ent Parcel F	TAZ 653 Parcel F	% Assignme nt Parcel D	TAZ 648 Parcel D	Change in Daily Traffic (Proposed - Approved)	Resultant AADT Link Volumes	Resultant Peak hour	Meet Capaci
scovery Way (E/W 1)	RANGE LINE RD	N/S A	2	EB	924	6655	270		1.0	907	-	156	1.0	9/	1.0	154	1.0	67	1.0	74	1.0	225	-137	6518	264	Y
				WB	924	6655	329	-	1.0	907	_		1.0		-	154	1.0		1.0	74	1.0	225	-137	6518	323	Y
	N/S A	N/S B	2	EB	924	11027	447		1.6	1451	-		-		-	-	1.6		1.6	-	1.6		-217	10810	438	_
				WB	924	11027	546	-	1.6	1451	-			150	_	246	1.6	108	1.6		1.6	361	-217	10810	535	
_	N/S B	COMMUNITY BLVD	2	EB	924	13593	551		8.3	7528		1295	8.3	777			8.3	558	8.3		8.3	1871	-1138	12455	504	_
				WB	924	13593	673	-	8.3	7528		1295	8.3	777		_	8.3	558	8.3	-	8.3	1871	-1138	12455	617	Y
	MARSHALL PKWY (E/W #3)	PAAR RD (E/W #4)	2		1080	13636	552		8.0	7256	-			1142			0.0	-	0.0	-	12.4	2795	130	13766	558	_
RANGE LINE RD		250052.22	2	SB	1080	13636 12422	675 503	-	8.0 7.1	7256 6440	-	1560	12.2	1142	12.3	1889 1889	0.0		0,0		12.4	2795	130	13766	681	Y
	PAAR RD (E/W #4)	BECKER RD		NB SB	1080	12422		OUT	7.1	6440	-	0	0.0		12.3	1889	11		11		12.4	2795 2795	-201 -201	12221 12221	495 605	_
	MARSHALL PKWY (E/W #3)	DAAD DD /E/M/#A)	2		924	7377	365	-	15.5	14059	-	2995	12.1	-	_		20.5	1378	5.2	_	26.2	5905	-697	6680	331	_
	WARSHALL PAVY (E) W #3)	FAAR RD (E) W #4)		SB	924	7377	299		15.5	14059		2995	12.1	1133		1566	20.5	1378	5.2	-	26.2	5905	-697	6680	271	Y
N/S A	PAAR RD (E/W #4)	BECKER RD	2	NB	924	7952	322	-	16.7	15147	16.0	2496	25.9		_		8.2	551	0.0		30.2	6807	509	8461	343	
	PARK ND (L) W H-1)	DECKEN NO	-	SB	924	7952	394		16.7	15147	16.0	-	25.9	2424			8.2	551	0.0		30.2	6807	509	8461	419	
	MARSHALL PKWY (E/W #3)	PAAR RD (E/W #4)	2	NB	924	11833	586	_	20,3	18413	25.6	3994	28.9	2705	_	4699	0	0	17.5	_	13.6	3065	-2653	9180	454	
N/S B				SB	924	11833	479	-	20,3	18413	-	3994	28.9	2705	-	4699	0	0	17.5	-	13.6	3065	-2653	9180	372	
	PAAR RD (E/W #4)	BECKER RD	2	NB	924	7367	365	IN	14.2	12880	0.0	0	0.0		30.6	4699	15.8	1062	24.0		21.6	4868	-473	6894	341	
	Anna manife television in			SB	924	7367	298	OUT	14.2	12880	0.0	0	0.0		30.6	4699	15.8	1062	24.0	1778	21.6	4868	-473	6894	279	
	RANGE LINE RD	N/S A	2	EB	924	6069	246	IN	5,9	5351	4.0	624	0.0		0.0	0	20.5	1378	12.3	911	0.0	0	-2438	3631	147	-
				WB	924	6069	300	OUT	5.9	5351	4.0	624	0.0		0.0	0	20.5	1378	12.3	911	0.0	0	-2438	3631	180	
MARSHALL PKWY	N/S A	N/S B	2	EB	924	12957	525	IN	11.0	9977	4.8	749	2.0	187	0.0	0	30.8	2071	17.5	1297	17.2	3877	-1796	11161	452	Y
(E/W #3)				WB	924	12957	641	OUT	11.0	9977	4.8	749	2.0	187	0.0	0	30.8	2071	17.5	1297	17.2	3877	-1796	11161	552	Y
	N/S B	COMMUNITY BLVD	4	EB	2100	24689	1000		21,0	19047	20.8	3245	21.6				21.2	1425	20,8	1541	22.4	5049	-2540	22149	897	YE
				WB	2100	24689	1222	_		19047	20.8	3245	21.6	2022	21.0	3225	21,2	1425	20,8	1541	22.4	5049	-2540	22149	1096	Y
	RANGE LINE RD	N/S A	2	EB	924	3381	137	_		9252	_	1248	26.6	_		. 0	17.8	1197	11.0	815	0.0	0	-3502	5750	233	Y
				WB	924	3381	167	-	10.2	9252	-	1248	26.6	2490	_	0	17.8	1197	11.0	815	0.0	0	-3502	5750	285	Y
E/W 4 Paar Dr	N/S A	N/S B	2	EB	924	12495	506	IN	24.5	22222	_	5866	40.4	3782			27.4	1842	18.2	1349	4.0	902	-6669	5826	236	YE
				WB	924	12495	619	-	24.5	22222	-	5866	40.4	3782		1812	27,4	1842	18.2	1349	4.0	902	-6669	5826	288	Y
	N/S B	COMMUNITY BLVD	4	EB	2100	13507	547	OUT	11.8	10703			11.5	1077		1812	11.6	780	11,7	867	12.0	2705	-1590	11917	483	Y
	2440544455	N/o s	-	WB	2100	13507	669			10703			11.5	1077		1812	11.6	780	11.7	867	12.0	2705	-1590	11917	590	YI
	RANGE LINE RD	N/S A	2	EB	924	11295	457 559		11.3	10249		1622	12.2	1142		3547	0	0	0	0	22.8	5139	1201	12496	506	YE
BECKER RD	N/e A	N/c n		WB	924	11295	559 748	OUT		10249		3838	24.5	1142		3547 8415	-	-	0	0	22.8	5139	1201	12496	619	YE
	N/S A	N/S B	4	EB WB	2100	18475 18475	915		26.3 26.3	23855 23855	_	3838	24.5	2293		8415	8.2 8.2	551 551	0.0	0	47.0 47.0	10593 10593	1835 1835	20310	823 1005	Y
) From WATS 3.0, 2035	volumes			WB	2100	104/3	912	001	20.5	23833	24.0	2035	24.5	2293	54.8	0415	0.2	221	0.0	0	47.0	10593	1835	20310	1005	YE
2) Calculated using 11th		ect the total in both o	firections.			t Factor (K) = Factor (D) =	0.090		In = Out=	90702 90702		15600 15600		9361 9361		15355 15355		6724 6724		7410 7410		22539 22539				

Table 2a - Trip Generation - Map H - Daily- Proposed - Phase 2,3,4 - TAZ 652Parcel A

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tr	ipe	1	nternaliza	tion Trip		Net	External T	rips		Pass-b	y Trips		No	et New Tr	ips
Lana Ose	ITE Code	Intensity	Units	Trip Generation Rate	In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	$Ln(T) \approx 0.85Ln(X) + 2.47$	50%	50%			-		- 4		0.0%		-		-		-	0.0%	-	-	
Single-Family Detached Housing	210	1,242	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	5,123	5,122	10,245	102	154	256	2.5%	5,021	4,968	9,989				0.0%	5,021	4,968	9,98
Multi-Family Housing (Mid-Rise)	221		DU	T = 4.54(X)	50%	50%		-	-	-			0.0%	-	-				-	0.0%	-	-	-
General Office	710		Sft	Ln(T) = 0.87Ln(X) + 3.05	50%	50%		-		•			0.0%							0.0%	-	-	
Civic Use			Sft	T=54.51(X)	50%	50%				· -			0.0%							0.0%			
Institutional Use			SR	T=30.49(X)	50%	50%	-						0.0%	-		-	-	-		0.0%		- 2	
Industrial Park	130		Sft	T=3.37(X)	50%	50%							0.0%							0.0%			
General Commercial	820	306,000	sa	T = 37.01(X)	50%	50%	5,663	5,662	11,325	154	102	256	2.3%	5,509	5,560	11,069	1,882	1,881	3,763	34.0%	3,627	3,679	7,30
Regional Park	417		Acres	T=4.57(X)	50%	50%					-		0.0%	,	*					0.0%	-		
Elementary School	520		Students	T=2.27(X)	50%	50%							0.0%			-		-		0.0%		-	
Junior High School	522		Students	T=2.10(X)	50%	50%					-		0.0%				+	-	-	0.0%	-	-	-
Tetal					1		10,786	10,784	21,570	256	256	512	2.4%	10,530	10,528	21,058	1,882	1,881	3,763	17.9%	8,648	8,647	17,29
Interzonal Capture		100																			6,685	6,684	13,36
Total Less 1/2 Interzonal Capture						L												II.			7,666	7,666	15,333

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	nal Split		Gross Tri	ips	1	nternaliza	tion Trip		Net E	xternsl T	rips		Pass-b	y Trips		Ne	t New Tri	ps
					In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251	10.5	DU	Ln(T)= 0.78 Ln(X) + 0.20	61%	39%			-	-	-		0.0%				-		-	0.0%	-		-
Single-Family Detached Housing	210	1,242	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	668	393	1,061	171	61	232	21.9%	497	332	829			*	0.0%	497	332	829
Multi- Family Housing (Mid-Rise)	221		DU	T = 0.39(X) + 0.34	61%	39%			-				0.0%				-			0.0%	-		
General Office	710		Sft	T = 1.44(X)	17%	83%			-			2895	0.0%							0.0%	-		
Civic Use		5 * .5	SA	T=5.45(X)	50%	50%			-				0.0%	-	-					0.0%	-	-	-
Institutional Use			Sft	T=3.05(X)	40%	60%		-	-				0.0%	-		-		S		0.0%	-		
Industrial Park	130	*	Sft	T=0.34(X)	22%	78%		100	-				0.0%	- 5						0.0%			-
General Commercial	820	306,000	Sñ	Ln(T) = 0.72Ln(X) + 3.02	48%	52%	606	657	1,263	61	171	232	18.4%	545	486	1,031	175	176	351	34.0%	370	310	680
Regional Park	417		Acres	T=0.26(X)	44%	56%							0.0%							0.0%		-	
Elementary School	520		Students	T=0.16(X)	46%	54%		-	-				0.0%	-	-	-	-	-	-	0.0%	-		-
Junior High School	522	-	Students	T=0.15(X)	48%	52%		*	- 1				0.0%	-	-	9	-	-		0.0%	- 1	-	-
Total							1,274	1,050	2,324	232	232	464	20.0%	1,042	818	1,860	175	176	351	18.9%	867	642	1,505
Interzonal Capture											0.										670	496	1,160
Total Less 1/2 Interzonal Capture				7						7.1000											769	569	1,338

Table 2a - Trip Generation - Map H - Daily- Proposed - Phase 3 - TAZ 654 Parcel B

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tr	ips	1	nternaliza	tion Trip	8	Net I	External ?	Trips		Pass-by	Trips		N	et New Tr	ips
Danie Ost	III coue	Amening		Trip Generation xiate	In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251	1	DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%		-					0.0%		-		-	-		0.0%	-		-
Single- Family Detached Housing	210	850	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	3,614	3,613	7,227	93	118	211	2.9%	3,521	3,495	7,016	- 1		- 4	0.0%	3,521	3,495	7,016
Multi-Family Housing (Mid-Rise)	221		DU	T = 4.54(X)	50%	50%							0.0%							0.0%	-		
General Office	710		Sft	Ln(T) = 0.87Ln(X) + 3.05	50%	50%			-				0.0%							0.0%			
Civic Use			Sft	T=54.51(X)	50%	50%		-	-	-			0.0%							0.0%	-		
Institutional Use		67,628	SA	T=30.49(X)	50%	50%	1,031	1,031	2,062	51	- 1	51	2.5%	980	1,031	2,011		-		0.0%	980	1,031	2,011
Industrial Park	130		Sft	T=3.37(X)	50%	50%					+		0.0%				-			0.0%	-	-	
General Commercial	820	76,500	Sft	T = 37.01(X)	50%	50%	1,416	1,415	2,831	397	113	510	18.0%	1,019	1,302	2,321	395	394	789	34.0%	624	908	1.532
Regional Park	417		Acres	T=4.57(X)	50%	50%				-			0.0%	-			-			0.0%			-
Elementary School	520		Students	T=2.27(X)	50%	50%							0.0%							0.0%			
Junior High School	522	32	Students	T=2.10(X)	50%	50%	-			-			0.0%	-	-	-				0.0%			
Total					1/25/15		6,061	6,059	12,120	541	231	772	6.4%	5,520	5,828	11,348	395	394	789	7.0%	5,125	5,434	10,559
Total less Interzonal Capture		and the second																			3,962	4,200	8,162
Total Less 1/2 Interzonal Capture					1						5										4.543	4.817	9,361

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directio	nal Split		Gross Tri	ips	1	nternaliz	ation Trips		Net I	External T	rips		Pass-b	y Trips		N _i	et New Tri	ips
		National Control			In	Out	ln	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T)=0.78 Ln(X)+0.20	61%	39%		-	-	-			0.0%	-	-	-				0.0%	-	-	
Single-Family Detected Housing	210	850	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	468	275	743	65	33	98	13.2%	403	242	645	-			0.0%	403	242	645
Multi- Family Housing (Mid-Risc)	221		DU	T=0.39(X)+0.34	61%	39%				-			0.0%			-				0.0%	-		
General Office	710		Sft	T = 1.44(X)	17%	83%				-	*		0.0%	7.		-				0.0%	-	-	-
Civic Use			Sft	T=5.45(X)	50%	50%							0.0%	-		-	15			0.0%	-		
Institutional Use		67,628	Sft	T=3.05(X)	40%	60%	82	124	206	16		16	7.8%	66	124	190				0.0%	66	124	190
Industrial Park	130		Sft	T=0.34(X)	22%	78%							0.0%	- 1	-	-	-			0.0%	-	-	-
General Commercial	820	76,500	Sft	Ln(T) = 0.72Ln(X) + 3.02	48%	52%	223	242	465	40	68	108	23.2%	183	174	357	60	61	121	34.0%	123	113	236
Regional Park	417		Acres	T=0.26(X)	44%	56%							0.0%						-	0.0%	-	-	-
Elementary School	520		Students	T=0.16(X)	46%	54%							0.0%	-					-	0.0%	-	-	-
Junior High School	522	1-1	Students	T=0.15(X)	48%	52%		-	-	-	-		0.0%	-	-	-	12.1			0.0%		-	
Total							773	641	1,414	121	101	222	15.7%	652	540	1,192	60	61	121	10.2%	592	479	1.071
Total less Interzonal Capture	T																				458	370	828
Total Less 1/2 Interzonal Capture								T				S									525	425	949

Table 2a - Trip Generation - Map H - Daily- Proposed - Phase 3 - TAZ 647 - Parcel C

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tr	ps	1	Internaliz	tion Trip		Net 1	External '	Trips		Pass-l	y Trips		Ne	t New Tr	ips
Land Osc	INE Code	intensity	O.I.I.	Trip Generation Rate	In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	9%	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%		- 1					0.0%	-			1	-	-	0.0%			
Single- Family Detached Housing	210	1,827	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	7,306	7,306	14,612	28	14	42	0.3%	7,278	7,292	14,570		-	-	0.0%	7,278	7,292	14,570
Multi- Family Housing (Mid-Risc)	221		DU	T = 4.54(X)	50%	50%		-					0.0%						-	0.0%			
General Office	710		Sft	Ln(T) = 0.87Ln(X) + 3.05	50%	50%		-			0.00	-	0.0%		124		1.4		-	0.0%			
Civic Use			SR	T=54.51(X)	50%	50%		-					0.0%	- 1					-	0.0%			
Institutional Use		90,692	SA	T=30.49(X)	50%	50%	1,383	1,382	2,765	14		14	0.5%	1,369	1,382	2,751	-		- 2	0.0%	1,369	1,382	2,75
Industrial Park	130		Sft	T=3.37(X)	50%	50%		- 1					0.0%						-	0.0%			-
General Commercial	820		SA	T = 37.01(X)	50%	50%							0.0%							34.0%			
Regional Park	417		Acres	T≈4.57(X)	50%	50%		14.					0.0%					-	-	0.0%			
Elementary School	520		Students	T=2.27(X)	50%	50%		- 1					0.0%			-		-		0.0%			
Junior High School	522	-	Students	T=2.10(X)	50%	50%		-				- 2	0.0%						-	0.0%			-
Total							8,689	8,688	17,377	42	14	56	0.3%	8,647	8,674	17,321	-	-	-	0.0%	8,647	8,674	17,321
Total less interzonal																					6,684	6,705	13,389
Total Less 1/2 Internal Capture															0						7,666	7,690	15,35

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	nal Split		Gross Tr	ps	1	nternaliza	ttion Trip		Net l	External 7	Crips		Pass-b	y Trips		Ne	et New Tr	ips
					In	Out	ln	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.78 Ln(X) + 0.20	61%	39%		-					0.0%						-	0.0%	-		-
Single-Family Detached Housing	210	1,827	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	961	564	1,525	3	23	26	1.7%	958	541	1,499				0.0%	958	541	1,499
Multi- Family Housing (Mid-Rise)	221		DU	T = 0.39(X) + 0.34	61%	39%	-	-		-	-	-	0.0%	-		-		-	-	0.0%			
General Office	710	-	Sft	T = 1.44(X)	17%	83%	-	-	-				0.0%				+	-	-	0.0%	-		-
Civic Use		-	Sit	T=5.45(X)	50%	50%		-	•				0.0%							0.0%			-
Institutional Use	-	90,692	SA	T=3.05(X)	40%	60%	111	166	277	23		23	8.3%	88	166	254				0.0%	88	166	254
Industrial Park	130		SA	T=0.34(X)	22%	78%							0.0%							0.0%			
General Commercial	820		Sft	Ln(T) = 0.72Ln(X) + 3.02	48%	52%				142			0.0%				2-6	-	-	34.0%	-	14	-
Regional Park	417		Acres	T=0.26(X)	44%	56%	-	-					0.0%						-	0.0%	-		-
Elementary Solsool	520		Students	T=0.16(X)	46%	54%							0.0%						-	0.0%	-		-
Junior High School	522		Students	T=0.15(X)	48%	52%		-	·•:				0.0%					-	-	0.0%			-
Total							1,072	730	1,802	26	23	49	2.7%	1,046	707	1,753			-	0.0%	1,046	707	1,753
Total less interzonal		Contract																			809	547	1,355
Total Less 1/2 Internal Capture					Surger -		Same and	L. Control			Lo man				A		S			L	927	627	1,554

Table 2a - Trip Generation - Map H - Daily- Proposed - TAZ 648- Phase 3 Parcel D

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tri	ps	1	internaliza	tion Trips	*	Net l	External 7	rips		Pass-by	Trips		N	et New Tr	ips
Lain Oc	III Come		0	Trip Continuon ranc	In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Tota
Age Restricted	251	Carle in the	DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%	-	-	-				0.0%						-	0.0%			-
Single- Family Detached Housing	210		DU	Ln(T)=0.92Ln(X)+2.68	50%	50%			-				0.0%	-		-		-		0.0%			-
Multi- Family Housing (Low-Rise)	220	962	DU	T = 6.41(X) + 75.31	50%	50%	3,121	3,121	6,242	65	52	117	1.9%	3,056	3,069	6,125		-	- 34	0.0%	3,056	3,069	6,12
Multi- Family Housing (Mid-Rise)	221	963	DU	T = 4.54(X)	50%	50%	2,186	2,186	4,372	45	36	81	1.9%	2,141	2,150	4,291				0.0%	2,141	2,150	4,29
General Office	710	1,094,875	SR	Ln(T) = 0.87Ln(X) + 3.05	50%	50%	4,654	4,654	9,308	200	826	1,026	11.0%	4,454	3,828	8,282				0.0%	4,454	3,828	8,28
Civic Use		-	Sft	T=54.51(X)	50%	50%			-				0.0%		-					0.0%		-	-
Institutional Use		67,754	Sft	T=30.49(X)	50%	50%	1,033	1,033	2,066	44	183	227	11.0%	989	850	1,839		-		0.0%	989	850	1,83
Industrial Park	130	952,875	Sft	T=3.37(X)	50%	50%	1,606	1,605	3,211	81	332	413	12.9%	1,525	1,273	2,798				0.0%	1,525	1,273	2,79
General Commercial	820	207,500	Sft	T = 37.01(X)	50%	50%	3,840	3,840	7,680	1,295	336	1,631	21.2%	2,545	3,504	6,049	1,029	1,028	2,057	34.0%	1,516	2,476	3,99
Regional Park	417	50	Acres	T=4.57(X)	50%	50%	115	114	229				0.0%	115	114	229		-	-	0.0%	115	114	229
Elementary School	520		Students	T=2.27(X)	50%	50%		-		5.5	-		0.0%							0.0%			
Junier High School	522		Students	T=2.10(X)	50%	50%					- 2	-	0.0%							0.0%			-
Total				; ;			16,555	16,553	33,108	1,730	1,765	3,495	10.6%	14,825	14,788	29,613	1,029	1,028	2,057	6.9%	13,796	13,760	27,55
Interzonal Capture						1			4		200		The same						10000		10,664	10,636	21,30
Total Less 1/2 Inferzonal Capture															0						12,230	12,198	24,42

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Trip	is	Ir	ternaliza	tion Trip	•	Net E	External T	rips		Pass-by	Trips		No	et New Tri	рs
Approved Land Usc																			WEIGHT.				
Age Restricted	251	-	DU	Ln(T)=0.78 Ln(X) + 0.20	61%	39%	-	-	-	-	-		0.0%					-		0.0%			-
Single- Family Deteched Housing	210	-	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	-			-	-	-	0.0%	-	-	-	-	- 1	-	0.0%		-	-
Multi- Family Housing (Low-Rise)	220	962	DU	T = 0.43(X) + 20.55	63%	37%	273	161	434	62	28	90	20.7%	211	133	344		-	-	0.0%	211	133	344
Multi- Family Housing (Mid-Rise)	221	963	DU	T = 0.39(X) + 0.34	61%	39%	229	147	376	53	24	77	20.5%	176	123	299		-		0.0%	176	123	299
General Office	710	1,094,875	Sft	T = 1.44(X)	1796	83%	268	1,309	1,577	12	34	46	2.9%	256	1,275	1,531		-		0.0%	256	1,275	1,531
Civic Use		-	Sfi	T=5.45(X)	50%	50%	-	-	-	- 1	+		0.0%		-				- X	0.0%		-	-
Institutional Use	-	67,754	SA	T=3.05(X)	40%	60%	83	124	207	2	5	7	3.4%	81	119	200			1000	0.0%	81	119	200
Industrial Park	130	952,875	Sñ	T=0.34(X)	22%	78%	71	253	324	3	8	11	3.4%	68	245	313	-	- 1		0.0%	68	245	313
General Commercial	820	207,500	Sfi	Ln(T) = 0.72Ln(X) + 3.02	48%	52%	458	497	955	84	117	201	21.0%	374	380	754	127	129	256	34.0%	247	251	498
Regional Park	417	50	Acres	T=0.26(X)	44%	56%	6	7	13	2	2	4	30.8%	4	5	9				0.0%	4	5	9
Elementary School	520	-	Students	T=0.16(X)	46%	54%				-			0.0%	- 1	-	- 1	-	-		0.0%		-	-
Junior High School	522		Students	T=0.15(X)	48%	52%		-				-	0.0%	-		-		-		0.0%		-	
Total							1,388	2,498	3,886	218	218	436	11.2%	1,170	2,280	3,450	127	129	256	7.4%	1,043	2,151	3,194
Interzonal Capture																			-		806	1,663	2,469
Total Less 1/2 Interzonal Capture																				0.5	925	1.907	2.831

Table 2a - Trip Generation - Map H - Daily- Proposed - Phase 3 - TAZ 861 Parcel E

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tr	ips		Internaliz	ation Trips	,	Net !	External 7	rips		Pass-h	y Trips		No	et New Tr	ips
Land Oke	II E Coue	Intensity	Cuns	Trip Generation Rate	In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%	-		-				0.0%					-	-	0.0%	-		-
Single-Family Detached Housing	210	879	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	3,727	3,727	7,454				0.0%	3,727	3,727	7,454	•			0.0%	3,727	3,727	7,454
Multi- Family Housing (Mid-Rise)	221		DU	T = 4.54(X)	50%	50%							0.0%							0.0%			
General Office	710		Sft	Ln(T) = 0.87Ln(X) + 3.05	50%	50%		-	-				0.0%							0.0%		-	
Civic Use			SA	T=54.51(X)	50%	50%		-	- 8	-			0.0%				-			0.0%	-		
Institutional Use			SA	T=30.49(X)	50%	50%				-			0.0%	-		-			-	0.0%	-	-	-
Industrial Park	130		Sft	T=3.37(X)	50%	50%		-		-			0.0%				- 1		-	0.0%	-	-	
General Commercial	820	-	SA	T = 37.01(X)	50%	50%	-						0.0%							34.0%			
Regional Park	417		Acres	T=4.57(X)	50%	50%		-					0.0%							0.0%			549
Elementary School	520		Students	T=2.27(X)	50%	50%				-			0.0%							0.0%			
Junior High School	522		Students	T=2.10(X)	50%	50%			-				0.0%					-		0.0%			
Total							3,727	3,727	7,454	-	-		0.0%	3,727	3,727	7,454	-	-	(a .	0.0%	3,727	3,727	7,454
Interzonal Capture																					2,881	2,881	5,762
Total Less 1/2 Interzonal Capture																					3,304	3,304	6,608

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directio	nal Split		Gross Tr	ips	4	Internaliza	ation Trip	5	Net l	External T	rips		Pass-b	y Trips		Ne	t New Tri	ря
					In	Out	În	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T)=0.78 Ln(X) +0.20	61%	39%				-	-		0.0%	-						0.0%	-		
Single- Family Detached Housing	210	879	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	483	284	767	-		- 4	0.0%	483	284	767				0.0%	483	284	767
Multi- Family Housing (Mid-Rise)	221		DU	T = 0.39(X) + 0.34	61%	39%			-				0.0%							0.0%			
General Office	710		Sft	T = 1.44(X)	17%	83%	-	-	-	-	-	-	0.0%		-	-	-		-	0.0%	-		-
Civic Use	-		SR	T=5.45(X)	50%	50%							0.0%							0.0%			
Institutional Use		0.00	Sft	T=3.05(X)	40%	60%		-	-	-	-	-	0.0%	-	-					0.0%		-	-
Industrial Park	130		Sft	T=0.34(X)	22%	78%							0.0%							0.0%			1.00
General Commercial	820		Sft	Ln(T) = 0.72Ln(X) + 3.02	48%	52%		-					0.0%	-						34.0%		-	
Regional Park	417		Acres	T=0.26(X)	44%	56%				-			0.0%	- 2	7		-		+2	0.0%	-	-	
Elementary School	520		Students	T=0.16(X)	46%	54%	*				-		0.0%	-		-				0.0%	-	-	
Junior High School	522		Students	T≈0.15(X)	48%	52%					-		0.0%							0.0%			
Total							483	284	767		-		0.0%	483	284	767	-			0.0%	483	284	767
Interzonal Capture										2240 Hrd.)											373	220	593
Total Less 1/2 Interzonal Capture																					428	252	680

Table 2a - Trip Generation - Map H - Daily- Proposed - Phase 3 - TAZ 653 Parcel F

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Direction	onal Split		Gross Tr	ips .		Internaliz	ation Tripe		Net l	External 3	frips		Pass-b	Y Trips		Ne	et New Tri	ps
Lana Use	IIE Code	intensity	Cana	Trip Generation Kate	In	Out	In	Out	Total	In	Out	Total	%	In	Out	Total	In	Out	Total	%	In	Out	Total
Age Restricted	251		DU	Ln(T) = 0.85Ln(X) + 2.47	50%	50%			-		-		0.0%		-		- 4			0.0%	-		
Single- Family Detached Housing	210	977	DU	Ln(T)=0.92Ln(X)+2.68	50%	50%	4,108	4,107	8,215	-	-		0.0%	4,108	4,107	8,215				0.0%	4,108	4,107	8,215
Multi-Family Housing (Mid-Rise)	221	The second second	DU	T = 4.54(X)	50%	50%					-	-	0.0%						-	0.0%			-
General Office	710		Sft	Ln(T) = 0.87Ln(X) + 3.05	50%	50%			-			-	0.0%		*	· *				0.0%			
Civic Use			Sft	T=54.51(X)	50%	50%					-		0.0%							0.0%	-	-	
Institutional Use			Sft	T=30.49(X)	50%	50%	- 3				-	-	0.0%		-	-				0.0%	-	-	
Industrial Park	130		Sft	T=3.37(X)	50%	50%						-	0.0%			-	-	-	-	0.0%	-	- 1	-
General Commercial	820		SR	T = 37.01(X)	50%	50%					-	-	0.0%	-				- 2		34.0%	-	-	-
Regional Park	417		Acres	T=4.57(X)	50%	50%			-	-	-		0.0%							0.0%			
Elementary School	520		Students	T=2.27(X)	50%	50%				-			0.0%							0.0%		-	
Junior High School	522		Students	T=2.10(X)	50%	50%				-		- 4	0.0%	-		-	-	-	-	0.0%		-	-
Total							4,108	4,107	8,215		-		0.0%	4,108	4,107	8,215		-		0.0%	4,108	4,107	8,215
Interzonal Capture																				/ III = 3	3,175	3,175	6,350
Total Less 1/2 Interzonal Capture								J			1			0							3,642	3,641	7,283

Source: Trip Generation Manual 11th Edition

Table 2c - Trip Generation - Map H - PM Peak Hour

Land Use	ITE Code	Intensity	Units	Trip Generation Rate	Directio	nal Split		Gross Trip	s		Internaliza	ition Trip	15	Net E	xternal T	rips		Pass-b	y Trips		Ne	et New Tri	ps
pproved Land Use	-																						-176
Age Restricted	251	-	DU	Ln(T) = 0.78 Ln(X) + 0.20	61%	39%							0.0%	-				-		0.0%	-		
Single-Family Detached Housing	210	977	DU	Ln(T)=0.94Ln(X)+0.27	63%	37%	534	313	847	-	-		0.0%	534	313	847				0.0%	534	313	847
Multi- Family Housing (Mid-Rise)	221		DU	T = 0.39(X) + 0.34	61%	39%							0.0%		2	-	-	-	4	0.0%	-	9	-
General Office	710	-	Sñ .	T = 1.44(X)	17%	83%		-		-			0.0%				-		*	0.0%	-	3	-
Civic Use	-		Sft	T=5.45(X)	50%	50%		-	-	-	-		0.0%		-					0.0%			
Medical Office	720	-	Sft	T=3.39(X)+2.02	28%	72%	- 1			- 4		-	0.0%	22	- 9.7	-	- 74			0.0%	-	-	-
Industrial Park	130		Sft	T=0.34(X)	22%	78%				-			0.0%		-	.		-	-	0.0%			
General Commercial	820	-	Sft	Ln(T) = 0.72Ln(X) + 3.02	48%	52%	200	-		-			0.0%		-					34.0%	-		
Regional Park	417	-	Acres	T=0.26(X)	44%	56%			-				0.0%	•	-					0.0%			
Elementary School	520		Students	T=0.16(X)	46%	54%			-	-			0.0%	-		-				0.0%		-	
Junior High School	522		Students	T=0.15(X)	48%	52%	-						0.0%		-	- 1				0.0%			
Total	1						534	313	847				0.0%	534	313	847	-	-		0.0%	534	313	847
Interzonal Capture		Carrier Villa				100				11199-1						Walkage		100			413	242	655
Total Less 1/2 Interzonal Capture				100 m																	473	277	751

