#### **EXHIBIT A**

Prepared For: The City of Port St Lucie 121 SW Port St Lucie Avenue Port St. Lucie, FL

## **VERANO SOUTH PODD**

## PLANNED UNIT DEVELOPMENT

### **AMENDMENT APPLICATION**



### **Application Submitted for Review:**

**November 4, 2020** 

## **AMENDMENT NUMBER 3**

PSL Project No: P20-214
PSLUSD Project No: 11-652-33

	Approval date	PSL Proj No.:	Ord No.:
Original Base	February 11, 2019	P18-146	Ord 19-09
Amendment #1	March 09, 2020	P19-218	Ord 20-17
Amendment #2	August 10, 2020	P20-060	Ord 20-38
Amendment #3	Pending	<u>P20-214</u>	Pending

Prepared By:

Cotleur & Hearing

1934 Commerce Lane, Suite 1 <u>Jupiter, FL 33458</u> Ph.561-747-6336

### EXHIBIT B

### TABLE OF CONTENTS/LIST OF EXHIBITS

Exhibit A Cover Page	1
Exhibit B Table of Contents/ List of Exhibits	2
Exhibit C List of Amendments	3
Exhibit D Introduction	4
Exhibit 1 PUD Amendment Application	5
Exhibit 2 PUD Amendment Application Checklist	7
Exhibit 3 Letter of Authorization	10
Exhibit 4 Binding PUD Agreement	
Exhibit 5 Site Information	15
Exhibit 6 Proposed Development Uses/Standards	17
Exhibit 7a Legal Description	25
Exhibit 7b Warranty Deeds	31
Exhibit 8 Location Map	46
Exhibit 9a PUD Conceptual Master Plan	48
Exhibit 9b PUD Conceptual Water and SewerMaster Plan	50
Exhibit 10 Typical Right of Way Sections	52
Exhibit 11 Typical Lots	56
Exhibit 12 Traffic Statement	61
Exhibit 13 Drainage Statement	63

#### EXHIBIT C

#### **LIST OF AMENDMENTS**

The following changes to the previously approved Verano South Pod D PUD are proposed in Amendment No. 3: (P20-214)

- To update Exhibit 9a, the PUD Concept Plan, to match the latest design on the Phasing Plan.
- To update Exhibit 5, Site Information.

The following changes to the previously approved were approved in Verano South Pod D PUD are proposed in Amendment Number 2: (P20-060).

- To amend Site Information and change side setbacks from 6' to 5' for the Single-Family lot types larger than 50'.
- To amend Pod layouts to illustrate side setback reduction from 6' to 5'.
- The addition of a Villa Lot Size with a 25'minimum (Typical Villa Lot 50' and greater).
- Condensing the number of lot typicals to show the 40' and 50' lot as typical minimum, as long as 5' setback is met.
- Amending language to clarify that Air Conditioning, Pool Equipment, and Generators are necessary support equipment rather than accessory uses, and as such are allowed in the setback area.
- Formatting minor changes throughout the document, such as centering and underlining headings and refitting text on pages.
- Updated the PUD Amendment Application to reflect the new address of the Owner, Verano Development LLC.
- Added a parking option for single car garages which would require one tandem guest parking space in the driveway. This is not a proposed reduction in parking, rather a proportional parking requirement depending on size of garage. Justification from the Traffic Engineer is included in the PUD.

#### EXHIBIT D

#### **INTRODUCTION**

The comprehensive area of the Verano DRI (formerly known as the PGA Village/Montage DRI) is approximately 3,000 acres. It is to be located southwest of the existing PGA Village/Reserve, west of I-95, and east of Glades Cut Off Road. The SFWMD C-24 Canal traverses directly through the northeastern section of the property. Verano as a whole is designed to include Multifamily and Single-Family Residences with Golf Courses, Commercial Development, Open Space, and Country Club amenities.

The overall average density of the Verano DRI shall not exceed 2.2 du/ac. Verano South Pod D is a residential development of single-family homes and attached villas, and consists of approximately 298.73 acres. The proposed Pod D site borders the C-24 Canal to the north and vacant land owned by Verano Development LLC to the south. The site can best be described as a residential community under development. Although the average density for the Verano DRI as a whole shall not exceed 2.2 du/ac, Pod D is designed with a maximum residential density of 2.35 du/ac. The Verano DRI will include a variety of land uses including office commercial, retail commercial, residential single-family, residential multifamily, light industrial, upland preserve, golf course and open space. Pod D is to be residential development. The residential component will be single-family detached lots and single-family attached villas. Pod D will be supplied with water and wastewater services by the City of Port St. Lucie Utilities Department and will comply with all applicable City Ordinances, Policies, Specifications, and Regulatory Agencies governing such service. Wastewater services will be provided by the Glades Wastewater Treatment Plant upon completion and startup. By utilizing a combination of the various available service options to meet the wastewater needs at each phase of development, sufficient service will be available from these entities for the entire proposed development.

Access to Pod D will be provided by Lunata Way and a future Pod A road. Both of these connect to Appian Way, which is the primary access for all of Verano South via the C-24 bridge. Future internal connections will be implemented throughout the DRI, and there will be at a minimum two access points into the Pod at all times: one (1) primary access and one

(1) emergency access. Storm Water Management will be provided by an on-site system of lakes, currently under review by the South Florida Water Management District (SFWMD). A Conceptual Environmental Resource Permit (ERP) has been issued for the proposed project from South Florida Water Management District (SFWMD). The permit number is 50-01645-

S. A conceptual drainage design was included as part of the application. Although Pod D does not contain significant upland preserve, all upland preservation, recreation, and open space requirements of the PUD will be met within the comprehensive Verano DRI requirements.

## EXHIBIT 1 APPLICATION FOR P.U.D. AMENDMENT (PLEASE SEE PAGE 6)

#### PUD AMENDMENT APPLICATION

CITY OF PORT ST. LUCIE Planning & Zoning Department 121 SW Port St. Lucie Boulevard

(772) 871-5213

Port St. Lucie, Florida 34984

#### FOR OFFICE USE ONLY

Planning Dept	
Fee (Nonrefundable)\$	
Receipt #	

Refer to "Fee Schedule" for application fee Make checks payable to the "City of Port St. Lucie." Fee is nonrefundable unless application is withdrawn prior to the Planning and Zoning Board meeting. All items on this application should be addressed, otherwise it cannot be processed. Attach proof of ownership: two copies of deed. Please type or print clearly in **BLACK** ink.

PRIMARY COI	NTACT EMAIL ADDRESS:	dsorrow@c	otleur-hearing.com			
PROPERTY OWNER:						
Name:	me: Verano Development c/o Robert Fromm					
Address:	105 NE 1st St. Delray Beac	h, FL 33444				
Telephone No.	772.349.8065	Email _	rfromm@kolter.co	om		
AGENT OF O	<b>NNER</b> (if any)					
Name:	Cotleur & Hearing / Da	niel Sorrow				
Address:	1934 Commerce Lane Suite	1, Jupiter, FL	33458			
Telephone No.	561.747.6336	Email _	dsorrow@cotleur-h	nearing.com		
PROPERTY IN	IFORMATION .					
(Include Plat B	0 ,	escription				
	mber: See attached			PUD		
Current Zoning			Proposed Zoning:			
Future Land Us	se Designation: RGC		Acreage of Property:_			
Reason for am	endment request:	——————	ents on Exhibit C pg.	. 3		
		-3-				
1) Applicant must list on the first page of the attached amendment all proposed changes with corresponding page number(s).						
2) All proposed additions must be <u>underlined</u> and deleted text must have a strikethrough.						
3) Where there applicable code requirements s	e are conflicts between the re es of the city and the requiren shall govem.	quirements of the nents established	ne general provisions ed by official action up	of this chapter or other on a specific PUD, the latter		
Signature of O	wner	DANIEL THAND Print Nar	F. Soulow	10-27-20 Date		

\*If signature is not that of the owner, a letter of authorization from the owner is needed.

NOTE: Signature on this application acknowledges that a certificate of concurrency for adequate public facilities as needed to service this project has not yet been determined. Adequacy of public facility services is not guaranteed at this stage in the development review process. Adequacy for public facilities is determined through certification of concurrency and the issuance of final local development orders as may be necessary for this project to be determined based on the application material submitted.

Revised 02/26/20

# EXHIBIT 2 CHECKLIST FOR P.U.D. AMENDMENT (PLEASE SEE PAGE 8)



### CONCEPT PLAN SUFFICIENCY CHECKLIST

Revised September, 2011

Project Name: _Verano F	Pod D PUD Amei	ndmer	nt #3	
Project Number: P	New Submittal X	or	Resubmittal_	(Check One)

Applicant should submit the concept plan package to Planning & Zoning Department with all items listed below to initiate the review process. Other drawings or information may be required, if deemed necessary, upon review of the submittal for the Site Plan Review Committee Meeting.

The Applicant should complete the Project Information, Applicant Checklist and Applicant Certification. Use the following to complete the checklist:  $\checkmark = Provided \quad X = Incomplete \text{ or Missing} \quad NA = Not Applicable$ 

ıt T		Sı	fficier	ıt
Applicant Checklist	Description of Item Provided	P&Z	Eng.	Utility
X	Sufficiency Checklist: One original completed and signed by applicant.		i	_
X	Cover Letter: Sixteen copies of a typed letter explaining the purpose and history of the application.			
X	Written Response to Comments: Sixteen copies. For resubmittals only.		İ	
X	Completed Application: Sixteen copies. Use black ink or type to fill out completely and legibly.			
Х	Owner's Authorization: Sixteen copies of authorization on Owner's letterhead.		. 3	
Х	Application Fees: Refer to each department's fee schedule.			
X	Proof of Ownership:		17.6	
N/A	Three copies of the recorded deed(s) for each parcel with the exact same name for each parcel or			
N/A	Unity of Title			
	PUD/MPUD Document and Concept Plan (Sections 158.170 – 158.175 of the Zoning Code):			
X	Sixteen sets of 11" x 17" concept plans			
X	Show traffic access points			
X	Show drainage discharge locations			
х	Show proposed water and sewer connection points			
Х	Evidence of unified control and binding PUD agreement			
X	Density statement		9.5	
Х	Proposed zoning district regulations			
	LMD Rezoning and Concept Plan (Section 158.155(M) of the Zoning Code):	173		
200	Sixteen sets of 11" x 17" concept plans			
	Show traffic access points			
	Show drainage discharge locations			
	Show proposed water and sewer connection points			
	Evidence of unified control and development agreement			
	Preliminary building elevations			
	Landscape Plan		1	
	SEU Concept Plan:			10
	Sixteen sets of 11" x 17" plans – either approved site plan or proposed concept plan			



### CONCEPT PLAN SUFFICIENCY CHECKLIST

Revised September, 2011

Project Name: Verano Pod D PUD Amendment #3

Project Number: P New Submittal or Resubmittal (Check One	e)
Applicant Certification	12.3
I, DANIEC T. SORROW (Print or type name), do hereby certify	that the
information checked above has been provided to the City of Port St Lucie for the subject project. I understand	
checklist is used to determine if the submittal is complete so that the project can be added to the Site Plan Review Ag	
further understand that review of the submittal contents will not be made at this time and that a sufficient submittal contents.	
exempt a project from being tabled or denied at the Site Plan Review Committee.	aces not
5.18·20	
(Signature of Applicant) (Date)  Planning and Zoning Department Representative	31/10
	7. :
I, (Print name), as a representative of the Planning and	
Department, find that this submittal is <b>Sufficient / Non-Sufficient</b> based upon my review on	(aate).
Additional Comments:	
(Signature of Planning and Zoning Department Representative) (Date)	
Engineering Department Representative	
I, (Clearly print or type name), as a representative of the Eng	ineering
Department, find that this submittal is Sufficient / Non-Sufficient based upon my review on	(date).
Additional Comments:	
(Signature of Engineering Department Representative) (Date)	
Utilities System Department	5 - V
I, (Clearly print or type name), as a representative of the	Utilities
System Department, find that this submittal is Sufficient / Non-Sufficient based upon my review on	_ (date)
Additional Comments:	
(Signature of Utility System Department Representative) (Date)	

# EXHIBIT 3 LETTER OF AUTHORIZATION (PLEASE SEE PAGE 11)

April 16, 2020

City of Port St. Lucie Planning and Zoning Department 121 SW Port St. Lucie Boulevard Port St. Lucie, FL 34984

Re: LETTER OF AUTHORIZATION

To Whom It May Concern:

Please allow this letter to serve as authorization for Cotleur & Hearing and its staff to act as agents for the area owned by Verano Development LLC in the Verano project, located at Crosstown Parkway and 1-95 in the City of Port St. Lucie, Florida, for the purposes of obtaining approvals and permits from state and local government agencies regarding site plan, signage plan, subdivision plat, PUD, and other similarly related applications.

AUTHORIZED SIGNATORY FOR VERANO DEVELOPMENT LLC

OHN CSAPO

PRINTED NAME

STATE OF FLORIDA COUNTY OF PALM BEACH

The foregoing instrument was acknowledged before me by means of physical presence or  $\square$  online notarization this 17 day of APRIC, 2020, by

CSAPU JOH N who is personally known to me or has produced

as identification.

**INOTARIAL** SEAL]

NOTARY PUBLIC, State of Florida



## CERTIFICATE AS TO RESOLUTIONS OF THE MANAGER OF THE KOLTER GROUP LLC

THE UNDERSIGNED, being the Manager of THE KOLTER GROUP LLC, a Florida limited liability company (the "Company"), does hereby certify that the following is a true and complete copy of a Resolution adopted by Manager of said Company which Resolution has not been revoked, rescinded, cancelled or modified and remains in full force and effect.

RESOLVED, that the Company shall execute all contracts, documents, purchase agreements, affidavits, deeds, settlement statements, releases, agreements, instruments and all necessary papers and documents in connection with the leasing, acquisition, disposition and development of real property for sale; and

IT IS FURTHER RESOLVED, that the following individual, acting on behalf of the Company, is further authorized, empowered and directed to do singly, all such further acts, execute and deliver all such documents and otherwise take any action as may be necessary or appropriate in connection with the aforesaid transactions:

John Csapo

**Authorized Signatory** 

I FURTHER CERTIFY that the Operating Agreement of the Company does not impair or restrict the Company's ability to execute and deliver the documents required to complete said development.

IN WITNESS WHEREOF, I have executed this certification of the Company this 1st day of March, 2018.

THE KOLTER GROUP LLC

ву: \_\_\_\_

William Johnson

Its: Manager

# EXHIBIT 4 BINDING P.U.D. AGREEMENT (PLEASE SEE PAGE 14)

### **BINDING PUD AGREEMENT**

#### Binding PUD Agreement

The undersigned acknowledges that the area of the Verano South Pod D PUD 1, described as follows:

#### See attached

is subject to an existing Planned Unit Development approval and is under the unified control of the undersigned petitioner(s) who agree to (1) proceed with the proposed development according to the provisions of the Port St. Lucie P.U.D. Zoning Regulations; and (2) provide such agreements, contracts, deed restrictions and sureties as are acceptable to the City of Port St. Lucie for the completion of the development in accordance with the plan approved by the City. In addition, the said petitioner shall be responsible for the continuing operations and maintenance of such areas, functions and facilities until such time as a private property owners association. Community Development District or similar entity agrees to accept the same responsibilities. The petitioner further agrees to bind all successors in title to the commitments herein in this paragraph made.

Verano Development LLC

By:

Print Name: Title:

NOTARY ACKNOWLEDG	MENT
STATE OF FLONDA	
COUNTY OF POWN BEACH	
hereby certify that the foregoing instrument was	acknowledged before me this
He or she Lis personally known to me or Li has produced.	as
identification.	
Sala PSROVV	E delle continue
Printed name	and the second s
Sala BRIWN	E delle continue

## EXHIBIT 5 SITE INFORMATION (PLEASE SEE PAGE 16)

## EXHIBIT 5 SITE INFORMATION

	Existing	Proposed
Land Use Designation	RGC	N/A
Existing Zoning	AG-5	N/A
Proposed Zoning	PUD	N/A
Total Area	298.73 ac	N/A
Total Dwelling Units	<u>702</u>	<del>702</del> N/A
Density	2.35 du/ac	N/A
Residential Area (ac)	137.7	N/A
	46.09%	N/A
Recreation (ac)	1.73	N/A
	.57%	N/A
R/W (ac)	40.27	N/A
	13.5%	N/A
Open Space (ac)	33.77	N/A
	11.3%	N/A
Lakes (ac)	85.26	N/A
	28.54%	N/A

1.	<b>TOTA</b>	ACREAGE:		298.73 acres
	A.	Residential		137.7 acres
	В.	Open Space		33.77 acres
		Water Management Tracts		85.26 acres
	D.	Road Right-Of-Ways		40.27 acres
	F.	Clubhouse/Recreation		1.73 acres
			<b>Totals</b>	298.73 acres

2. ALLOWABLE DENSTY 2.2 du./ac Max. Density (For overall Verano DRI)

3. **PROPOSED DENSITY** 2.35 du./ac Proposed Density

4. **UPLAND PRESERVATION** As indicated in the Verano DRI

1. **PEDESTRIAN WAYS**The system of pedestrian movement will consist of Sidewalks and multi-use paths adjacent to streets within the residential neighborhoods as well as a pathway along

the C-24 Canal as exhibited on Exhibit 8 & 11.

**Note**: Verano South Pod D is part of the Verano DRI with regards to maximum building coverage, open space and upland preservation requirements. The acreage breakdown provided is conceptual and subject to adjustments during the platting process.

## EXHIBIT 6 PROPOSED DEVELOPMENT USES/STANDARDS (PLEASE SEE PAGE 18)

#### EXHIBIT 6

#### PROPOSED DEVELOPMENT USES/STANDARDS

#### 1. PERMITTED PRINCIPAL USES

### A. RGC (Residential/ Golf Course) LAND USE AREA:

- 1. Single-Family Detached Residences, Villas (Duplex subdivided on individual lots)
- 2. Temporary Construction Trailers
- 3. Model Homes
- 4. Lakes
- 5. Recreation Facility and Maintenance Facility
- 6. Entry Gates and Guard House.
- 7. Temporary Sales and Design Center

#### 2. DENSITY:

2.35 du/ac.

#### 3. PARKINGREQUIRED:

#### **RGC Land Use:**

All single-family units shall have at minimum a 2-car garage, with 2 guest parking spaces located in the driveway or elsewhere in the community. Single car garages are permitted. Units with single car garages will have parking for one (1) space in garage and one tandem space in driveway.

One (1) space per 200 square feet of Recreation Facility/Clubhouse/Mail Kiosk. On-street parking may be utilized to satisfy this requirement.

Driveways will be up to 20' wide at the right-of-way. Past the right-of-way, driveways can extend up to 30' in width to accommodate a three-car garage.

#### 4. STREET DESIGN:

Corner radii of intersecting street shall be a minimum of twenty-five feet (25').

#### 5. MAXIMUM BLDGHEIGHT:

Maximum height of residential structures and recreation centers shall not exceed thirty-five Feet (35') above finished grade.

#### 6. MINIMUM LOTSIZES: (See Exhibit 11 TypicalLots)

Lot sizes are not restricted to the typical plans, provided they adhere to the setback requirement.

Single-Family: Min. Width: 40 feet

Min. Depth: 125 feet Max Depth: 175 feet

Villas: Min. 25 feet

Width: Min. 125 feet

Depth: Max Depth: 175 feet

#### 7. MAXIMUM BUILDINGCOVERAGE:

For Whole DRI: 30% Residential: 60% 8. MAXIMUMIMPERVIOUS COVERAGE:

For Whole DRI:

50%

Residential:

75%

9. MINIMUM BLDG SETBACKS: (See Exhibit 11, Typical Lots)

Single-family: Minimum setbacks shall be as stated below unless otherwise indicated. Side setbacks

apply to buildings and accessory structures. Refer to section 11 on the following page. Roofs are

allowed to overhang into building setbacks not to exceed 24".

Front Setback:

Each lot shall have a front setback line of thirteen feet (13') from a dwelling's living area or a side

entry garage, and eighteen feet (18') to a front entrygarage.

Side Setback:

Side setbacks apply to building and accessory structures. Each lot shall have a side setback of

five feet (5'). A side setback of zero feet (0') shall be allowed on a zero-lot-line provided that a

minimum building separation of ten feet (10') is maintained between units. Accessory structures

are allowed within the side setback and shall have a minimum setback of 2 feet from the lot line.

Any accessory structure placed within the side setback must be landscaped to be shielded from

the right-of-way. If adjacent to an open space tract five feet (5') in width or greater, the side

corner lot setback can be reduced to five feet (5').

Side Street Setback:

A side street setback of fifteen feet (15') shall be provided adjacent to rights-of- way. If

adjacent to an open space tract fifteen feet (15') in width or greater, the side corner lot setback

can be reduced to five feet (5'). Accessory structures are allowed within the side setback and

shall have a minimum setback of five feet (5') from the lot line.

Rear Setback:

Each lot shall have a rear setback with a building setback line of ten feet (10'). There shall be a

three foot (3') setback requirement for accessory structures. If adjacent to a lake, open space, or

common area tract, the setback for accessory structures shall be zero feet (0').

Notwithstanding the foregoing, sand set pavers may encroach into the setbacks up to the property line

provided that all other requirements have been met or waived.

Villas: Minimum setbacks shall be as stated below unless otherwise indicated. Roof encroachments are

19

allowed to overhang into building setbacks, not to exceed 24 inches (24").

Front Setback:

Each lot shall have a front setback of eighteen feet (18').

P20-214 PSLUSD 11-652-33

#### Side Setback:

Each lot shall have a side setback of five feet (5'). Accessory structures are allowed within the side setback and shall have a minimum setback requirement of three feet (3'). A minimum of ten feet (10') shall be maintained between buildings. Any accessory structure placed within the setback must be landscaped to be shielded from the right- of-way.

#### Side Street Setback:

A side street setback of fifteen feet (15') shall be provided adjacent to rights-of- way. Accessory structures are allowed within the side setback and shall have a minimum setback of five feet (5') from the lot line.

#### Rear Setback:

Each lot shall have a rear setback of ten feet (10'). There shall be a three foot (3') setback requirement for accessory structures. If adjacent to a lake, open space, or common area tract, the setback for accessory uses structures is zero feet (0').

Notwithstanding the foregoing, sand set pavers may encroach into the setbacks up to the property line provided that all other requirements have been met or waived.

#### 10. FENCES / WALLS:

#### **Single-Family:**

Decorative and non-decorative f<u>Fences</u> and walls may be located along the rear and side property line, but they shall not extend into the front setback. These fences and walls may have a maximum height of seven feet (7'). In addition, within the front and side setbacks of the lot, a decorative fence with a maximum height of three feet (3') may be provided.

#### Villas:

Decorative and non-decorative f<u>Fences</u> and walls may be located along the rear and side property line, but they shall not extend into the front setback. These fences and walls may have a maximum height of seven feet (7'). In addition, within the front and side setback of the lot, a decorative fence with a maximum height of three feet (3') may be provided.

#### 11. ACCESSORYUSES:

Accessory Uses/Structures are permitted in connection with any principle use provided that all accessory structures or uses are in full compliance with all setback, height and building coverage. Approved uses include but are not limited to patios, outdoor cooking areas, gazebos, pool equipment, and screen enclosures. \*

\*A/C Units, Generators, and pool equipment are considered support uses and are allowed inside yard setbacks

#### 12. LANDSCAPING:

#### Overall:

No more than 50% of the required trees on single-family lots may be palm trees. A minimum of 25% of all required trees shall be native species. Landscaping within this PUD is subject to the regulations of the City of Port St. Lucie Code of Ordinances, Chapter 154, unless regulations are otherwise stated in this document.

#### **Easement and Utility Area Landscaping:**

No trees may be planted within ten feet (10') of any existing Port St. Lucie Utility Systems Department (PSLUSD) infrastructure, utility pole, guy wire, or pad mounted transformer. No protective barriers are required.

#### **Landscape Buffer Strips:**

No wall shall be required adjacent to open space land unless it is Open Space Conservation.

#### **Common Area Landscaping:**

The minimum perimeter landscaping for common areas, amenity centers, model centers, and mail kiosks will be an average of five feet (5') from the property line. When street trees are present adjacent to common areas, amenity centers, model centers, and mail kiosks, the street trees shall count towards the perimeter tree requirement and additional shade trees will not be necessary, so long as the street trees are no more than fifteen feet (15') from the property line. Smaller trees and hedges shall still be required. Landscaping will be provided in keeping with the desired community aesthetic.

#### Single-Family:

- 1. Lots less than 6,000 sf shall provide two (2) trees
- 2. Lots from 6,000 to 7,500 sf shall provide three (3)trees
- 3. Lots over 7,500 sf shall provide four (4) trees

Trees to be placed in the front yard of a unit may be substituted with street trees to be planted within the adjacent right-of- way. Street trees will be planted at the time units are being built. Perimeter landscaping along lakes for residential homes will not be necessary nor are they prohibited.

#### **Street Trees:**

<u>Large Canopy</u> Street trees shall be provided on a basis of one (1) tree per forty (40) linear feet of roadway per side. Tree spacing can be adjusted as necessary but shall not exceed fifty (50) feet on center as per city <u>landscape</u> <u>Subdivision</u> code. Street trees planted in front of residential lots may be counted towards the canopy tree requirements for the lot.

#### 13. CLUBHOUSE/RECREATION:

#### **Permitted Uses:**

Pool, Hot Tub, Cabana, Conference Facilities, Health Club, Outdoor Sports Facilities, Tot lot, Passive Garden Area, Golf Cart Parking Spaces, Racquet Club Facilities, Fire Pits, Outdoor Cooking.

#### **Minimum Building Setbacks:**

Front Setback: The minimum front setbacks for amenity centers and clubhouses shall be of ten feet (10').

Side Setback: The minimum side setbacks for amenity centers and clubhouses shall be of five feet (5').

Rear Setback: The minimum rear setbacks for amenity centers and clubhouses shall be of five feet (5').

#### Landscape:

Screening amenity centers with perimeter landscaping and providing Vehicle Use Area (VUA) landscaping will be subject to the approval of the Site Plan Review Committee on a case by case basis. A minimum average of five feet (5') is required for most all perimeter landscaping. One (1) tree per parking island will also be required. Parking islands will be provided to facilitate a landscape design that is in keeping with the desired community aesthetic. Certain vistas to lakes, open space, and natural areas are subject to landscaping/buffering requirements with opportunity for uninterrupted views of these vistas. The same amount of landscaping that is required per City Code will be provided in these buffers, however this PUD provides opportunity to provide open vistas where no landscaping will be placed up to a maximum of fifty percent (50%) of the buffer length. Landscaping may instead be grouped on at least half of the buffer length.

#### 14. MODEL ROW AND SALES CENTERS:

Model homes and their respective sales centers are permitted within this PUD. If the location of model row is not shown on the Conceptual Master Plan (Exhibit 9a), it may be permitted within the PUD through site plan review and model home applications, without warranting a PUD amendment. Temporary trap fences are permitted in model row. These trap fences intend to prohibit vehicular access within model row but will allow access to emergency vehicles through an emergency lock.

Street furniture and shade sails are also allowed within model row per site plan application, including within rights-of-way, so long as they do not unreasonably interfere with traffic. This will enhance the pedestrian experience while visiting model row. Street furniture and shade sails may remain after models

have been sold as single-family homes.

#### 15. ELEVATIONS:

No two same residential elevations shall be adjacent to each other on the same side of the street. This applies to residential units. This does not apply to facades A same or similar elevation is permissible across the street. Townhouses, apartments, multifamily (excluding duplexes), commercial, office, and institutional uses will follow the Citywide Design Standards. Single-family, Villa (duplex), model homes, residential amenity centers, clubhouses, and guardhouses are not required to follow the Citywide Design Standards.

#### 16. UTILITIES AND PUBLIC WORKS:

All construction shall be in accordance with the City of Port St. Lucie Utility Systems Department's Technical Specifications and Construction Standards, latest revision, and with all applicable Florida Department of Environmental Protection rules and regulations.

The subject PUD will be supplied with Water and/or Wastewater Services by the City of Port St. Lucie Utility Systems Department (PSLUSD) and will abide and comply with all the applicable City Ordinances, Policies, Specifications and Regulatory Agencies governing such services.

Pump Stations will be designed to serve neighboring parcels to maximize the benefit to the system and minimize maintenance costs to the City.

The Applicant acknowledges that the City may require reuse water to be utilized for irrigation, equal to the amount of wastewater generated by the project.

No vegetation with intrusive root systems vegetation shall be placed within ten feet of utilities. All utilities shall be placed underground.

Trees shall not be planted within 10 feet of any PSLUSD mains or appurtenances. All other utilities shall be a minimum of 5' horizontal separation from city utility mains for parallel installations and a minimum of 18" below city utility mains (all measurements are from outside to outside). Fiber Optics necessary for communication to the lift station and reuse metering stations will be required. Fiber optics must be installed at a minimum of five feet (5') from all other mains and utilities.

No landscaping shall be placed in a manner that would create conflicts with the intended operation and maintenance of any existing or proposed water/wastewater utility lines.

Berms and structural landscape features such as rock, foundations, sculpture, decorative wall and tree wells are generally not allowed in PSLUSD easements, but may be reviewed on a case by case basis.

All measurements are from outside to outside, not centerline to centerline. Example: outside of pipe to nearest point on tree trunk.

No landscaping other than sod grasses may be planted within a 5' radius maintenance area of any above ground PSLUSD appurtenance such as water meters, backflow devices, fire hydrants, sanitary sewer cleanouts, and manholes, air release valves, or fiber optics pull boxes.

All landscaping within PSLUSD easements shall comply with PSLUSD technical specifications, policies, and codes.

The property owner, contractor, and authorized representatives shall provide pickup, removal, and disposal of litter within the project limits and shall be responsible for maintenance of the area from the edge of the pavement to the property line within the City's right-of-way in accordance with City Code, Section 41.08 (g).

# EXHIBIT 7A LEGAL DESCRIPTION (PLEASE SEE PAGE 26)

#### LEGAL DESCRIPTION

#### **DESCRIPTION:**

BEING A PARCEL OF LAND LYING IN SECTIONS 28,29,32,33,TOWNSHIP 36 SOUTH, RANGE 39 EAST, ST. LUCIE COUNTY, FLORIDA AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE INTERSECTION OF THE SOUTHWESTERLY RIGHT-OF-WAY LINE OF THE SOUTH FLORIDA WATER MANAGEMENT DISTRICT CANAL NUMBER C-24, AS SHOWN ON THE RIGHT-OF-WAY MAP FOR SAID CANAL C-24, CHECKED DATED 11/25/58 AND REVISED ON 02/23/59 AND THE SOUTHEASTERLY RIGHT-OF- WAY LINE OF THE FLORIDA EAST COAST RAILWAY COMPANY "FT. PIERCE CUT- OFF" TRACK AS SHOWN ON THE RIGHT-OF-WAY MAPS, PAGES V.3D/6 AND V.3D7, DATED FEBRUARY 1, 1960 WITH "TRACK CORRECT" REVISION DATED 04/26/67; THENCE SOUTH 43°08'38" EAST, ALONG SAID SOUTHWESTERLY RIGHT-OF- WAY LINE OF THE SOUTH FLORIDA WATER MANAGEMENT DISTRICT CANAL NUMBER C-24, A DISTANCE OF 660.44 FEET TO THE **POINT OF BEGINNING**;

THENCE CONTINUE SOUTH 43°08'38"EAST, A DISTANCE OF 3345.54 FEET; THENCE SOUTH 46°51'22"WEST, A DISTANCE OF 45.02 FEET TO A POINT OF INTERSECTION WITH A NON-TANGENT CURVE, CONCAVE TO THE NORTHWEST, HAVING A RADIUS OF 198.00 FEET, THE RADIUS POINT OF SAID CURVE BEARS NORTH 63°53'49" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 51°55'00", A DISTANCE OF 179.41 FEET TO A POINT OF REVERSE CURVATURE OF A CURVE CONCAVE TO THE SOUTHEAST, HAVING A RADIUS OF

25.00 FEET; THENCE SOUTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 33°11'33", A DISTANCE OF 14.48 FEET TO A POINT OF COMPOUND CURVATURE OF A CURVE TO THE SOUTHEAST, HAVING A RADIUS OF 1,335.00 FEET; THENCE SOUTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 08°23'13", A DISTANCE OF 195.42 FEET TO A POINT OF TANGENCY; THENCE SOUTH 36°26'26" WEST, A DISTANCE OF 119.37 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE NORTHWEST, HAVING A RADIUS OF 665.00 FEET; THENCE SOUTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 25°08'35", A DISTANCE OF 291.82 FEET TO A POINT OF REVERSE CURVATURE OF A CURVE CONCAVE TO THE SOUTHEAST, HAVING A RADIUS OF 100.00 FEET; THENCE SOUTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 13°56'03", A DISTANCE OF 24.32 FEET TO A POINT OF REVERSE CURVATURE OF A CURVE CONCAVE TO THE NORTHWEST, HAVING A RADIUS OF 254.00 FEET; THENCE SOUTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF18°39'05", A DISTANCE OF 82.68 FEET TO A POINT OF TANGENCY; THENCE SOUTH 66°18'02" WEST, A DISTANCE OF159.42 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE NORTH, HAVING A RADIUS OF 256.00 FEET; THENCE WESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 13°16'50", A DISTANCE OF 59.34 FEET TO A POINT OF REVERSE CURVATURE OF A CURVE CONCAVE TO THE SOUTH, HAVING A RADIUS OF 100.00 FEET; THENCE WESTERLY, ALONG THE ARC OF SAID **CURVE** 

THROUGH A CENTRAL ANGLE OF 20°53'38", A DISTANCE OF 36.47 FEET TO A POINT OF COMPOUND CURVATURE OF A CURVE TO THE SOUTHEAST, HAVING A RADIUS OF 835.00 FEET; THENCE SOUTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 34°09'58", A DISTANCE OF 497.92 FEET TO A POINT OF TANGENCY; THENCE SOUTH 24°31'15" WEST, A DISTANCE OF 618.04 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE NORTHWEST, HAVING A RADIUS OF 1,165.00 FEET; THENCE SOUTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 20°12'54", A DISTANCE OF 411.03 FEET TO A POINT OF REVERSE CURVATURE OF A CURVE CONCAVE TO THE SOUTHEAST, HAVING A RADIUS OF 50.00 FEET; THENCE SOUTHEASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 19°32'05", A DISTANCE OF 17.05 FEET TO A POINT OF REVERSE CURVATURE OF A CURVE CONCAVE NORTHWEST, HAVING A RADIUS OF 254.00 FEET; THENCE SOUTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 18°44'25", A DISTANCE OF 83.08 FEET TO A POINT OF TANGENCY; THENCE SOUTH 43°56'29" WEST, A DISTANCE OF 112.29 FEET; THENCE SOUTH 46°03'31" EAST, A DISTANCE OF 151.02 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE SOUTHWEST, HAVING A RADIUS OF 1,965.00 FEET; THENCE SOUTHEASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 02°30'26", A DISTANCE OF 85.99 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE WEST, HAVING A RADIUS OF 25.00 FEET; THENCE SOUTHEASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 66°45'36", A DISTANCE OF 29.13 FEET TO A POINT OF INTERSECTION WITH A NON-TANGENT CURVE, CONCAVE TO THE SOUTHWEST, HAVING A RADIUS 1,950.00 FEET, THE RADIUS POINT OF SAID CURVE BEARS SOUTH 47°07'25" WEST; THENCE SOUTHEASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 02°50'46", A DISTANCE OF 96.86 FEET TO A POINT OF INTERSECTION WITH A NON-TANGENT CURVE, CONCAVE TO THE SOUTH, HAVING A RADIUS OF25.00 FEET, THE RADIUS POINT OF SAID CURVE BEARS SOUTH 16°04'44" EAST; THENCE NORTHEASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 66°45'35", A DISTANCE OF 29.13 FEET TO A POINT OF COMPOUND CURVATURE OF A CURVE CONCAVE TO THE SOUTHWEST, HAVING A RADIUS OF 1965.00 FEET; THENCE SOUTHEASTERLY, ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 14°08'14", A DISTANCE OF 484.85 FEET TO A POINT OF TANGENCY; THENCE SOUTH 25°13'05" EAST, A DISTANCE OF 95.95 FEET, THENCE SOUTH 25°13'05" EAST, A DISTANCE OF 23.58 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE WEST, HAVING A RADIUS OF 25.00 FEET; THENCE SOUTHEASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 90°00'00", A DISTANCE OF 39.27 FEET TO A POINT; THENCE SOUTH 25°13'05" EAST, A DISTANCE OF 92.00 FEET TO A POINT OF INTERSECTION WITH A NON-TANGENT CURVE CONCAVE TO THE SOUTH, HAVING A RADIUS OF 25.00 FEET, THE RADIUS POINT BEARS SOUTH 25°13'05' EAST; THENCE NORTHEASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 90°00'00", A DISTANCE OF 39.27 FEET TO A POINT OF TANGENCY; THENCE SOUTH 25°13'05" EAST, A DISTANCE OF 20.12 TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE NORTHEAST, HAVING A RADIUS OF 1,035.04 FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE,

THROUGH A CENTRAL ANGLE

27

OF 26°24'19", A DISTANCE OF 477.01 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE WEST, HAVING A RADIUS OF 25.00 FEET; THENCE SOUTHEASTERLY, ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 65°48'04", A DISTANCE OF 28.71 FEET TO A POINT OF INTERSECTION WITH A NON-TANGENT CURVE, CONCAVE TO THE NORTHEAST, HAVING A RADIUS OF 1.050.40 FEET, THE RADIUS POINT OF SAID CURVE BEARS NORTH 37°07'45" EAST; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 05°11'43", A DISTANCE OF 95.25 FEET TO A POINT OF INTERSECTION WITH A NON-TANGENT CURVE, CONCAVE TO THE SOUTH, HAVING A RADIUS OF 25.00 FEET, THE RADIUS POINT BEARS SOUTH 34°32'57" EAST; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 66°25'19", A DISTANCE OF 28.98 TO A POINT OF TANGENCY; THENCE SOUTH 58°07'23" EAST, A DISTANCE OF 418.24 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE NORTH, HAVING A RADIUS OF 785.00 FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 23°57'11", A DISTANCE OF 328.18 FEET TO A POINT OF TANGENCY, THENCE SOUTH 82°04'34 EAST, A DISTANCE OF 22.84 FEET TO A POINT OF CURVATURE WITH A CURVE CONCAVE TO THE WEST, HAVING A RADIUS OF 25.00 FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE, THOUGH A CENTRAL ANGLE OF 90°02'10", A DISTANCE OF 39.29 FEET; THENCE SOUTH 82°04'34" EAST, A DISTANCE OF 92.00 FEET TO A POINT OF INTERSECTION WITH A NON-TANGENT CURVE, CONCAVE TO THE SOUTHEAST, HAVING A RADIUS OF 25.00 FEET, THE RADIUS POINT OF SAID CURVE BEARS SOUTH 82°04'34" EAST: THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE. THROUGH A CENTRAL ANGLE OF 90°02'10", A DISTANCE OF 39.29 FEET TO A POINT OF TANGENCY, THENCE SOUTH 82°04'34" EAST, A DISTANCE OF 194.32 FEET TO A POINT OF INTERSECTION WITH A NON-TANGENT CURVE, CONCAVE TO THE WEST, HAVING A RADIUS OF 1,950.81 FEET, THE RADIUS POINT OF SAID CURVE BEARS NORTH 82°11'28" WEST; THENCE SOUTHERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°11'30", A DISTANCE OF 347.01 FEET TO A POINT OF TANGENCY; THENCE

18°00'09" WEST, A DISTANCE OF 160.16 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE NORTHWEST, HAVING A RADIUS OF 210.00 FEET; THENCE SOUTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 30°05'15", A DISTANCE OF 110.28 FEET TO A POINT OF TANGENCY; THENCE SOUTH 48°05'24" WEST, A DISTANCE OF 89.28 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE SOUTHEAST, HAVING A RADIUS OF 200.00 FEET; THENCE SOUTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 30°05'15", A DISTANCE OF 105.03 FEET TO A POINT OF TANGENCY; THENCE SOUTH 18°00'09" WEST, A DISTANCE OF 181.52 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE NORTHWEST, HAVING A RADIUS OF 25.00 FEET; THENCE SOUTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 90°48'23", A DISTANCE OF 39.62 FEET TO A POINT OF TANGENCY; THENCE NORTH 71°11'28" WEST, A DISTANCE OF 511.18 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE SOUTH, HAVING A RADIUS OF 3,050.00 FEET; THENCE WESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 21°12'09", A DISTANCE OF 1,128.66 FEET TO A

POINT OF TANGENCY; THENCE NORTH 84°01'55" WEST, A DISTANCE OF 144.37 FEET TO A POINT OF INTERSECTION WITH A NON-TANGENT CURVE, CONCAVE TO THE WEST, HAVING A RADIUS OF 342.74 FEET, THE RADIUS POINT OF SAID CURVE BEARS SOUTH 87°43'58" WEST; THENCE NORTHERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°41'56", A DISTANCE OF 123.82 FEET TO A POINT OF INTERSECTION WITH A NON-TANGENT CURVE, CONCAVE TO THE WEST, HAVING A RADIUS OF 290.66 FEET, THE RADIUS POINT OF SAID CURVE BEARS NORTH 49°58'24" WEST; THENCE NORTHERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 53°10'31", A DISTANCE OF 269.76 FEET TO A POINT OF TANGENCY; THENCE NORTH 13°08'55" WEST, A DISTANCE OF 233.14 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE SOUTHWEST, HAVING A RADIUS OF 927.20 FEET; THENCE NORTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 55°47'35", A DISTANCE OF 902.88 FEET TO A POINT OF TANGENCY; THENCE NORTH 03°36'07" WEST, A DISTANCE OF 856.15 FEET; THENCE NORTH 86°23'53" EAST, A DISTANCE OF 50.00 FEET; THENCE NORTH 03°36'07" WEST, A DISTANCE OF 185.00 FEET; THENCE NORTH 86°23'53" EAST, A DISTANCE OF 237.78 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE NORTH, HAVING A RADIUS OF 530.00 FEET; THENCE EASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 35°01'21", A DISTANCE OF

323.97 FEET TO A POINT OF TANGENCY; THENCE NORTH 38°37'27" WEST, A DISTANCE OF 73.00 FEET TO A POINT OF INTERSECTION WITH A NON-TANGENT CURVE, CONCAVE TO THE WEST, HAVING A RADIUS OF 12.00 FEET, THE RADIUS POINT OF SAID CURVE BEARS NORTH 38°37'27" WEST; THENCE NORTHERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 97°26'03", ADISTANCE OF 20.41 FEET TO A POINT OF TANGENCY; THENCE NORTH 46°03'31" WEST, A DISTANCE OF 95.90 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE NORTHEAST, HAVING A RADIUS OF 1,048.00 FEET; THENCE NORTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 20°24'18", A DISTANCE OF 373.23 FEET TO A POINT OF TANGENCY; THENCE NORTH 25°39'12" WEST, A DISTANCE OF 63.16 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE SOUTH, HAVING A RADIUS OF 12.00 FEET; THENCE WESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 90°21'50", A DISTANCE OF 18.93 FEET TO A POINT OF TANGENCY; THENCE NORTH 25°32'21" WEST, A DISTANCE OF 86.00 FEET TO A POINT OF INTERSECTION WITH A NON- TANGENT CURVE, CONCAVE TO THE WEST, HAVING A RADIUS OF 12.00 FEET, THE RADIUS POINT OF SAID CURVE BEARS NORTH 26°06'27" WEST; THENCE NORTHERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 89°32'46", A DISTANCE OF 18.75 FEET TO A POINT OF TANGENCY; THENCE NORTH 25°39'12" WEST, A DISTANCE OF 252.62 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE SOUTHWEST, HAVING A RADIUS OF 952.00 FEET; THENCE NORTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 25°04'47", A DISTANCE OF 416.71 FEET TO A POINT OF COMPOUND CURVATURE OF A CURVE TO THE SOUTH, HAVING A RADIUS OF 12.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 91°08'31", A DISTANCE OF 19.09 FEET TO A POINT OF TANGENCY; THENCE NORTH 50°25'25" WEST, A DISTANCE OF 86.03 FEET TO A POINT OF INTERSECTION

WITH A NON-TANGENT CURVE, CONCAVE TO THE WEST, HAVING A RADIUS OF

12.00 FEET, THE RADIUS POINT OF SAID CURVE BEARS NORTH 52°02'26" WEST; THENCE NORTHERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 88°43'04", A DISTANCE OF 18.58 FEET TO A POINT OF TANGENCY; THENCE NORTH 50°45'30" WEST, A DISTANCE OF 400.81 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE SOUTH, HAVING A RADIUS OF 12.00 FEET; THENCE WESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 85°22'09". A DISTANCE OF 17.88 FEET TO A POINT OF REVERSE CURVATURE OF A CURVE CONCAVE TO THE NORTHWEST, HAVING A RADIUS OF 2,546.50 FEET; THENCE SOUTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 02°35'27", A DISTANCE OF 115.15 FEET TO A POINT OF TANGENCY; THENCE NORTH 43°33'02" WEST, A DISTANCE OF 31.83 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE NORTHEAST, HAVING A RADIUS OF 1,853.79; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 03°44'39", A DISTANCE OF 121.14 FEET TO A POINT OF REVERSE CURVATURE OF A CURVE CONCAVE TO THE SOUTHWEST, HAVING A RADIUS OF 915.00 FEET; THENCE NORTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 21°42'10", A DISTANCE OF 346.59 FEET TO A POINT OF TANGENCY; THENCE NORTH 61°30'34" WEST, A DISTANCE OF 93.72 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE NORTHEAST, HAVING A RADIUS OF 375.53 FEET; THENCE NORTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 29°26'22", A DISTANCE OF 192.95 FEET TO A POINT OF TANGENCY; THENCE NORTH 32°04'11" WEST, A DISTANCE OF 187.39 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE TO THE SOUTHWEST, HAVING A RADIUS OF 394.75 FEET; THENCE NORTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 44°07'45", A DISTANCE OF 304.04 FEET TO A POINT OF REVERSE CURVATURE OF A CURVE CONCAVE TO THE NORTHEAST, HAVING A RADIUS OF 25.00 FEET; THENCE NORTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 53°17'06", A DISTANCE OF 23.25 FEET TO A POINT OF REVERSE CURVATURE OF A CURVE CONCAVE TO THE SOUTHWEST, HAVING A RADIUS OF 198.00 FEET; THENCE NORTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 21°36'43", A DISTANCE OF 74.69 FEET TO A POINT OF TANGENCY; THENCE NORTH 44°31'34" WEST, A DISTANCE OF 154.35 FEET TO A POINT ON THE SOUTHEAST LINE OF A FLORIDA POWER AND LIGHT EASEMENT AS DESCRIBED IN OFFICIAL RECORDS BOOK 348, PAGE 993 OF THE PUBLIC RECORDS OF ST. LUCIE COUNTY, FLORIDA; THENCE NORTH 44°46'02" EAST, ALONG SAID SOUTHEAST LINE, A DISTANCE OF 2,958.78 FEET TO THE POINT OF BEGINNING.

CONTAINING: 13.012.563 SOUARE FEET OR 298.73, ACRES MORE OR LESS

## EXHIBIT 7B WARRANTY DEED (PLEASE SEE PAGE 32)

#### WARRANTY DEED

EDWIN M. FRY, Jr., CLERK OF THE CIRCUIT COURT - SAINT LUCIE COUNTY FILE # 2809341 OR BOOK 2502 PAGE 1008, Recorded 03/07/2006 at 12:06 PM

Doc Tax: \$353070.90

Prepared by and return to: Paul K. Hines, Esq. Gunster, Yoakley & Stewart, P.A. 777 South Flagler Drive Suite 500E West Palm Beach, FL 33401

#### SPECIAL WARRANTY DEED

THIS SPECIAL WARRANTY DEED, made this of tebruary, 2006, by and between Reserve Homes, Ltd., L.P., a Delaware limited partnership, whose address is 1601 Forum Place, Suite 805, West Palm Beach, Florida 33401 ("Grantor") and Verano Development LLC, a Delaware limited liability company, whose address is 1601 Forum Place, Suite 805, West Palm Beach, Florida 33401 ("Grantee").

#### WITNESSETH:

THAT Grantor, for and in consideration of the sum of TEN AND NO/100 DOLLARS (\$10.00) and other good and valuable consideration, to it in hand paid by Grantee, the receipt whereof is hereby acknowledged, hereby grants, bargains and sells to Grantee, its successors and assigns forever, the following described real property (the "Property"), situated in St. Lucie County, Florida, to-wit:

SEE EXHIBIT "A" ATTACHED HERETO AND MADE A PART HEREOF.

#### SUBJECT TO:

- 1. Real estate taxes and assessments for the year 2006 and subsequent years.
- 2. Restrictions, reservations, limitations, easements of record, which reference shall not operate to reimpose the same, and zoning ordinances and other land use regulations affecting said property, if any.

TO HAVE AND TO HOLD the said Property in fee simple forever, together with all the tenements, hereditaments and appurtenances thereunto belonging or in anywise appertaining.

Grantor hereby covenants with Grantee that Grantor is lawfully seized of the Property in fee simple; that Grantor has good right and lawful authority to sell and convey the Property; and that Grantor warrants the title to said Property and will defend the same against the lawful claims of any persons whomsoever claiming by, through or under Grantor.

IN WITNESS WHEREOF, Grantor has executed this Special Warranty Deed the day and year first above written.

By:

limited partnership

General Partner

Signed, sealed and delivered in the presence of:

Ollison Barra
Print Name: Allison Borra

Print Name: VERA RUSSEI

STATE OF FLORIDA ) s.
COUNTY OF PALM BEACH )

The foregoing instrument was acknowledged before me, the undersigned Notary Public, this day of February, 2006, by Michael Clarke, as Manager of Kolter Property Development, L.L.C., a Delaware limited liability company, the General Partner of RESERVE HOMES LTD., L.P., a Delaware limited partnership, on behalf of said limited liability company and limited partnership, who is: [ ] personally known to me, or [ ] has produced as identification.

(NOTARIAL SEAL)

Janet Kind
My Commission DD289633
Expires February 10, 2008

Print of Stamp Name: Jonet Kind
Notary Public - State of Florida
My Commission Expires: 2-10-08

Commission Number: DD 28953

RESERVE HOMES LTD., L.P., a Delaware

Kolter Property Development, L.L.C., a Delaware limited liability company, its

#### **EXHIBIT "A"**

#### PARCEL 1

#### WESTERN GROVE

#### TRACT ONE

A parcel of land lying in Sections 31 and 32, Township 36 South, Range 39 East; and Section 5 and 6, Township 37 South, Range 39 East, St. Lucie County, Florida, being more particularly described as follows:

COMMENCE at the intersection of the Southeasterly right-of-way line of the Florida East Coast Railway Co. "Fort Pierce Cut-Off" Track as shown on Pages V. 3d/6 and V. 3d/7, dated February 1, 1950 with Tract Correct revision dated 4/28/67 and the Southwesterly right-of-way line of South Florida Water Management District Canal C-24; thence run South 44°46'01" West along said Southeasterly right-of-way line of the Florida East Coast Railway Co., a distance of 5069.40 feet to the West line of said Section 29; thence South 04°13'20" East, along said West line, a distance of 258.80 feet to the Northeast corner of said Section 31; thence South 89°40'25" West, along the North line of said Section 31, a distance of 312.03 feet to the aforesaid Southeasterly right-of-way line of the Florida East Coast Railway Co.; thence South 44°46'01" West, along said right-of-way line, a distance of 728.74 feet to the POINT OF BEGINNING; Thence, departing said right-of-way line, South 45°07'48" East, a distance of 3688.39 feet; thence South 34°54'59" East, a distance of 4767.41 feet to the northerly top of bank of the O. L. Peacock Canal; Thence along the northerly top of bank of said O.L. Peacock Canal South 74°05'51" West, a distance of 4714.77 feet; thence North 89°58'45" West, a distance of 5508.96 feet East right-of-way line of State Road S-609 as shown on the Florida Department of Transportation right-of-way map dated 11/5/64 and revised January 1965; Thence along said right-of-way line North 00°01'15" East, a distance of 2906.07 feet to the intersection with the South line of said Section 31; thence continue along said easterly right-of-way, North 00°08'55" West, a distance of 156.88 feet to the intersection with the aforesaid Southeasterly right-of-way line of the Florida East Coast Railway Co.; thence North 44°46'01" East, along said Southeasterly right- of-way line of the Florida East Coast Railway Co. a distance of 6673.84 feet to the POINT OF BEGINNING.

LESS AND EXCEPT Being a parcel of land lying in Sections 31 and 32, Township 36 South, Range 39 East and Sections 5 and 6, Township 37 South, Range 39 East, St. Lucie County, Florida and being more particularly described as follows: COMMENCE at the Northeasterly corner of Grove 3, said lands described in Official Record Book 383, Page 1059, Public Records, St. Lucie County, Florida; thence South 74°03'19" West, along the Northerly line of said Grove 3, a distance of 4636.82 feet; thence North 16°48'28? West, departing said Northerly line, a distance of 52.70 feet; thence North 16°48'28" West, a distance of 63.64 feet; thence North 74°03'44" East, a distance of 67.81 feet; thence North 57°16'41" East, a distance of 51.67 feet; thence North 38°31'24" East, a distance of 73.78 feet; thence North 22°50'39" East, a distance of 50.98 feet to the POINT OF BEGINNING; Thence North 61°20'02" West, a distance of 1685.86 feet; Thence North 58°57'12" West, a distance of 127.57 feet; Thence North 49°19'49" West, a distance of 93.34 feet; Thence North 32°18'49" West, a distance of 178.91 feet; Thence North 25°32'27" West, a distance of 184.36 feet; Thence North 06°00'43" West, a distance of 118.58 feet; Thence North 22°50'28" East, a distance of 467.15 feet; Thence North 31°22'11" East, a distance of 93.05 feet; Thence North 40°40'44" East, a distance of 1124.23 feet; Thence North 44°11'03" East, a distance of 181.77 feet; Thence North 52°20'18" East, a distance of 81.27 feet; Thence South 48°56'38" East, a distance of 3272.46 feet; Thence South 09°19'30" West, a distance of 329.60 feet; Thence South 74°14'21" West, a distance of 1658.09 feet; Thence North 84°42'27" West, a distance of 125.75 feet to the POINT OF BEGINNING.

#### EXHIBIT "A"

#### PARCEL 1 (continued)

#### TRACT TWO

Being a parcel of land lying in Sections 31 and 32, Township 36 South, Range 39 East and Sections 5 and 6, Township 37 South, Range 39 East, St. Lucie County, Florida and being more particularly described as follows:

COMMENCE at the Northeasterly corner of Grove 3, said lands described in Official Record Book 383, Page 1059, Public Records, St. Lucie County, Florida; thence South 74°03'19" West, along the Northerly line of said Grove 3, a distance of 4636.82 feet; thence North 16°48'28" West, departing said Northerly line, a distance of 52.70 feet; thence North 16°48'28" West, a distance of 63.64 feet; thence North 74°03'44" East, a distance of 67.81 feet; thence North 57°16'41" East, a distance of 51.67 feet; thence North 38°31'24" East, a distance of 73.78 feet; thence North 22°50'39" East, a distance of 50.98 feet to the POINT OF BEGINNING;

thence North 61°20'02" West, a distance of 1685.86 feet; thence North 58°57'12" West, a distance of 127.57 feet; thence North 49°19'49" West, a distance of 93.34 feet; thence North 32°18'49" West, a distance of 178.91 feet; thence North 25°32'27" West, a distance of 184.36 feet; thence North 06°00'43" West, a distance of 118.58 feet; thence North 22°50'28" East, a distance of 467.15 feet; thence North 31°22'11" East, a distance of 93.05 feet; thence North 40°40'44" East, a distance of 1124.23 feet; thence North 44°11'03" East, a distance of 181.77 feet; thence North 52°20'18" East, a distance of 81.27 feet; thence South 48°56'38" East, a distance of 3272.46 feet; thence South 09°19'30" West, a distance of 329.60 feet; thence South 74°14'21" West, a distance of 1658.09 feet; thence North 84°42'27" West, a distance of 125.75 feet to the POINT OF BEGINNING.

LESS AND EXCEPT A PARCEL OF LAND LYING IN SECTION 5 AND 6, TOWNSHIP 37 SOUTH, RANGE 39 EAST, ST. LUCIE COUNTY, FLORIDA AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGIN AT THE INTERSECTION OF THE EAST LINE OF THAT CERTAIN FLORIDA POWER AND LIGHT COMPANY EASEMENT AGREEMENT AS RECORDED IN OFFICIAL RECORDS BOOK 767, PAGE 2676, PUBLIC RECORDS OF ST. LUCIE COUNTY, FLORIDA AND THE NORTH LINE OF THAT CERTAIN PARCEL OF LAND DESCRIBED IN OFFICIAL RECORDS BOOK 2186, PAGE 548, PUBLIC RECORDS OF ST. LUCIE COUNTY, FLORIDA; THENCE NORTH 14°45'25" WEST, ALONG SAID EAST LINE OF FLORIDA POWER AND LIGHT COMPANY EASEMENT, A DISTANCE OF 789.36 FEET; THENCE CONTINUE NORTH 01°58'48" WEST, ALONG SAID EAST LINE, A DISTANCE OF 235.96 FEET; THENCE NORTH 74°05'51" EAST, DEPARTING SAID EAST LINE, A DISTANCE OF 1124.39 FEET; THENCE SOUTH 15°54'09" EAST, A DISTANCE OF 1181.91 FEET TO SAID NORTH LINE OF THAT CERTAIN PARCEL OF LAND DESCRIBED IN OFFICIAL RECORDS BOOK 2186, PAGE 548; SAID POINT

#### EXHIBIT "A"

#### PARCEL 1 (continued)

BEING A POINT ON A CURVE CONCAVE TO THE NORTHWEST, HAVING A RADIUS OF 22,918.00 FEET, THE RADIUS POINT OF WHICH BEARS NORTH 09°37'34" WEST; THENCE SOUTHWESTERLY ALONG SAID NORTH LINE AND ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 03°01'14", A DISTANCE OF 1208.23 FEET TO THE POINT OF BEGINNING. (Commercial Parcel in Western Grove)

AND LESS AND EXCEPT A PARCEL OF LAND LYING IN SECTION 4, 5 AND 6, TOWNSHIP 37 SOUTH, RANGE 39 EAST, ST. LUCIE COUNTY, FLORIDA AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE INTERSECTION OF THE SOUTHEASTERLY RIGHT-OF-WAY LINE OF THE FLORIDA EAST COAST RAILWAY CO. "FORT PIERCE CUT-OFF" AS SHOWN ON PAGES V. 3D/6 AND V. 3D/7, DATED FEBRUARY 1, 1950 WITH TRACT CORRECT REVISION DATED 4/28/67 AND THE SOUTHWESTERLY RIGHT-OF-WAY LINE OF SOUTH FLORIDA WATER MANAGEMENT DISTRICT CANAL C-24; THENCE RUN SOUTH 44°46'01" WEST ALONG THE SOUTHEASTERLY RIGHT-OF-WAY LINE OF THE FLORIDA EAST COAST RAILWAY CO. 5069.40 FEET TO THE WEST LINE OF SECTION 29, TOWNSHIP 36 SOUTH, RANGE 39 EAST; THENCE SOUTH 04°13'20" EAST ALONG SAID WEST LINE 258.80 FEET TO THE NORTHEAST CORNER OF SECTION 31, TOWNSHIP 36 SOUTH, RANGE 39 EAST; THENCE SOUTH 89°40'25" WEST, ALONG THE NORTH LINE OF SAID SECTION 31, A DISTANCE OF 312.03 FEET TO SAID SOUTHEASTERLY RIGHT-OF-WAY LINE OF THE FLORIDA EAST COAST RAILWAY CO.; THENCE SOUTH 44°46'01" WEST, ALONG SAID RIGHT-OF-WAY LINE 7402.57 FEET TO THE EAST RIGHT-OF-WAY LINE OF STATE ROAD S-609 AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP DATED 11/5/64 AND REVISED JANUARY 1965; THENCE SOUTH 00°08'55" EAST ALONG SAID RIGHT-OF-WAY LINE 156.89 FEET; THENCE SOUTH 00°01'15" WEST ALONG SAID RIGHT-OF-WAY LINE 2756.07 FEET TO THE POINT OF BEGINNING;

FROM SAID POINT OF BEGINNING RUN THENCE SOUTH 89°58'45" EAST 2278.50 FEET TO A POINT OF CURVE TO THE LEFT, SAID CURVE BEING CONCAVE TO THE NORTHERLY; THENCE EASTERLY AND NORTHEASTERLY ALONG SAID CURVE WITH A RADIUS OF 22918.00 FEET, THROUGH A CENTRAL ANGLE OF 16°00'49", FOR AN ARC DISTANCE OF 6405.36 FEET, THE CHORD OF SAID ARC BEING NORTH 82°00'50" EAST 6384.50 FEET; THENCE NORTH 74°00'26" EAST 3830.74 FEET; THENCE SOUTH 38°44'47" WEST 258.82 FEET; THENCE SOUTH 74°00'26" WEST 1625.09 FEET; THENCE SOUTH 34°54'59" WEST 16.17 FEET; THENCE SOUTH 74°35'02" WEST 625.46 FEET; THENCE SOUTH 74°05'51" WEST 4614.88 FEET; THENCE NORTH 89°58'45" WEST 5508.95 FEET TO SAID RIGHT-OF-WAY OF STATE ROAD S-609; THENCE NORTH 00°01'15" EAST, ALONG SAID RIGHT-OF-WAY, A DISTANCE OF 150.00 TO THE POINT OF BEGINNING. (West Virginia Extension)

# PARCEL 1 (continued)

### TRACT THREE

An easement for the benefit of Parcel 1 as created by Drainage and Irrigation Easement between Tradition Development Company, LLC and Reserve Homes, Ltd., L.P. dated June 30, 2003 recorded in Official Records Book 1745, Page 1913, of the Public Records of St. Lucie County, Florida over the lands described as the "Grantor Parcel" in said Drainage and Irrigation Easement, subject to the terms, provisions and conditions set forth in said instrument.

### Parcel 2

**EGAN PARCEL** 

GROVE 1:

Being a portion of Sections 28, 29 and 32, Township 36 South, Range 39 East, St. Lucie County, Florida, and being more particularly described as follows:

Begin at the point of intersection of the southeasterly right of way line of the Florida East Coast Railway Co. "Fort Pierce Cut-off" track as shown on right of way maps, Pages V.3d/6 and V.3d/7 dated February 1, 1950 with "track correct" revision dated 4/28/67 and the southwesterly right of way line of South Florida Water Management District Canal C-24 as shown on the right of way map for said Canal C-24, checked dated 11/25/58 and revised 2/23/59; thence S 43 degrees 08 minutes 38 seconds E, along said Canal C-24 right of way line a distance of 2488.08 feet, to a point hereinafter referred to as Point "A"; thence S 35 degrees 05 minutes 51 seconds W a distance of 4892.60 feet; thence N 43 degrees 25 minutes 41 seconds W a distance of 3309.86 feet to the intersection with the aforesaid southeasterly right of way line of the Florida East Coast Railway; thence N 44 degrees 46 minutes 01 seconds E, along said Florida East Coast Railway right of way a distance of 4809.53 feet to the POINT OF BEGINNING.

TOGETHER WITH an easement for drainage and irrigation over the following described property:

Commence at the aforedescribed Point "A"; thence S 43 degrees 08 minutes 38 seconds E, along the aforesaid southwesterly right of way line of South Florida Water Management District Canal C-24, a distance of 347.56 feet to the POINT OF BEGINNING of the following described easement:

Thence continue S 43 degrees 08 minutes 38 seconds E, along said right of way line a distance of 50.00 feet; thence S 46 degrees 51 minutes 22 seconds W a distance of 42.14 feet; thence N 66 degrees 46 minutes 57 seconds W a distance of 64.82 feet; thence N 56 degrees 12 minutes 33 seconds W a distance of 190.72 feet; thence N 79 degrees 11 minutes 38 seconds W a distance of 69.18 feet; thence S 61 degrees 48 minutes 26 seconds W a distance of 141.21 feet, to the Southeasterly boundary of the above described parcel; thence N 35 degrees 05 minutes 51 seconds E, along said Southeasterly boundary a distance of 111.24 feet; thence N 61 degrees 48 minutes 26 seconds E a distance of 59.54 feet; thence S 79 degrees 11 minutes 38 seconds E a distance of 97.05 feet; thence S 56 degrees 12 minutes 33 seconds E a distance of 196.26 feet; thence Section 66 degrees 46 minutes 57 seconds E a distance of 27.50 feet; thence N 46 degrees 51 minutes 22 seconds E a distance of 9.44 feet to the said southwesterly right of way line of said Canal C-24 and the POINT OF BEGINNING.

### **GROVE 2:**

Being a parcel of land lying in Sections 28, 33, and 34, Township 36 South, Range 39 East and Section 4, Township 37 South, Range 39 East, St. Lucie County, Florida and being more particularly described as follows:

Commence at the point of intersection of the South line of said Section 34 and the southwesterly right of way line of the South Florida Water Management District Canal C-24 as shown on the right of way map for said Canal C-24, checked dated 11/25/58 and revised 2/23/59; thence N 43 degrees 08 minutes 38 seconds W, along said southwesterly right of way line of Canal C-24, a distance of 2628.30 feet to the POINT OF BEGINNING of the following described parcel:

Thence continue N 43 degrees 08 minutes 38 seconds W, along said right of way line, a distance of 364.51 feet, to a point hereinafter referred to as Point "A"; thence continue N 43 degrees 08 minutes 38

### Parcel 2 (Continued)

seconds W, along said right of way a distance of 4812.17 feet; thence S 46 degrees 52 minutes 25 seconds W a distance of 2151.65 feet; thence S 43 degrees 12 minutes 50 seconds E a distance of 4647.83 feet; thence S 43 degrees 58 minutes 20 seconds W a distance of 1282.29 feet to a point hereinafter referred to as Point "B"; thence N 70 degrees 42 minutes 47 seconds E a distance of 440.52 feet; thence N 65 degrees 05 minutes 51 seconds E a distance of 762.00 feet; thence N 24 degrees 54 minutes 09 seconds W a distance of 60.06 feet; thence N 01 degrees 49 minutes 23 seconds E a distance of 1037.87 feet; thence N 17 degrees 05 minutes 14 seconds W a distance of 421.43 feet; thence N 46 degrees 51 minutes 22 seconds E a distance of 63.46 feet to the aforesaid southwesterly right of way line of Canal C-24 and the POINT OF BEGINNING.

Together with an easement for drainage and irrigation being more particularly described as follows:

Begin at aforedescribed Point "B"; thence along the southeasterly boundary of the above parcel by the following courses and distances:

Thence N 70 degrees 42 minutes 47 seconds E a distance of 440.52 feet;

thence N 65 degrees 05 minutes 51 seconds E a distance of 762.00 feet;

thence N 60 degrees 24 minutes 31 seconds E a distance of 793.61 feet;

thence S 89 degrees 08 minutes 58 seconds E a distance of 318.77 feet to the aforesaid southwesterly right of way line of Canal C-24;

thence S 43 degrees 08 minutes 38 seconds E along said right of way line a distance of 139.00 feet; thence N 89 degrees 08 minutes 58 seconds W a distance of 388.11 feet;

thence S 60 degrees 24 minutes 31 seconds W a distance of 770.50 feet;

thence S 65 degrees 05 minutes 51 seconds W a distance of 771.00 feet;

thence S 70 degrees 42 minutes 47 seconds W a distance of 399.46 feet;

thence N 43 degrees 58 minutes 20 seconds W a distance of 110.06 feet to the POINT OF BEGINNING.

Subject to an easement for ingress and egress, being 15.00 feet in width, lying 7.50 feet each side of the following described centerline.

BEGIN at the aforedescribed Point "A"; thence S 02 degrees 40 minutes 10 seconds E a distance of 4.30 feet to the beginning of a curve concave to the northwest having a radius of 130.00 feet; thence southwesterly along the arc of said curve a distance of 112.33 feet; through an angle of 49 degrees 30 minutes 25 seconds; thence S 46 degrees 50 minutes 15 seconds W a distance of 2041.23 feet to the southwesterly boundary of the parcel first described above and the POINT OF TERMINATION of easement, said easement being bounded on the northeast by the southwesterly right of way line of aforesaid Canal C-24 and on the southwest by the southwesterly boundary of the parcel first described above.

### EGAN PARCEL

# TRACT 2 GROVE 2:

Being a parcel of land lying in Sections 33 and 34, Township 36 South, Range 39 East, St. Lucie County, Florida and being more particularly described as follows:

Commence at the intersection of the south line of said section 34 and the southwesterly right of way line of the South Florida Water Management District Canal C-24 as shown on the right of way map for said Canal C-24, sheet 11 of 16, and last revised 4/21/61. Thence north 43 degrees 08 minutes 38 seconds West, along said right of way line, a distance of 1050.96 feet to the point of beginning of the following

# Parcel 2 (Continued)

described parcel:

Thence continue north 43 degrees 08 minutes 38 seconds West a distance of 1577.34 feet;

thence south 46 degrees 51 minutes 22 seconds west a distance of 63.46 feet:

thence south 17 degrees 05 minutes 14 seconds east a distance of 421.43 feet;

thence south 01 degrees 49 minutes 23 seconds West a distance of 1037.87 feet;

thence south 24 degrees 54 minutes 09 seconds east a distance of 60.06 feet;

thence north 60 degrees 24 minutes 31 seconds east a distance of 793.61 feet;

thence south 89 degrees 08 minutes 58 seconds east a distance of 318.77 feet to the point of beginning.

### **EASEMENT NO. 1:**

An easement for ingress and egress 30.00 feet in width lying 15 feet each side of the centerline in Township 36 South, Range 39 East and Township 37 South, Range 39 East the centerline of which being described as follows:

Beginning at a point on a Westerly prolongation of the centerline of Gatlin Boulevard as shown on Florida Department of Transportation right-of-way maps for State Road 9 (I-95) Section 94001-2412, dated 6/22/77, with last revision of 9/11/79, said point being 15 feet westerly of the west toe of spoil lying west of the "Borrow Canal"; thence northerly, 15 feet westerly of, as measured at right angles, and parallel with said west toe of spoil of the "Borrow Canal"; thence easterly, northeasterly, northerly and northwesterly, 15 feet distance from, as measured at right angles and parallel with the said toe of spoil of the "Borrow Canal" to a point 15 feet southerly of, as measured at right angles, the south toe of spoil south of the Canal South of the north line of Section 10, Township 37 South, Range 39 East; thence Westerly parallel with the said south toe of spoil to the intersection with a line 15 feet westerly of, as measured at right angles, the West toe of spoil lying West of a Canal west of the east line of Section 4, Township 37 South, Range 39 East; thence Northerly parallel with the said west toe of spoil of said Canal and the Northerly prolongation thereof to the Southeasterly boundary of "Grove 2".

### **EASEMENT NO. 2:**

An easement for ingress and egress 30.00 feet in width lying in Township 36 South, Range 39 East and Township 37 South, Range 39 East being bounded as follows:

On the northeast by the ingress and egress easement from Gatlin Boulevard to said "Grove 2"; on the Northwest by the southerly toe of slope of the spoil bank south of the "O.L. Peacock Canal"; on the southwest by the 20.00 feet wide ingress and egress easement from "Grove 1", to "Grove 3', on the southeast by a line 30.00 feet southeasterly of, as measured at right angles, and parallel with the aforedescribed northwest boundary.

# PARCEL 3

**DUDA PARCEL** 

A parcel of land lying in Sections 28, 29, 31, 32 and 33 Township 36 South, Range 39 East; and Sections 4 and 5, Township 37 South, Range 39 East, St. Lucie County, Florida, being more particularly described as follows:

COMMENCE at the intersection of the Southeasterly right-of-way line of the Florida East Coast Railway Co. "Fort Pierce Cut-Off" Track as shown on Pages V. 3d/6 and V. 3d/7, dated February 1, 1950 with Tract Correct revision dated 4/28/67 and the Southwesterly right-of-way line of South Florida Water Management District Canal C-24; thence run S 44°46'02" W, a distance of 4809.54 feet to the Northwesterly corner of lands described in Official Record Book 477, Page 560, Public Records, St. Lucie County, Florida and the POINT OF BEGINNING; thence South 43°25'41" East, along the westerly line of said lands, a distance of 3309.86 feet to the Southwesterly corner of the aforesaid lands; thence North 35°05'51" East, along the Southerly line of the aforesaid lands, a distance of 4892.60 feet to the Southwesterly right-of-way line of the aforesaid South Florida Water Management Districts C-24 Canal; along the aforesaid Southwesterly Right-of-Way Line South 43°08'38" East, a distance of 2327.32 feet to the Northern most point of Grove 2 as described in Official Record Book 477, Page 560, Public Records, St. Lucie County, Florida; thence departing the aforesaid Southwesterly right- of-way line of the C-24 Canal South 46°52'25" West, along the Northwesterly line of the aforesaid Grove 2, a distance of 2151.65 feet; thence South 43°12'50" East, along the Southwesterly line of Grove 2, a distance of 4647.83 feet to the intersection with the Northerly line of those lands described in Official Record Book 658, Page 110, Public Records, St. Lucie County, Florida; thence South 51°16'22" West, along said Northerly line, a distance of 950.05 feet to the intersection with the Northerly line of the Peacock Cemetery Parcel as described in Official Records Book 369, Page 1166, Public Records, St. Lucie County, Florida; thence along said Northerly and Westerly line of said Cemetery parcel, the following courses and distances: South 45°15'13" West, a distance of 400.02 feet; thence South 38°44'44" West, a distance of 1227.76 feet; thence South 27°11'26" East, a distance of 67.85 feet to the Northerly top of bank of O.L. Peacock Canal; thence along the northerly top of bank of said O.L. Peacock Canal, the following courses and distances:

South 75°29'17" West, a distance of 65.34 feet; Thence South 72°49'14" West, a distance of 56.76 feet; Thence South 74°47'53" West, a distance of 186.47 feet; Thence South 74°19'03" West, a distance of 254.27 feet; Thence South 73°21'27" West, a distance of 169.47 feet; Thence South 74°55'09" West, a distance of 277.14 feet; Thence South 73°51'40" West, a distance of 276.70 feet; Thence South 73°51'21" West, a distance of 154.19 feet; Thence South 74°10'23" West, a distance of 128.57 feet; Thence South 72°03'14" West, a distance of 107.48 feet; Thence South 78°34'38" West, a distance of 102.69 feet; Thence South 75°04'05" West, a distance of 75.48 feet; Thence South 72°33'58" West, a distance of 75.48 feet; Thence South 75°55'30" West, a distance of 157.24 feet; Thence South 71°39'51" West, a distance of 59.39 feet;

Thence North 34°54′59" West, departing said top of bank, a distance of 4760.96 feet; thence North 45°07′48" West, a distance of 3688.37 feet; thence North 44°46′02" East, a distance of 728.76 feet to the intersection with the South line of Section 30, Township 36 South, Range 39 East, St Lucie County, Florida; thence North 89°40′25" East, along said South line, a distance of 312.01 feet to the Southeast corner of said Section 30;

# PARCEL 3 (continued)

thence North 04°13'20" West, along the East line of said Section 30, a distance of 258.80 feet to the Southeasterly Right-of-Way line of the aforesaid Florida East Coast Railway; thence North 44°46'02" East, along said Southeasterly Right-of-Way line, a distance of 259.86 feet to the POINT OF BEGINNING.

### PARCEL 4

UNRECORDED MONTAGE PLATS NORTH OF C-24 CANAL

A parcel of land being a portion of Section 28, 29, 33 and 34, Township 36 South, Range 39 East, St. Lucie County, Florida, being more particularly described as follows:

Begin at the intersection of the southeasterly right-of-way line of the Florida East Coast Railroad and the northeasterly right-of-way line of South Florida Water Management District Canal No. C-24; thence North 44°45'38" East, along said southeasterly right-of-way line, a distance of 1,221.80 feet to the easterly prolongation of the southerly line of Sabal Creek, Phase II, according to the plat thereof, as recorded in Plat Book 24, Pages 1, 1A, 1B and 1C, Public Records of St. Lucie County, Florida; thence South 43°34'29" East, departing said right-of-way line, along the said southerly prolongation and the south line of the aforementioned plat and the southerly line of Sabal Creek, Phase IV, according to the plat thereof, as recorded in Plat Book 24, Pages 17 and 17A, Public Records of St. Lucie County, Florida, a distance of 5,340.48 feet; thence continuing along the southerly line of Sabal Creek, Phase IV, according to the plat thereof, as recorded in Plat Book 24, Pages 17 and 17A, Public Records of St. Lucie County, Florida, South 43°09'01" East, a distance of 1,026.26 feet to the southeast corner of Sabal Creek, Phase IV, according to the plat thereof, as recorded in Plat Book 24, Pages 17 and 17A, Public Records of St. Lucie County, Florida; thence North 45°11'03" East, along the east line of said plat, a distance of 0.99 feet; thence South 43°08'40" East, departing said east line, a distance of 52.97 feet; thence South 43°09'00" East, a distance of 331.07 feet; thence South 43°08'32" East, a distance of 3671.33 feet; thence South 72°42'41" East, a distance of 217.77 feet to the northwesterly line of that certain parcel of land described in Special Warranty Deed, as recorded in Official Records Book 1577, Page 1222, Public Records of St. Lucie County, Florida; thence North 61°51'31" East, along said northwesterly line, a distance of 188.61 feet to the northerly corner of said certain parcel of land; thence South 43°08'30" East, along the northeasterly line and easterly prolongation of said certain parcel of land, a distance of 2361.96 feet to the north line of that certain parcel of land described in Official Records Book 1547, Page 490, Public Records of St. Lucie County, Florida; said point being parallel with and 1024.10 feet northerly of, as measured at right angles to the south line of said Section 34; thence North 89°52'17" East, along said north line and parallel line, a distance of 1211.13 feet to a point on a non-tangent curve, concave to the northwest, having a radius of 2060.00 feet, the radius point of which bears North 50°24'45" West; thence southwesterly, departing said north line and parallel line, along the arc of said curve through a central angle of 03°00'41", a distance of 108.27 feet to the point of tangency; thence South 42°35'56" West, a distance of 556.01 feet to the point of curvature of a curve concave to the northwest, having a radius of 776.00 feet; thence southwesterly along the arc of said curve through a central angle of 07°36'31", a distance of 103.05 feet to the point of compound curvature of a curve concave to the northwest, having a radius of 1639.50 feet; thence southwesterly along the arc of said curve through a central angle of 19°59'18", a distance of 571.96 feet; thence South 89°56'01" West, a distance of 1531.40 feet to said northeasterly rightof-way line of South Florida Water Management District Canal No. C-24; thence North 43°08'36" West, along said right-of-way line, a distance of 12,679.36 feet to the point of beginning.

WPB 871560.1

# PARCEL 4 (continued)

LESS AND EXCEPT that property contained in All of the Plat of Montage PUD No. 1, according to the Plat thereof as recorded in Plat Book 49, Page 23, Public Records of St. Lucie County, Florida.

WPB 871560.1


# PARCEL 5

# RECORDED MONTAGE PLAT

All of the Plat of Montage PUD No. 1, according to the Plat thereof as recorded in Plat Book 49, Page 23, Public Records of St. Lucie County, Florida, LESS AND EXCEPT the Commercial Tract.

WPB 871560.1

# EXHIBIT 8 LOCATION MAP (PLEASE SEE PAGE 47)





Landscape Architects Land Planners Environmental Consultants

1934 Commerce Lane Suite 1 Jupiter, Florida 33458 561.747.6336 - Fax 747.1377 www.cotleurhearing.com Lic# LC-C000239


# VERANO SOUTH POD D Kolter Homes Port St. Lucie, Florida

ESIGNED	LAH
RAWN	
.PPROVED	
OB NUMBER _	18-0905
ATE	10-30-20
EVISIONS	12-04-20

October 30, 2020 2:28:31 p.m. PTUAL MASTER PLAN D1\_10-30-20.DWG

SHEET 1 OF 1

© COTLEUR & HEARING, INC.
These drawings are the property of the architect and a not to be used for extensions or on other projects exceed to the project of 
# EXHIBIT 9A P.U.D CONCEPTUAL MASTER PLAN (PLEASE SEE PAGE 49)






# Environmental Consultants 1934 Commerce Lane Suite 1 Jupiter, Florida 33458 561.747.6336 · Fax 747.1377 www.cotleurhearing.com Lic# LC-C000239

# 4NO SOUTH POO Kolter Homes Port of Lindo Florida

LAH
LAH
DTS
18-0905
10-30-20
12-08-20




SHEET OF

© COTLEUR & HEARING, INC.
These drawings are the property of the architect and are not to be used for extensions or on other projects except by agreement in writing with the architect. Immediately report any discrepancies to the architect.

# **EXHIBIT 9B**

# CONCEPTUAL WATER AND SEWER MASTER PLAN (PLEASE SEE PAGE 51)



STORMWATER FROM THE ULTIMATE SECTION FOR THE ADJACENT

ROADWAYS OF THE CANAL, AND APPROPRIATE FLOWAGE

EASEMENTS WILL BE PROVIDED TO THE CITY.



Eand Planners
Environmental Consultants

1934 Commerce Lane
Suite 1
Jupiter, Florida 33458
561.747.6336 · Fax 747.1377
www.cotleurhearing.com
Lic# LC-C000239

# ERANO SOUTH POD D Kolter Homes

DESIGNED	LAH
DRAWN	LAH
APPROVED	DTS
JOB NUMBER _	18-0905
DATE	11-02-20
REVISIONS	12-04-20

November 02, 2020 4:47:24 p.m. 60006-MASTER-UTILITY-D\_11-02-20.DWG

SHEET OF

© COTLEUR & HEARING, INC.
These drawings are the property of the architect and are not to be used for extensions or on other projects except by agreement in writing with the architect. Immediately report any discrepancies to the architect.

North

Scale: 1" = 250'-0"

# EXHIBIT 10 TYPICAL RIGHT-OF-WAY SECTIONS (PLEASE SEE PAGE 53)

# LEGEND


ASPHALT PAVING

CONCRETE

--- UTILITY EASEMENT

- — CENTERLINE

PROPOSED
RIGHT-OF-WAY




60' RIGHT-OF-WAY TYPICAL SECTION

TYPICAL SECTION
POSTED SPEED 25 MPH

\* <u>NOTE:</u>

3' SIDEWALK OFFSET AND 5' C.U.E. WILL BE REQUIRED IF P.S.L. MAINLINE FACILITIES ARE LOCATED ON BOTH SIDES OF STREET. PSLUSD FIBEROPTICS WILL BE LOCATED IN 5' CUE IF FM IS REQUIRED.

PSLUSD #11-652-33 PSL PROJ# P20-214 TYPICAL 60' ROW POD D



Scale: 1" = 10'-0"



North

Cotleur & Hearing
Landscape Architects
Land Planners
Environmental Consultants

1934 Commerce Lane Suite 1 Jupiter, Florida 33458 561.747.6336 · Fax 747.1377 www.cotleurhearing.com Lic# LC-C000239

4NO SOUTH POD 1 Kolter Homes Port St. Lucie, Florida

 DESIGNED
 LAH

 DRAWN
 LAH

 APPROVED
 DTS

 JOB NUMBER
 18-0905

 DATE
 10-30-20

 REVISIONS
 12-04-20

October 30, 2020 2:28:31 p.m. NCEPTUAL MASTER PLAN D1\_10-30-20.DWG

SHEET 1 OF 1

© COTLEUR & HEARING, INC.
These drawings are the property of the architect not to be used for externations or on other projects.

2.2. A configuration of the confi




ASPHALT PAVING

CONCRETE

--- UTILITY EASEMENT

--- CENTERLINE

PROPOSED



70' RIGHT-OF-WAY
TYPICAL SECTION
POSTED SPEED 25 MPH

LOCATED OVER ANY PSL OWNED VALVES.

NOTE:

3' SIDEWALK OFFSET AND 5' C.U.E. WILL BE
REQUIRED IF P.S.L. MAINLINE FACILITIES ARE
LOCATED ON BOTH SIDES OF STREET.
PSLUSD FIBEROPTICS WILL BE LOCATED IN 5' CUE IF
FM IS REQUIRED.

PSLUSD #11-652-33 PSL PROJ# P20-214 TYPICAL 70' ROW 'A' POD D



Scale: 1" = 10'-0"



North

Cotleur & Hearing
Landscape Architects
Land Planners
Environmental Consultants

Environmental Consultants 1934 Commerce Lane Suite 1 Jupiter, Florida 33458 561.747.6336 · Fax 747.1377 www.cotleurhearing.com

5561.747.6336 · Fax 747.137: www.cotleurhearing.com Lic# LC-C000239

VERANO SOUTH POD

Kolter Homes
Port St. Lucie, Florida

 DESIGNED
 LAH

 DRAWN
 LAH

 APPROVED
 DTS

 JOB NUMBER
 18-0905

 DATE
 10-30-20

 REVISIONS
 12-08-20

December 08, 2020 3:59: p.r DNCEPTUAL MASTER PLAN D1\_10-30-20.DW

# LEGEND


ASPHALT PAVING

CONCRETE

---- UTILITY EASEMENT

--- CENTERLINE

PROPOSED
RIGHT-OF-WAY



70' RIGHT-OF-WAY TYPICAL ROAD SECTION

 $\star_{\,{\rm \underline{NOTE}:}}$ 

3' MULTI-USE TRAIL OFFSET AND 5' C.U.E. WILL BE REQUIRED IF P.S.L. MAINLINE FACILITIES ARE LOCATED ON BOTH SIDES OF STREET. PSLUSD FIBEROPTICS WILL BE LOCATED IN 5' CUE IF FM IS REQUIRED.
ONE SIDE OF ROAD WILL HAVE 6' MULTI-USE TRAIL, THE OTHER SIDE OF ROAD TO HAVE A 10' MULTI-USE

PSLUSD #11-652-33 PSL PROJ# P20-214

TYPICAL 70' ROW 'B'
POD D



0

Scale: 1" = 10'-0"

North

Cotleur & Hearing
Landscape Architects
Land Planners
Environmental Consultants

1934 Commerce Lane Suite 1 Jupiter, Florida 33458 561.747.6336 · Fax 747.1377 www.cotleurhearing.com Lic# LC-C000239

# 1NO SOUTH POD C Kolter Homes Port St. Lucie, Florida

 DESIGNED
 LAH

 DRAWN
 LAH

 APPROVED
 DTS

 JOB NUMBER
 18-0905


 DATE
 10-30-20

 REVISIONS
 12-08-20

December 08, 2020 3:59: 05\_ DNCEPTUAL MASTER PLAN D1\_10-30-20.

# EXHIBIT 11 TYPICAL LOTS (PLEASE SEE PAGE 56)


# INTERNAL LOT



# Notes:

REFER TO PUD DOCUMENT FOR ACCESSORY USES AND SETBACK REQUIREMENTS.

# **CORNER LOT**



IF ADJACENT TO AN OPEN SPACE TRACT 15' IN WIDTH OR GREATER, THE SIDE CORNER LOT SETBACK CAN BE REDUCED TO 5'.
WHEN NOT ADJACENT TO AN OPEN SPACE TRACT, SIDE SETBACK SHALL BE A MINIMUM OF 15' ON STREET SIDE.

PSLUSD #11-652-33 PSL PROJ# P20-214 40' - 49' TYPICAL LOT



Scale: 1" = 20'-0"

North

Cotleur & Hearing
Landscape Architects
Land Planners
Environmental Consultants

1934 Commerce Lane Suite 1 Jupiter, Florida 33458 561.747.6336 · Fax 747.137 www.cotleurhearing.com Lic# LC-C000239

# INO SOUTH POD C Kolter Homes Port St. Lucie, Florida


DESIGNED	LAH
DRAWN	
APPROVED	
JOB NUMBER _	18-0905
DATE	10-30-20
REVISIONS	12-04-20

October 30, 2020 2:28:31 p.m ICEPTUAL MASTER PLAN D1\_10-30-20.DW

SHEET 1 OF

© COTEUR & HEARING, INC.
These drawings are the properly of the surbited on not be used for extensions of on other project.

P 20 res<sup>2</sup> 1 draw with the architect. Immediately the content of the project o



WIDTH OR GREATER, THE SIDE CORNER LOT SETBACK CAN BE REDUCED TO 5'. WHEN NOT ADJACENT TO AN OPEN SPACE TRACT, SIDE SETBACK SHALL BE A MINIMUM OF 10' ON STREET SIDE.

58

PSLUSD #11-652-33 PSL PROJ# P20-214

TYPICAL LOT

(50' & GREATER)





October 30, 2020 2:28:31 p.r MASTER PLAN D1\_10-30-20.DW

DESIGNED\_ DRAWN\_ APPROVED\_ JOB NUMBER\_

REVISIONS

SHEET 1 OF 1 P20ree2ndn4ting with

LAH LAH DTS 18-0905

Cotleur & Hearing Landscape Architects Land Planners Environmental Consultants

Lic# LC-C000239

Kolter Homes Port St. Lucie, Florida

IF ADJACENT TO AN OPEN SPACE TRACT 15' IN


North

Scale: 1'' = 20'-0''

Notes:

SETBACK REQUIREMENTS.

REFER TO PUD DOCUMENT FOR ACCESSORY USES AND



Cotleur & Hearing

Landscape Architects Land Planners Environmental Consultants

1934 Commerce Lane Suite 1 Jupiter, Florida 33458 561.747.6336 · Fax 747.13 www.cotleurhearing.com Lic# LC-C000239


> SOUTH POD 1 olter Homes St. Lucie, Florida

DESIGNED LAH
DRAWN LAH
APPROVED DTS
JOB NUMBER 18-0905
DATE 10-30-20
REVISIONS 12-04-20

October 30, 2020 2:28:31 p.m. PTUAL MASTER PLAN D1\_10-30-20.DWG

SHEET 1 OF 1

© COTLEUR & HEARING, INC.
These drawings are the property of the architect and to the used for enhancement or or other projects e



VERANO SOUTH POD D


Kolter Homes
Port St. Lucie, Florida

Cotleur & Hearing
Landscape Architects
Land Planners
Environmental Consultants
1934 Commerce Lane
Suite 1
Jupiter, Florida 33458
561.747.6336 - Fax 747.1377

Lic# LC-C000239

PSLUSD #11-652-33 PSL PROJ# P20-214

# TYPICAL DRIVEWAY LAYOUT



North

December 08, 2020 3:59: -0905\_ DNCEPTUAL MASTER PLAN D1\_10-30-20.

DESIGNED\_

REVISIONS\_

DRAWN \_\_\_\_\_ APPROVED \_\_\_\_ JOB NUMBER \_

SHEET OF OF These drawings are the property of the arriblect annote be used for extensions or on other projects ex P2 of the arriblect for 
LAH LAH DTS 18-0905

10-30-20

12-08-20

# EXHIBIT 12 TRAFFIC STATEMENT (PLEASE SEE PAGE 61)

1172 SW 30th Street, Suite 500 • Palm City • Florida • 34990 (772) 286-8030 • www.mackenzieengineeringinc.com

T To: City of Port St. Lucie Planning Department

F From: Shaun G. MacKenzie, P.E.

Date: December 19, 2019

Re: Verano Planned Unit Development (Pod E & Pod G)

Traffic Statement



Digitally signed by Shaun G MacKenzie Date: 2019.12.19 10:42:34 -05'00'

Shaun G. MacKenzie Florida P.E. 61751 CA#29013 CA#29013

This traffic Statement was prepared for the proposed masterplan, Verano C-24 South, within the approved Verano Development of Regional Impact (DRI) and constitutes a portion of the DRI's second phase (Phase II).

The traffic impacts of this development were fully analyzed in the analysis included in the Application for Development Approval (ADA) for the DRI. The results of that analysis were used as the basis for the traffic conditions included in the Final Development Order for the Verano DRI.

As a part of this Masterplan, Pod E PUD 1 proposes 307 and Pod G proposes 200 dwelling units.

As previously reported to the City, the Phase I and II cumulative development potential is 3600 residential units; the Trip Generation potential for Phase II buildout is 55,518 daily, 3,860 AM peak hour (1,586 in, 2,274 out) and 5,117 PM peak hour (2,859 in, 2,258 out) trips, based on the trip generation projection included in the ADA Traffic analysis.

After internal capture with other uses within the DRI and pass-by capture, Phase II will generate the following net new external trips: 40,686 daily, 3,041 AM peak-hour (1,176 in, 1,865 out) and 3,750 PM peak-hour (2,175 in, 1,575 out) trips.

The proposed PUD within the Verano DRI does not warrant any changes to the previously approved transportation related Development Order conditions.

Verano	Development Area	Dwelling
Phase		Units
1	Verano PUD (North of the C-24)	1,200
2	Verano South PUD 1, Pod A	286
2	Verano South PUD 1, Pod B	260
2	Verano South PUD 1, Pod C	446
2	Verano South PUD 1, Pod D	699
2	Verano South PUD 1, Pod E	307
2	Verano South PUD 1, Pod G	200
2	Total to Date	3,398

# EXHIBIT 13 DRAINAGE STATEMENT (PLEASE SEE PAGE 63)



THOMAS ENGINEERING GROUP 125 W. INDIANTOWN RD., STE. 206 JUPITER, FL 33458 P: 561-203-7503 F: 561-203-7721

# DRAINAGE STATEMENT FOR PUD D and E October 16, 2018

The proposed project is a portion of the overall Verano DRI, were are proposing the next two PUD's along the south side of the C-24 just across from the existing Verano development on the North side of C-24 canal. The proposed PUD's are just north and west of existing PUD A and B.

The project is under an existing SFWMD conceptual permit #50-01645-S (application #170530-4). Basin assumptions will follow the criteria set in the original conceptual permit. The proposed drainage system throughout the proposed PUD's will consist of a network of pipes and catch basins interconnecting the roadways to the proposed onsite lakes. The neighborhoods will also provide for the required lake interconnect pipes which will be consistent with the SFWMD permit. Water quality will be achieved within the lake.

As the overall property is developed lakes and ditches will be constructed to provide sufficient attenuation of run-off at various stages of the project until the overall lake and drainage system is complete.



Brandon Ulmer Florida P.E. License # 68345 Florida Business CA # 27528 Brando n Ulmer

Digitally signed by Brandon
Ulmer
DN: cn=Brandon Ulmer,
o=Thomas Engineering Group,
ou,
email=bulmer@thomaseg.com,
c=US

Date: 2018.10.16 11:22:58 -04'00

CIVIL ENGINEERS - PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS
WWW.THOMASENGINEERINGGROUP COM