



# **GURKHA MPV**

Issued to:
Port St. Lucie Police Department
121 SW Port St. Lucie Blvd
Port St. Lucie, FL
34983

Mike Beath Phone: 772-871-5001 Email: MBeath@cityofpsl.com

№ of pages: 7

### **BASE VEHICLE SPECIFICATIONS**

**Ballistic Protection** 

Opaque Armor
(Occupant Area & CEN-B7: 7.62 x 51 M61 Armor Piercing multi-hit (2,850 fps)
Includes Firewall)

VPAM VR10: 7.62 x 54 B32 Armor Piercing Incendiary (2,820 fps)

UL752 Level 10: 50 Caliber M33 (2,900 fps)

50 Caliber M33 (2650 fps) multi-hit

20mm Fragment Simulating Projectile (2,480 fps)

Obliquity angle: Verticals at 0° / roof at 30°

Transparent Armor NIJ IV: 30-06 M2 Armor Piercing (2,850 fps)

UL 752 Level 10: 50 Caliber M33 (2,800 fps)

Obliquity angle: 0°

Glass thickness: 2.5 inches / 63 mm

Fuel Tank NIJ III

Performance

Base Chassis 20

2021 Ford F550 4x4

Engine Options 7.3L V8 Gas 350 HP / 468 lb-ft. Torque

6./L V8 turbo diesel 330 HP / 825 lb-tt. Lorque OPTIONAL

Transmission Transfer Case 10-speed automatic with tow/haul mode 2-speed with electronic shift on the fly 4x4

Rear Differential

4.88 ratio with limited slip

Brakes

Four-wheel disc anti-lock brakes (ABS)

Suspension

Custom tuned shocks with external reservoir. Upgraded HD steering damper

Front Springs Rear Springs Upgraded coils Multi-leaf springs

Wheels

Four (4) Hutchinson Defense WA-1090 forged aluminim 20" x 11"

Run Flats

Rodgard run flats

Tires

335/80R20 Continental MPT 81

Capability

Approach Angle 37° Departure Angle 25°

Ground Clearance

11.5 inches (292 mm) - ground to rear differential case

22 inches (558 mm) - ground to side step

Turning Radius

Outside: 22 feet (6,705 mm) Inside: 10'2" (3,225 mm)

Track Width

82 inches (2,082 mm)

Slope Gradient

60%

Side Slope

40%

Water Fording Vertical Step 41 inches (1,041 mm) 18 inches (457 mm)

Trench

27 inches (685 mm)

Top Speed Fuel Range 70 mph (110 km/h) 425 miles (680 km)

Capacities & Dimensions

GVWR

19,500 lbs (8,845 kg) 14,706 lbs (6,670 kg)

GAWR Rear GAWR Front

7,500 lbs (3,401 kg)

Curb Weight

16,800 lbs (7,620 kg) - Base model 2,700 lbs (1,224 kg) - Base model

Payload

40 gallons (151 liters)

Fuel Tank Length

242 inches (6,350 mm)

Width

96 inches (2,438 mm) with side mirros folded in

Height

103 inches (2,616 mm) - roof hatch

115 inches (2,921 mm) - cupola

Wheelbase

145 inches (3,683 mm) - unaltered chassis with valid Ford OEM warranty

Interior

Front Seats

Driver & passenger front seats with arm rest

Rear Seats

Two (2) side facing bench seats for three (3) occupants per bench

Three (3) 2-point seat belts at each bench

Bench seats lift up to access storage area on both sides

Flip Seats

I wo (2) rear facing flip seats with 3-point seatbelts mounted bening front seats UP IIUNAL

Air Conditioning

Factory AC & heat in front cab

Ceiling mounted AC & heater for rear occupants OPTIONAL

Insulation

Insulation in walls, ceiling and floor

Center Console

Full size console with backlit accessory switches, two (2) cup holders and cell phone storage pockets

Ceiling Console

Ceiling mounted console with white map lights and spare upfitter switches

Headliner Lighting Heavy duty automotive grade fabric upholstered headliner White / red LED lights in the occupant area

Console

Center console with backlit switches and two (2) cup holders

Audio Windows AM/FM radio with two (2) speakers One-piece full size windshield

Large full view glass at both front doors

Four (4) portal glass at each side and two (2) portal glass at back doors

Larger glass size available to replace portal glass OPTIONAL

**Grab Handles** 

Grab handle at each door and six (6) grab handles mounted to the rear ceiling

Tie-Downs

Muli-positional rail tie-down system mounted to both bench seats

Ventilation

Smoke extraction fan mounted at the driver side rear area

Exterior

Paint

Client to specify color

Tow Hooks

Two towing hooks mounted at front and rear

Mirrors Fuel Access Two power adjustable side mirrors Fuel tank access door with key lock

Side Steps

Full length side steps coated in black Line-X positive grip coating

Full width rear step coated in black Line-X positive grip coating

Secondary rear step hinged for departure angle breaches

Hand Rails

Roof mounted handrails on driver and passenger side upper body line

Roof mounted handrail on rear upper body line

Roof

Grip tape strips added to roof for positive grip

**Bumpers** 

Heavy duty integrated front bumper

Full width rear step

Side Doors

Two (2) side doors (seating for 2 + 10)

Four (4) side doors (seating for 2+6) UPTIONAL

Rear Doors

Two (2) rear entry doors – 50/50 Internal dead bolt locks on all doors Hold-open locks on all doors

Manual lock at each door

Remote power door locks integrated with OEM Ford key tob UPITUNAL

**Exterior Lights** 

7 inch round LED headlights

Recessed LED signal lights mounted at front bumper

Five (5) amber clearance LED lights mounted at the front roof Two (2) amber marker LED lights mounted at front corners Five (5) red clearance LED lights mounted at the rear roof Two (2) red marker LED lights mounted at rear corners

LED tail lights and license plate light

## **OPTIONAL UPGRADES**

		Tactical Options	
	1	Low profile sliding hatch with height adjustable operator stand	\$10,000
	2	Manual rotating roof hatch with gun port and height adjustable operator stand	\$10,000
	3	Manual rotating cupola with height adjustable operator stand	\$20,000
	4	Gun ports: 4 per side / 2 at rear door	\$5,000
	5	Manual battering ram with external or internal storage	\$4,500 \$4,500
Ε,	6	Power operable battering ram with external storage racks	\$6,500
	6P	Provision for power ram. Includes front mounts, wiring and external storage racks	\$1,500
	E505700	Automated gas delivery breaching head (C15 & Dettech compatable)	\$13,500
	8	Kam cam breaching head with tour (4) multi-position cameras	\$6,500
	9	Power operable ballistic skip shield – NIJ III armor	
	10	Fire suppression system at all wheels	\$3,500 \$6,000
H	11	Fire suppression system at engine	\$6,000
h	12	Breathing air tank with quick release connector at each seat - masks not included	\$6,000
	13	Protective steel mesh on all windows (removable)	\$3,000
	14	Explosive gas detection system	\$6,000
	15	Radiation detection system	\$6,000
<u> </u>	16	Four (4) side door configuration	\$2,000
<u> </u>	17	I ransparent armor upgrade:	\$5,000
	• •	30-06 M2 AP - NIJ IV / /.62 x 31 M61 AP multi-hit - CEN B// 30 Cal M33 /	\$5,000
	18	20 mm FSP at 0° obliquity (Glass thickness: 3 inches / 78 mm) LRAD 100X with magnetic roof mount (optional upgrades available)	\$14,000
	18P	Provision for LRAD 450XL. Includes LRAD wiring harnesses and roof mount	\$4,050
	19	LRAD 450XL roof mounted with standalone MP3 controller (optional upgrades available	\$27,000
	20	LRAD 450XL roof mounted with integrated MP3 controller (optional upgrades available)	\$31,050
	21	Roof mounted water monitor with joystick	\$38,000
	22	Two (2) floor mounted gun racks	\$1,170
	23	Patriot 3 Liberator HX or ARC elevated tactics system	Please contact
	24	5-piece ammunition and first aid magnetic storage kit	\$700
Ľ		Exterior Lighting Options	\$700
v	25	Two (2) front roof mounted LED search lights - remote control	\$2,500
	26	Two (2) rear roof mounted LED search lights - remote control	\$2,500
	27	10 inch LED scene lights - left & right side mount	\$2,000
	28	6 inch LED flood lights – left & right side mount	
	29	Two (2) 4 inch infrared lights mounted on front bumper	\$1,200 \$1,500
Ø	30	Two (2) 6 inch LED fog lights mounted on front bumper (DOT compliant)	\$0
	31	Standard Emergency Light Package (Alternate configurations available):	\$5,000
		Red/Blue Roof mounted light sticks: Front & rear	45,000
		Red/Blue Perimiter Lighting: 4 @ front, 4 @ rear, 2 @ both sides	
		Public Address System: 200W siren with two (2) x 100W speakers	
		Wigwag flashers in headlights and tail lights	
Ø.	32	Premium bluePRINT Emergency Light Package	\$9,500
_		Four (4) roof mounted LED traffic controller/take down/scene lights	
		LED perimiter flashers/scene lights: 6 @ front / 4 @ rear / 3 @ both sides	
		Public Address System: 200W siren with two (2) x 100W speakers	
		Blackout switch to disable exterior lighting	
	33	Roof mounted traffic light pre-emption strobe	\$3,000
ā	34	Low frequency siren with 2 x external speakers	\$2,500
Ø	35	7 inch round LED headlights – blacked out housing	\$0
v	36	Install customer supplied police radio, 25' coax cable thick mount / antenna	\$750
ă	37	Install customer supplied emergency lighting	\$1,000
_			• •

		Electronic Options	
Ø	38	Intercom system – inside / outside	\$1,500
V	39	Battery charger with auto eject receptacle	\$2,900
	40	Roof Mounted Pan / Tilt / Zoom Color Camera:	\$9,800
		CCD PTZ camera, 30x zoom, search light, IR light, lens wiper, joystick controller,	
_	41	dash mounted 9 inch touch screen monitor with 256 GB DVR, 15 inch rear monitor	1.51
	41	Roof Mounted Pan / Tilt Thermal Sensor:	\$9,800
		320 x 240 thermal sensor with remote control, audible and visual alerts for person & vehicle detection, 9 inch dash mounted touch screen monitor with 256 GB DVR,	
		15 inch rear monitor	
	42	Roof mounted Pan/Tilt/30x Zoom CCD color camera, thermal sensor (640x480),	\$26,000
ш		controller, 9 inch touch screen monitor with 256 GB DVR, 15 inch rear monitor	\$20,000
	43	Roof mounted Rvision PTZ color camera with 35mm thermal sensor, 9 inch touch	\$48,000
ч		screen monitor with 256 GB DVR, 15 inch rear monitor, Look contoler with monitor	4 10,000
	44	TAV-4GLTEWIFI Cellular Modem/WiFi/Video Server Assembly	\$4,800
	45	Reverse camera with 7 inch dash monitor	\$800
V	46	Reverse camera with 9 inch monitor	\$1,000
V	47	Four (4) reverse proximity sensors with audible / visual alert	\$800
	48	15 inch ceiling mounted monitor for rear occupants	\$800
<b>V</b>	49	Front hood mounted view camera	\$0
	50	In-dash GPS navigation head unit	\$2,500
	51 52	1,000W AC/DC power inverter	\$1,000
Ø	52 53	2,000W AC/DC power inverter	\$1,500
	54	Blackout switch to disable all exterior vehicle and emergency lighting 6 USB charging ports - 2 in cab / 4 in rear	\$1,000
() ()	55	Heated windshield	\$500 \$1,500
	56	Remote power door locks integrated with key fobs	\$1,000
ت		Interior Options	\$1,000
V	57	4-way power adjustable driver and front passenger seats (\$1,250 each)	\$2,500
Ø	58	Two (2) rear facing jump seats	\$2,500
Ø	59	Ceiling mounted AC & heat for rear occupants (engine driven)	\$2,500
	60	Independent AC (operates with engine off)	\$6,000
	61	Independent heater (operates with engine off)	\$6,000
		Medic Layout Package	
	62	Work station with storage drawers and backlit shelving	\$18,900
		Widened driver side bench seat with dual straps to secure tactical litter	
		Dual straps to secure tactical litter at passenger bench seat	
		Two (2) Jumbo D oxygen bottles with independent dispensing spouts Two (2) USB charge ports & 12V power ports	
		Four (4) IV hooks	
		Six (6) Ceiling mounted Whelen red/white LED trauma lights	
		Four (4) Ceiling mounted directional white lights	
		Offroad Options	
V	63	Front bumper mounted Warn 16,500 lb capacity winch	\$3,500
	64	Warn 16,500 lb winch with front & rear receivers	\$5,000
	65	External mount high output air compressor with two quick release couplers	\$5,000
Ø	66	Front differential lock (**Recommended**)	\$3,000
		Exterior Options	
Ø	67	Towing package with class IV rear hitch	\$1,500
	68	Spare wheel assembly packaged loose (includes runflat)	\$4,000
	69	Paint upgrade from matte/satin finish to base clear finish (clear coat)	\$2,000
Image: Control of the	70	Line-X coating on rear fenders, bottom half of vertical sides & all exterior grab rails	\$6,500
Image: section of the content of the	71	Dual exterior storage compartments with locking handles	\$3,500
	72	Painted wheels - select color from color option list	\$2,000
Chassis	73	6.7L V8 turbo diesel 330HP / 825 lb-ft torque	\$9,300

### **PRICE & TERMS**

Vehicle Description: GURKHA MPV

Chassis:

2021 Ford F550 4x4 (U.S. specification & title)

Market Zone:

**United States** 

Quantity:

One (1)

Price Code:

Law Enforcement

Base Vehicle:

\$220,000

Optional Upgrades: \$112,950

Subtotal:

\$332,950

Shipping to PSL

\$5,950

Total Cost (USD)

\$338,900

Basis:

Ex-works Factory Newmarket Ontario Canada and free of all Canadian

duties and/or taxes. (state taxes are the responsibility of the end user)

Lead time: 22 weeks from receipt of F550 chassis delivered to Terradyne

Shipping: Client to specify shipping preference

#### TERRADYNE LIMITED WARRANTY

Terradyne warrants any items installed, and conversion related to custom workmanship for three (3) years. Any suspected warranty related work must be first be confirmed as being necessary by means of a technical consultation with a representative of TERRADYNE ARMORED VEHICLES INC.

Technical consultation regarding any deficiency repairs or malfunctions is available by telephone during our normal business hours Eastern Standard time at 905-895-1010.

Ballistic transparencies are warranted for three (3) years; however the Warranty excludes damage to bullet resistant glass caused by stones, malicious damage, projectiles or other flying objects.

Warranty work to be directly covered by TERRADYNE may be performed locally only after assessment and authorization by TERRADYNE. TERRADYNE shall, upon consultation and approval, make payment for any/all repairs deemed to be of a reasonable nature by the Company.

TERRADYNE does not cover any OEM vehicle parts and components that we have not been modified no performed work on, during the armoring process. Such parts and components are the sole responsibility of the client and the vehicle's Original Equipment Manufacturer.

TERRADYNE assumes no responsibility for damages incurred through vehicle misuse or abuse, negligence, accidental damage, or any unauthorized modifications or alterations made to the vehicle following delivery of the vehicle to the client. Under the terms of this limited warranty, TERRADYNE shall in no way be held liable for any incidental or consequential damages arising from loss of use or loss of time, inconvenience, or commercial loss resulting from the need for warranty work. This warranty covers the repair and/or replacement of warranty related items only, and any non-warranty related additional costs incurred remain the responsibility of the client.

Accessories not directly related to the armoring process (winches, lighting, antenna, shields, turrets etc.) shall be covered by the warranties of their respective manufacturers and are not included in the warranty coverage provided by this agreement. However, although TERRADYNE does not warrant these items directly in any way, we do agree to offer all reasonable assistance in obtaining service from their companies of origin. Should there be any undue difficulties with obtaining servicing of these accessories; TERRADYNE will also agree to replace them for the client at our current wholesale cost price. The client shall remain responsible for any/all shipping and handling fees or incidental costs associated with the replacement of such items, as well as the aforementioned replacement costs.

Terradyne optional limited warranty extension available: 1 year / 20,000 miles

Ford Motor Company Warranty Coverage:

Powertrain: 5 years / 60,000 miles Gas engine: 5 years / 60,000 miles Diesel engine: 5 years / 100,000 miles