Schaefer SubCo, LLC

10301 Westlake Dr. Charlotte, NC 28273 USA Phone. (704) 944-4500



QUOTATION

Quote #: 021256-3

4/4/2022

Quote Expiration: 4/30/2022

Net30 Terms: FOB: PPD

Lead Time: August 2022 A&D

Additional Terms:

- Approval required by end of April 2022 to begin A&D in August 2022. Quote is piggyback offer based on Schaefer/City of Ft. Lauderdale, FL

Agreement resulting from ITB No. 12492-813-Refuse and Recycling Carts,

Semi-Automatic.

Date:

Requested by: **Dave Peters**

Bill to: Port Saint Lucie, FL

> 121 SW Port St Lucie Blvd Port Saint Lucie, FL 34984-5042

USA

Port Saint Lucie, FL Ship to:

> 121 SW Port St Lucie Blvd Port Saint Lucie, FL 34984-5042

USA

Line	Quantity	Item number	Description	Unit price	Net amount
1	75,000	95Q.0R0	USD95Q Cart (95-Gallon Type B/G Cart) with: - 10" plastic snap-on wheels; - RFID tag; - Lid hot stamp: Trash only with face arrows towards street; - Body hot stamp: City logo (all artwork approved by customer prior to production); - Unit price includes freight;	\$53.31	\$3,998,250.00
			Body Color: Black (BK1) LidColor: Black (BK1)		
2	9,000	65M.ORO	USD65M Cart (65-Gallon Type B/G Cart) with: - 10" plastic snap-on wheels; - RFID tag; - Lid hot stamp: Trash only with face arrows towards street; - Body hot stamp: City logo (all artwork approved by customer prior to production); - Unit price includes freight; Body Color: Black (BK1) Lid Color: Black (BK1)	\$43.75	\$393,750.00
3	2,000	65M.0R0	USD65M Cart (65-Gallon Type B/G Cart) with: - 10" plastic snap-on wheels; - RFID tag; - Lid artwork: In-mold label depicting acceptable items (size 9" x 9.5") - Body hot stamp: City logo (all artwork approved by customer prior to production); - Unit price includes freight; - Assembly & Distribution not required for recycle carts. Body Color: Green (GN3) Lid Color: Green (GN3)	\$44.72	\$89,440.00

All sale transactions are subject to Schaefer Systems International, Inc. - Standard Terms and Conditions of Sale in effect at the time of sale, published on our website www.ssi-schaefer.us/General_Terms_and_Conditions_for_the_Sale_of_Goods_and_Services.

^{*} Assembly is required for wheels and axles unless assembly and distribution is being completed by Schaefer

^{*} Orders with custom hot stamps are non-cancelable

Schaefer SubCo, LLC

10301 Westlake Dr Charlotte, NC 28273 USA Phone: (704) 944-4500



QUOTATION

Quote #: 021256-3 Requested by: Dave Peters

Date: 4/4/2022

Line	Quantity	Item number	Description	Unit price	Net amount	
4	1,000	35B.ORO	USD35B Cart (35-Gallon Type B/G Cart) with: - 8" plastic wheels; - RFID tag; - Lid hot stamp: Trash only with face arrows towards street; - Body hot stamp: City logo (all artwork approved by customer prior to production); - Unit price includes freight; Body Color: Black (BK1) Lid Color: Black (BK1)	\$36.48	\$36,480.00	
5	85,000	W1.ASSY&DISTR	Assembly & Distribution (A&D) w/ RFID Scan: One (1) cart delivered to each home in the city (city-wide deployment). RFID tag scan at curbside to assign cart to home and capture delivery data (Serial #, RFID tag #, GPS location, timestamp). Delivery data, including any delivery exceptions (customer refusal, vacant lot, etc.), is available for viewing in WISTAR (Schaefer's Asset Management Solution) and provided in Excel format upon project completion. Customer must provide a staging area within city limits. Customer must provide address list in the required format four (4) weeks prior to A&D start date (Excel template provided). If unable to provide address list in the required format, additional fees will be applicable for data preparation/address list scrubbing. WISTAR logins provided for project tracking, and daily progress updates emailed to designated city personnel.	\$4.08	\$346,800.00	
6	85,000	WTD.ASSY&DISTR	Optional A&D Service: Attach customer provided literature to cart at curbside.	\$0.07	\$5,950.00	
		Sales tax (Appl	icable sales tax will be added unless a valid Tax Exemption certificate	is on file)	-	
				Total	\$4,870,670.00	


Agreed and accepted by:

1300 Pulle	
Brett Belda VP, Waste Technology Division	Name & Title
4/4/2022	
Date	Date

All sale transactions are subject to Schaefer Systems International, Inc. – Standard Terms and Conditions of Sale in effect at the time of sale, published on our website www.ssi-schaefer.us/General_Terms_and_Conditions_for_the_Sale_of_Goods_and_Services.

^{*} Assembly is required for wheels and axles unless assembly and distribution is being completed by Schaefer

^{*} Orders with custom hot stamps are non-cancelable



95-GALLON Q SERIES ROLL OUT CART

Delivering both Quality and Quantity in every truckload.

Get the industry-leading truckload capacity you want with the product integrity you've come to trust. The Q Cart from SCHAEFER delivers the quality that your customers expect, while offering municipalities and haulers more carts in every truckload.

schaeferwaste.com





BODY / BAR

- Non-slip, textured finish on corners for grabber traction
- Injection molded for maximum strength and durability
- One-piece high-density polyethylene (HDPE) construction
- · Built-in flexibility
- Reinforced wall thickness in critical wear areas
- Externally housed lift bar for water-tight leak-proof body
- Rotating retention bar for less stress on cart body



INTERIOR

UPPER ATTACHMENT

- Integrated, reinforced upper attachment for semi-automated lifters
- Highly durable, in-molded bar supports
- Meets all ANSI standards



LIDS / HANDLES

- Solid lid axle with a robust 3-point attachment
- Overlapping lid design with integral moisture barrier lip
- Inside dripping rim to seal in odors
- 270° lid opening
- Ergonomically designed hand grips for easy push and pull motion
- Smooth surface with no protrusions
- Two ergonomic lift handles for easy opening



WHEELS & AXLES

- 3/4" solid axle of tempered, rolled, and Zinc Chromate steel
- Quick release durable HDPE wheel for ease of disassembly and easy rolling motion
- Lubricated maintenance-free bearings



BOTTOM

- Angled bottom for easy tilting
- Dual 3/8" wear strip for longer life




OUTSIDE DIMENSIONS

ANSI Z245.30 and ANSI Z245.60 Approved. ISO 9001 Certified. Truckload quantity based on 53' trailer. Measurements in inches.

INJECTION MOLDED MANUFACTURING, MANAGED ASSEMBLY & DISTRIBUTION, AND COMPREHENSIVE FLEET SERVICES

COLORS, MARKINGS, & OPTIONS

- Available in an array of standard colors. Custom colors available upon request with minimum quantities.
- Smooth surface for hot stamping on lid and body
- · Customizable in-mold labeling (IML) on lid



MANUFACTURING LOCATIONS

- Charlotte, North Carolina
- Lodi, California

Proud supporters of:





www.schaeferwaste.com

Schaefer Systems International, Inc. 10021 Westlake Drive Charlotte, NC 28273 Phone 855-900-CART

BidSync



65-GALLON M SERIES ROLLOUT CART

When selecting a cart provider, choose an industry leader.

For over 40 years, SCHAEFER has provided municipalities, government agencies, and private haulers with a complete line of quality products, innovative solutions, and on-time delivery.

schaeferwaste.com

SCHAFE



BODY

- Non-slip, textured finish on corners for grabber traction
- Smooth surface inside and out for easy cleaning
- Injection molded for maximum strength and durability
- One-piece high-density polyethylene (HDPE) construction
- Built-in flexibility



BAR / UPPER ATTACHMENT

- Rotating retention bar for less stress on cart body
- · Highly durable, in-molded bar supports
- · Factory installed
- · Extra wall thickness in bar area for durability
- Externally housed lift bar for leak-proof body
- Integrated, reinforced upper attachment for semi-automated lifters
- · Meets all ANSI standards



LIDS / HANDLES

- Solid lid axle with a robust 3-point attachment
- Overlapping lip for rain protection
- Inside dripping rim to seal in odors
- 270° lid opening
- Ergonomically designed hand grips for easy push and pull motion
- Smooth surface with no protrusions
- Two ergonomic 2" x 5" lift handles for easy opening

WHEELS & AXLES

- Solid axle of tempered, rolled and Zinc Chromate steel
- Lubricated maintenance free bearings
- · Durable HDPE wheels for easy rolling motion
- 3/4" wheel axle

BOTTOM

- · Angled bottom for easy tilting
- Dual 3/8" wear strip for longer life



OUTSIDE DIMENSIONS

USD 65M	41.5	39.1	24.4	27.5	10	230 lbs.	847	
Order#	1. TOTAL HEIGHT	2 BODY HEIGHT	3 WIDTH	4 DEPTH	5 WHEEL DIAMETER	LOAD RATING↓	TRUCKLOAD QUANTITY	

ANSI 2245.30 and ANSI 2245.60 Approved. ISO 9001 Certified. Truckload quantity based on 53' trailer. Measurements in inches.

INJECTION MOLDED MANUFACTURING, MANAGED ASSEMBLY & DISTRIBUTION, AND COMPREHENSIVE FLEET SERVICES

COLORS, MARKINGS, & OPTIONS

- Available in an array of standard colors. Custom colors available upon request with minimum quantities.
- Smooth surface for hot stamping on lid and body
- Customizable in-mold labeling (IML) on lid



MANUFACTURING LOCATIONS

- · Charlotte, North Carolina
- Lodi, California

Proud supporters of:





www.schaeferwaste.com

Schaefer Systems International, Inc. 10021 Westlake Drive Charlotte, NC 28273 Phone 855-900-CART BidSync



35-GALLON B SERIES ROLLOUT CART

Collect great reviews from a cart you trust with proven decades of service.

SCHAEFER delivers the durability you need with features your customers want. Keep your customers loyal and let SCHAEFER make your cart program a success.

schaeferwaste.com





BODY

- Non-slip, textured finish on corners for grabber traction
- Smooth surface inside and out for easy cleaning
- Injection molded for maximum strength and durability
- One-piece high-density polyethylene (HDPE) construction
- Built-in flexibility



BAR / UPPER ATTACHMENT

- Rotating retention bar for less stress on cart body
- Highly durable, in-molded bar supports
- Extra wall thickness in bar area for durability
- Reinforced, in-molded upper attachment for cart tippers
- In-molded support ribs for added strength



LIDS / HANDLES

- Overlapping lip for rain protection
- Inside dripping rim to seal in odors
- 270° lid opening
- Ergonomically designed hand grips for easy push and pull motion
- Smooth surface with no protrusions

WHEELS & AXLES

- 7/8" solid wheel axle made of tempered, rolled and Zinc Chromate steel
- Lubricated maintenance free bearings
- Durable HDPE wheels for easy rolling motion

BOTTOM

- In-molded toe hold to ease tilting of loaded cart
- Dual 3/8" wear strip for longer life



OUTSIDE DIMENSIONS


USD 35B	38.2	35.8	22.8	22.3	8	125 lbs.	1008	
Order#	TOTAL HEIGHT	2 BODY HEIGHT	3 WIDTH	4 DEPTH	5 WHEEL DIAMETER	LOAD RATING ♥	TRUCKLOAD QUANTITY	

ANSI Z245.30 and ANSI Z245.60 Approved. ISO 9001 Certified. Truckload quantity based on 53' trailer. Measurements in inches.

INJECTION MOLDED MANUFACTURING, MANAGED ASSEMBLY & DISTRIBUTION, AND COMPREHENSIVE FLEET SERVICES

COLORS, MARKINGS, & OPTIONS

- Available in an array of standard colors. Custom colors available upon request with minimum quantities.
- Smooth surface for hot stamping on lid and body
- Customizable in-mold labeling (IML) on lid



MANUFACTURING LOCATIONS

- Charlotte, North Carolina
- Lodi, California

Proud supporters of:





www.schaeferwaste.com

Schaefer Systems International, Inc. 10021 Westlake Drive Charlotte, NC 28273 Phone 855-900-CART BidSync

