

EXHIBIT H
CITY OF PORT ST LUCIE
PUBLIC WORKS DEPARTMENT PURCHASING REQUEST FORM

FUND

401 STORMWATER

REQUESTOR

Kirk McCosh

PUBLIC WORKS DEPARTMENT / DIVISION

4126 DRAINAGE / NPDES

DATE OF REQUEST:

12/17/2024

OBJECT CODE

564^{1/}300 Vehicle Purchases - Capital

TIME FRAME

Start / End Date:

12/17/2024

ITEM - Name and Location of Project

Purchase of 1-Outfitted Camera Truck with Camera and Software

SCOPE OF WORK - What type of work

1-Camera Van and Camera Equipment and for sewer TV inspection, culvert seal and inspection. This equipment is needed to view, document, and rate culverts for the City's culvert replacement program.

JUSTIFICATION -Why is this work necessary and how was the vendor chosen
(Include Contract Number, DemandStar Number, Quote Number)

This equipment will be used for the City's culvert replacement program.

This vehicle was budgeted as additional equipment.

401-4126-564^{1/}300-00000

Vendor was chosen utilizing the Sourcewell Awarded Contract #120721-ARS Pricing

VENDOR

Aries Industries, INC.

TOTAL COST

\$288,336.00

Existing
Vendor

No

W-9

Attached

Yes

Payment Type

PO

REQUESTER FOLLOWED PURCHASING POLICIES AND PROCEDURES PER THE CITY'S GUIDELINES LISTED BELOW

☐ YES ☐ NO

Division Manager Approval:

Kirk McCosh

Date:

12/17/2024

Department Head Approval if required:

Colt Schwerdt

Date:

Colt Schwerdt (Dec 20, 2024 13:46 EST)

EXHIBIT H

BY SELECTING BELOW YOU AGREE THAT YOU HAVE REVIEWED AND FOLLOWED THE CITY'S PURCHASING GUIDELINES FOR THE FOLLOWING THRESHOLD:

NOTE: CAN NOT USE THREE QUOTES FOR ENGINEERING IF CONSTRUCTION COST IS OVER \$325K (MUST CHOOSE TO DO AN RFP, RFQ OR USE THE CONTINUING SERVICES CONTRACT)

	\$0.01 TO \$9,999.99	\$10,000.00 TO \$24,999.99	\$25,000.00 TO \$49,999.99	\$50,000.00 TO \$99,999.99	\$100,000.00 AND ABOVE
SELECT ONE	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

POLICIES AND PROCEDURES UPDATE PURCHASING THRESHOLDS

Effective October 1, 2023			
Purchase Amount	Method	Quote* Requirement	Approval Level
\$0.01 - \$9,999.99	Informal	One	Department Protocol
\$10,000.00 - 24,999.99	Informal	Three	Department Head
\$25,000.00 - \$49,999.99	Informal	Three	Department Head and Procurement
\$50,000.00 - \$99,999.99 for Non-Construction	Informal	Three	Department Head, Procurement, and City Manager
\$50,000.00 - \$199,999.99 for Construction	Informal	Three	Department Head, Procurement, and City Manager
\$100,000 and above for Non-Construction	Formal	Competitive Solicitation	Department Head, Procurement, City Manager, and City Council
\$200,000 and above for Construction	Formal	Competitive Solicitation	Department Head, Procurement, City Manager, and City Council
All quotes must be documented in written format and shall include: Quote, Issue date, Quote expiration date, Description and prices of goods/services, Quote total			

THIS SECTION WILL BE COMPLETED BY PUBLIC WORKS FINANCIAL STAFF FUNDS ARE AVAILABLE IN THIS FISCAL YEAR'S BUDGET FOR THIS REQUEST

☒ YES ☐ NO

FINANCIAL STAFF HAS REVIEWED THE REQUEST AND IT MEETS THE POLICY REQUIREMENTS

☒ YES ☐ NO

PLEASE NOTE: PUBLIC WORKS FINANCIAL STAFF WILL REVIEW AND OBTAIN THE NECESSARY APPROVAL / APPROVALS ACCORDING TO THE PURCHASING GUIDELINES.

ONCE THE REQUEST HAS MET THE REQUIREMENTS OF THE REVIEW AND APPROVAL PROCESS NOTED ABOVE AN EMAIL WITH THE APPROPRIATE **NOTICE TO PROCEED** WILL BE PROVIDED BY A MEMBER OF THE PUBLIC WORKS FINANCIAL STAFF.

PUBLIC WORKS FINANCIAL STAFF MEMBER THAT REVIEWED THE REQUEST

Christine Murphy 12/18/24

Signature of Public Works Financial Staff that reviewed the request

Date

EXHIBIT H

Equipment Specifications

Port St Lucie, FL



Inspection System

REF Quote Line 1 – Outfitting & System Details

1 Ford Transit 350 HD extended body high roof van with 3.5L PFDi gas engine, 9,950 GVWR. See detailed specs for full vehicle specs, to which Aries will include:

- 1 Roadside DOT-rated safety kit including fire extinguisher, triangles, and flares
- 1 Backup alarm
- 2 Adjustable LED floodlights, mounted above rear doors
- 1 Vehicle exterior lighting package, including
 - 1 LED traffic advisor, mounted rear facing, with cab mounted controller
- 3 Roof mounted amber LED strobe lights, (2) front and (1) rear of body
 - 1 Strobe control switch in traffic advisor controller

1 8,000W vehicle-driven power generator system, including:

- 1 Generator APU/control unit, mounted in control room
- 1 Electrical generating unit installed on vehicle engine
 - 1 Engine throttle control device
- 1 Auxiliary battery, 12V DC and case
- 1 DC converter, 45A
- 1 Electric distribution panel and circuit breaker box, 8-space
- 1 Electric supply transfer system, house power or generator system, automatic, 50A
- 1 35' cord and house power receptacle with cover
- 1 System engineering panel to include:
 - 1 Generator Voltage and frequency meter, digital
 - 1 Power system remote control device

1 Van control room interior including:

- 1 Lonplate non-skid floor covering
- 1 Pewter Formica laminated surface wall covering
- 1 White Kemlite embossed ceiling cover
- 1 Bulkhead wall with door and sliding Plexiglas window
- 1 Low profile roof mounted air conditioner, 11000 BTU
- 1 Ergonomically contoured and finished control desk
- 1 Standard electrical upfitting package
- 1 LED lighting system with dimmer switch
- 1 Operator chair, swivel with casters
- 1 Fire extinguisher, 10lb, 4A60 B:C rating, OSHA/DOT-approved
- 1 54" high closet, 3 shelves minimum, with storage space on top

1 Van equipment room interior including:

- 1 Lonplate non-skid floor covering
- 1 White Kemlite laminated surface wall covering

EXHIBIT H

Equipment Specifications

Port St Lucie, FL

- 1 White Kemlite embossed ceiling cover
- 1 Standard electrical upfitting package
- 1 LED lighting system
- 1 Set equipment tie down rings, shipped loose
- 1 Work bench with Lonplate worktop and vise
- 1 5-drawer machinists tool chest with locking hasp
- 1 Downhole roller floor mount
- 1 Downhole pole storage tube
- 1 Under reel storage drawer

- 1 Water wash down system for equipment clean-up including:**
 - 1 Water storage tank, 19-gallon
 - 1 Set of fill, vent and drain connections
 - 1 Water tank demand pump
 - 1 25' retractable wash down hose with spring-loaded hand nozzle

- 2 22" LCD flat panel monitors, TV/PC viewing, mounted to control room desktop**
- 1 22" LCD flat panel monitor, TV/PC viewing, mounted rear viewing in equipment room**

- 1 Ultra compact computer system, including:**
 - 1 Compact PC housing, with features including:
 - Intel 11th Gen Core i5-1135G7 processor
 - 16GB of RAM
 - 512GB solid state hard drive, storage
 - (4) HDMI ports
 - (6) USB ports, (4) USB3.2 (front) + (2) USB3.2 (back)
 - Ethernet port on rear of chassis
 - AX201 WiFi 6 + Bluetooth 5.2
 - 1 Wireless keyboard and optical mouse
 - 1 Windows 11 Pro operating system, 64-bit
 - 1 1TB USB-connection external hard drive

- 1 Razer Ripsaw USB HD video capture device**

- 1 Aries DC400 Voyager All-in-One Desktop Controller, including:**
 - 7" color flat touch-screen status & diagnostics monitor
 - Sealed connector for interconnect cable to reel
 - Camera controls
 - Tractor controls
 - Reel controls
 - Internal overlay module with footage & inclination
 - Alphanumeric full "QWERTY" keyboard for video titling and report data input
- 1 Storage and transportation case (460281)**

- 1 Truck mount inter-connect cables**

- 1 Aries HD400 Voyager zoom, rotate & horizontal pan camera w/ high-intensity LED lighting and integrated self-cleaning lens wiper system, including:**
 - Voyager zoom pan and tilt camera w/ multi-axis infinite rotation
 - Integrated on-demand self-cleaning lens wiper system

EXHIBIT H

Equipment Specifications

Port St Lucie, FL

- 120X zoom (10X optical & 12X digital)
- High-resolution 1080(V) x 1920(H) output
- Auto-focus with manual override
- Auto-iris with manual override
- Maintenance-free directional white LED lighting that follows the camera's field of view
- High-sensitivity camera sensor for low-light applications
- "Starlite" low-light level amplification feature with (4) user selectable amplification steps
- Automatic home feature with forks at top and bottom of camera head
- "One Touch Scanning" feature with (2) user selectable continuous joint scan presets
- "Quick Look" preset view positions (6) (Up, Down, Right, Left, Lat R, Lat L)
- Robust, environmentally sealed camera for use in live pipe, including:
 - Scratch-resistant sapphire lens window
 - Camera recessed behind forks for frontal impact protection
 - Rubber bumpers on forks
 - Camera housing with hardened metal finishes and non-corrosive metals
 - Recessed fasteners & no camera protrusions
- Proportionately slowed camera movements when zooming
- Fast-check internal pressure monitoring system
- On-screen camera diagnostics functions including:
 - Camera internal pressure, temperature, operating hours, internal power regulated voltage value, camera model, serial number, firmware revision, control error recognition, LED current value.
- 1 Camera storage and transport case (460283)
- 1 Camera nitrogen recharge kit (950011)

1 Aries TR400 Voyager steerable self-propelled transporter for 6" relined to 24" lines, including:

- Transporter assembly with continuous duty 120-Watt brushless drive motors
 - Remotely-operated electric camera lifting mechanism
 - Fast-check pressure monitoring system
 - Rear viewing camera with LED lighting
 - 512 Hz internal locating beacon
 - Integrated inclinometer system
 - 6 Rubber wheels, 3-3/8" diameter for 6" lines (580660)
 - 4 Rubber wheels, 4-3/8" diameter for 8-12" lines (580661)
 - 4 Rubber wheels, 5" diameter for 12-18" lines (580662)
 - 4 Extended hub dually rubber wheels, 5" diameter for 18-24" lines (580663)
 - 1 Auxiliary detachable light head (LH40)
 - 1 Set maintenance parts (950351)
 - 1 Storage and transport case (460282)
- 2 Carbide high traction wheels, 5" dia. for 12-18" lines, coarse grit (580723-2)**
- 2 Ext. hub carbide high traction wheels, 5" dia. for 18-24" lines, coarse grit (580724-2)**
- 1 Large diameter pipe kit with geared side rails, 8" and 11" diameter rubber tires for operation up to 72" lines (580810)**
- 1 PR400 Voyager cable and reel assembly, including:**
- Lightweight aluminum frame
 - Drum and motor assembly with electric clutch

EXHIBIT H

Equipment Specifications

Port St Lucie, FL

- Cable level wind assembly with one-button adjustment
- Sealed continuous contact 6-conductor slip ring assembly
- Distance meter encoder
- Emergency stop push button switch
- 1200' of 6-conductor Kevlar-strengthened cable with water-block to prevent wicking
- AC power switch
- 120 VAC power input plug with cord
- Cable guide rollers on extendable downrigger assembly with single-button deployment and spring-loaded top roller for easy cable removal.
- Drum tensioner control with knob for fine adjustment
- CANbus controlled cable management system
- 6-pin cable termination
- 1 HC400 handheld pendant with 15' coiled cable for at-manhole operation of reel & transporter
- 1 Cable manhole guide system including:**
 - 1 Manhole top roller assembly
 - 1 Manhole bottom roller assembly and adapter hook
 - 1 Insertion and extractor pole assembly and tractor adapter with three (3) Quick lock fiberglass extension poles
 - 5 Additional fiberglass extension poles
- 2 Operation / maintenance and spare parts manuals**
 - 1 One year warranty, TV system**
 - 1 Delivery of system**

REF Quote Line 2 – Vehicle Details

Chassis

Ford Transit 350 High Roof Extended Length, 148" Wheelbase
3.5L PFDi V6 gas engine, 275hp@ 6500rpm, 262lb·ft @ 3750rpm
250A alternator
Dual 12VDC 70A·h 610CCA batteries
GVWR 9950
FAWR 4130
RAWR 6835
Tires (6) 205/75R16C A/S
Front axle with MacPherson suspension with stabilizer bar
Rear axle with parabolic leaf springs and heavy-duty gas shock absorbers
Limited slip rear differential, 4.10 ratio
25-gallon fuel tank
4-wheel disc antilock brakes
10-speed automatic transmission with overdrive and SelectShift

Interior / Exterior

Vinyl reclining bucket seats
Cab air conditioner
Heater - manually operated with defroster and window defoggers
AM/FM stereo including rear view camera display

EXHIBIT H

Equipment Specifications

Port St Lucie, FL

Analog instrument panel including speedometer, odometer/trip, fuel gauge, voltmeter, engine temp, and oil pressure

Long arm manual folding heated rearview mirrors with power adjust and turn signals

Intermittent windshield wipers with pulse washers

Paint: oxford white

Dimensions = 172.2" long load space, 81.5" interior height, width 45.4" at wheel wells, 70.2" maximum interior

REF Quote Line 3 – On-Site

1 Days of in-field training by Aries staff on Aries equipment

REF Quote Line 4 – Software

WIKD Basic Software with GIS Linking

REF Quote Line 5 – Chassis Information

2023 Ford Transit 350 HD extended body high roof van with 3.5L PFDi gas engine, 9,950 GVWR

Vehicle Mileage: 5,500

Tractor/Camera Hours: 5

REF Quote Line 6 – Extra Large Line Kit

Camera Extension Assembly Kit, 24"-72"

11" Pneumatic Extra Large Tire Assembly (Knobby Tread)

Price: \$288,336.00

***A loaner Voyager tractor and/or camera will be supplied when unit is being repaired - pending availability. ***

Loaners are available inside and outside warranty coverage.

EXHIBIT H

Form **W-9**
(Rev. March 2024)
Department of the Treasury
Internal Revenue Service

Request for Taxpayer Identification Number and Certification

Go to www.irs.gov/FormW9 for instructions and the latest information.

Give form to the
requester. Do not
send to the IRS.

Before you begin. For guidance related to the purpose of Form W-9, see *Purpose of Form*, below.

Print or type. See Specific Instructions on page 3.	1 Name of entity/individual. An entry is required. (For a sole proprietor or disregarded entity, enter the owner's name on line 1, and enter the business/disregarded entity's name on line 2.) Aries Industries, Inc.	
	2 Business name/disregarded entity name, if different from above.	
	3a Check the appropriate box for federal tax classification of the entity/individual whose name is entered on line 1. Check only one of the following seven boxes. <input type="checkbox"/> Individual/sole proprietor <input type="checkbox"/> C corporation <input checked="" type="checkbox"/> S corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Trust/estate <input type="checkbox"/> LLC. Enter the tax classification (C = C corporation, S = S corporation, P = Partnership) _____ Note: Check the "LLC" box above and, in the entry space, enter the appropriate code (C, S, or P) for the tax classification of the LLC, unless it is a disregarded entity. A disregarded entity should instead check the appropriate box for the tax classification of its owner. <input type="checkbox"/> Other (see instructions) _____	4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3): Exempt payee code (if any) _____ Exemption from Foreign Account Tax Compliance Act (FATCA) reporting code (if any) _____ (Applies to accounts maintained outside the United States.)
	3b If on line 3a you checked "Partnership" or "Trust/estate," or checked "LLC" and entered "P" as its tax classification, and you are providing this form to a partnership, trust, or estate in which you have an ownership interest, check this box if you have any foreign partners, owners, or beneficiaries. See instructions. <input type="checkbox"/>	
	5 Address (number, street, and apt. or suite no.). See instructions. 550 Elizabeth Street 6 City, state, and ZIP code Waukesha, WI 53186 7 List account number(s) here (optional)	Requester's name and address (optional)

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN*, later.

Note: If the account is in more than one name, see the instructions for line 1. See also *What Name and Number To Give the Requester* for guidelines on whose number to enter.

Social security number									
			-				-		
or									
Employer identification number									
3	9	-	1	5	2	1	0	6	1

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- I am not subject to backup withholding because (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- I am a U.S. citizen or other U.S. person (defined below); and
- The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and, generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

Sign Here	Signature of U.S. person 	Date 7-15-2024
------------------	--	-----------------------

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to www.irs.gov/FormW9.

What's New

Line 3a has been modified to clarify how a disregarded entity completes this line. An LLC that is a disregarded entity should check the appropriate box for the tax classification of its owner. Otherwise, it should check the "LLC" box and enter its appropriate tax classification.

New line 3b has been added to this form. A flow-through entity is required to complete this line to indicate that it has direct or indirect foreign partners, owners, or beneficiaries when it provides the Form W-9 to another flow-through entity in which it has an ownership interest. This change is intended to provide a flow-through entity with information regarding the status of its indirect foreign partners, owners, or beneficiaries, so that it can satisfy any applicable reporting requirements. For example, a partnership that has any indirect foreign partners may be required to complete Schedules K-2 and K-3. See the Partnership Instructions for Schedules K-2 and K-3 (Form 1065).

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS is giving you this form because they