### **MEMORANDUM**

DATE:

January 26, 2022

TO:

\*\*\*\*ORIGINAL\*\*\*\*

City Clerk's Office

FROM:

Jason Bezak, CPPB, NIGP-CPP, Procurement Agent II

Procurement Management Department

SUBJECT:

**Record Retention** 

CONTRACT:

20220016

CONTRACT TITLE:

Suppliers for Water & Sewer Products

APPROVED BY COUNCIL: January 24, 2022

VENDOR NAME:	Core and Main LP	
VENDOR ADDRESS:	1201 Hays Street	
CITY & STATE:	Tallahassee, FL 32301	
VENDOR NAME:	Fortiline, Inc. dba Fortiline Waterworks	
VENDOR ADDRESS:	7025 Northwinds Dr. NW	
CITY & STATE:	Concord, NC, 28027	
VENDOR NAME:	Ferguson Enterprises LLC	
VENDOR ADDRESS:	4510 Prosperity Drive	
CITY & STATE:	Fort Pierce, FL 34981	

**CONTRACT TERM:** 

The Contract Period starts on January 26, 2022 and

ends January 26, 2024. This contract has no option

to renew.

Estimated annual expenditures for Water & Sewer Products are \$950,000. This is an open contract; each Contractor may be utilized for Orders and the Department will weigh price, availability, material lead times etc. as part of their ordering.

Please see the attached for (1) original contract for your records.

BA MR

### CITY OF PORT SAINT LUCIE CONTRACT # 20220016

This CONTRACT, executed this \_\_\_\_\_ day of \_\_\_\_\_\_, 2022, by and between the CITY OF PORT ST. LUCIE, FLORIDA, a municipal corporation, duly organized under the laws of the State of Florida, hereinafter called "City" party of the first part, and Core & Main LP (Contractor), a Florida Limited Partnership, 7374 Commercial Circle, Fort Pierce, FL, 34951, Telephone No. (772) 466-5955, hereinafter called "Contractor", party of the second part.

### SECTION I RECITALS

In consideration of the below agreements and covenants set forth herein, the parties agree as follows:

WHEREAS, Contractor a is licensed in the State of Florida; and

WHEREAS, the City wishes to contract with Suppliers for Water & Sewer Products as well as other tasks (Work) more specifically described in this Contract; and

WHEREAS, Contractor is qualified, willing, and able to provide the Scope of Services and work on the terms and conditions set forth herein; and

**WHEREAS**, the City desires to enter into this Contract with Provider to perform the Scope of Services and work/services specified and, in an amount, agreed to below.

**NOW THEREFORE**, in consideration of the premises and the mutual covenants herein name, the Parties agree as follows:

The Recitals set forth above are hereby incorporated into this Contract and made a part of hereof for reference.

## SECTION II NOTICES

Project Manager:

City of Port St. Lucie

**Utility Systems Department** 

Michael Rossignol, Warehouse Supervisor City of Port St. Lucie, Utility Systems Dept.

900 S.E. Ogden Lane

Port St. Lucie, Florida 34983

Telephone (772) 871-7384, Fax (772)871-7337

Email: mrossignol@cityofpsl.com

City Contract Administrator:

City of Port St. Lucie

**Procurement Management Department** 

Attn: Jason Bezak, CPPB, NIGP-CPP, Procurement Agent II

Telephone: 772-344-4068 Email: <u>JBezak@cityofpsl.com</u> Contractor:

Core & Main LP
Susan Reed, Sales Manager
Telephone: (772) 466-5955
Email: susan.reed@coreandmain.com

## SECTION II DESCRIPTION OF SERVICES TO BE PROVIDED

The specific work that the Contractor has agreed to perform pursuant to the Bid Specifications # 20220016, Suppliers for Water & Sewer Products including all Attachments, all Addenda, and all other restrictions and requirements are incorporated by this reference.

<u>Scope of work:</u> The Contractor shall be a full supplier of PVC Pipe & Fittings, Brass, Ductile Iron Materials and Concrete and Plastic Meter Boxes for Water and Sewer repairs. The City will try to place orders in truckload quantity. However, this cannot be guaranteed. Therefore, the Contractor must agree to deliver less than truckload quantities, (when required by the City) at the contract price and with no additional shipping charges.

<u>Floor Stock</u> - Contractor must be an ongoing manufacturer or distributor of the items listed on the Bid Reply Sheet and must normally carry a "floor stock" of the specified items.

<u>Critical Need</u> - In the event of a critical need the City reserves the right to purchase any item covered by a Contract resulting from this Specification locally.

<u>Warehouse Site</u> - Contractor must have a warehouse in the four (4) county area (St. Lucie, Martin, Indian River or Palm Beach) for material pick-up.

<u>Product Inspection</u> – All products are subject to inspection and testing prior to usage. A sample must be made available upon request.

On-Line Order Entry System — Contractor is required to have On-Line order capabilities, preferably Sellwise e-business suite, if you are not using Sellwise e-business suite, the following requirements must be met:

Contractor shall have the City of Port St. Lucie's part number ID transfer and on-line purchasing capabilities. The Contractor will supply an on-line entry system to perform, at a minimum, the following functions from the Utility's location:

- a) Order Entry allows the Utility to type in orders from an in-house computer. Information is sent electronically to the vendor's computer for processing.
- b) Stock Availability allows the Utility to check the vendor's stock level and any branches stock level.
- c) Pricing will allow the customer to verify inventory prices.
- d) Accounts Receivable will allow the customer to see each invoice with all pertinent information.
- e) <u>Current Order Status and History</u> allows the Utility to check order status, lead time, method shipped, etc. for all orders. It also gives the Utility a history of all material purchased.
- f) Back Order Information gives the customer status of all back orders by order number or inventory number.

- g) <u>Electronic Messaging</u> allows the Utility to communicate via electronic message with the vendor.
- h) Order History by Order Number gives the Utility the ability to instantly look up closed orders for any information desired.

All information must be retrievable using the City of Port St. Lucie Utility's inventory numbers.

Equipment - Each party will provide and maintain at its own expense all hardware and software necessary, to effectively and reliably, execute the requirements of the scope described above.

Accountability - Access to electronic ordering must be controlled by a password system. The Utility must be assured that all files are electronically protected.

#### **Delivery and Packing Requirements**

<u>Deliveries</u> - Resulting deliveries are to be made FOB Destination - City of Port St. Lucie Utility Warehouse, 900 SE Ogden Lane, Port St. Lucie, Florida 34983. All items are to be designated for inside delivery. Deliveries are received at this location between the hours of 8:00 am and 3:00 pm.

Packing - All materials delivered as a result of this order is to be packed in a manner which will insure that the materials are not damaged in transit. Articles shall not be combined to create an individual container weight in excess of fifty (50) pounds. A packing list specifying the City's contract number, quantity, description of each item shipped, and if the order is charged to Visa, the cardholder's name and card number shall accompany each shipment. The Contractor must have the capabilities of shrink-wrapping and palletizing individual loads as well as bulk truckloads.

Loading - Material is to be loaded suitable for removal from side of vehicle.

Stock Material - Vendor is required to stock material in sizes one-half - (1/2") through sixteen - (16").

<u>Product Specification Requirements</u>: All materials must be listed in the City of Port St. Lucie's Qualified Products List. Please refer to Appendix "C" at www.cityofpsl.com;

It is required that all <u>Corrugated Polyethylene Pipe and Fittings</u> will meet or exceed industry standards and the following:

PVC Pipe – SCD 40 – ASTM 1785 PVC Pipe – SCD 80 – ASTM 1785 Polyethylene Pipe - ASTM D2737

#### Material Specifications for Concrete Meter Boxes and Plastic Meter

Boxes - The following paragraphs contain the descriptions and a parts listing of Brooks Products.

All boxes quoted must meet the actual specifications and measurements on the drawings (see Appendix "B" at www.cityofpsl.com); Brooks Products Carson- Brooks Plastics, Inc., or any acceptable equivalent.

Concrete meter boxes with cast iron meter reader lid: All aggregates, fine and course, shall conform to ASTM C-33 and be free of all deleterious substances. Cement shall be Portland in type, which conforms to

ASTM C-150, Type II and shall have a minimum strength of 5,000 psi. All concrete meter boxes shall have steel reinforcing in the box as well as the lid. The box shall have a lid with a cost-iron meter- reader lid that is permanently affixed.

<u>Plastic Meter boxes:</u> Rib reinforced standard single and double sizes with cast iron meter reader lids permanently affixed.

<u>Fiberglass reinforced polyester (FRP) wet well liners</u> —see Appendix B at www.cityofpsl.com - shall be manufactured from commercial grade polyester resin or other suitable polyester or vinyl ester resins, with fiberglass reinforcements. It is intended that the wet well liner be a one-piece unit and factory manufactured under quality control conditions with proof of compliance with manufacturing procedures and materials utilized. The FRP wet well liner shall be as manufactured by L.F. Manufacturing, Inc., or an approved equal.

<u>Brass Parts and Materials:</u> All brass parts and materials are required to meet or exceed American Water Works Association (AWWA) standards.

Requests for materials will be made to the vendor on an as-needed basis depending on the assignment of projects and/or stocking requirements. Contractor must deliver said materials within the same day or next business day – depending on time of day of order placement - after receipt of order (ARO).

Replacement parts are to be from the manufacturer of the hydrant such as a Clow or Mueller. Generic parts are not acceptable.

The City does not consider Rustoleum an equivalent. Acceptable brands are Seymour and Aervoe.

#### **PVC Cement and PVC Primer**

The City currently uses EZ Weld for PVC Cement and PVC Primer. The City does consider Oatey as an equivalent brand.

#### ADDITIONAL REQUIREMENT

All Bidders must accept the City's Purchasing Card as payment.

#### **QUARTERLY PRICE EVALUATIONS**

The awarded contract(s) will include options to reevaluate pricing every 90 days at a mutually agreed upon price with costs and justification documented from the manufacturer(s). Quarterly Price Evaluations are to counteract the instability and volatility of the existing marketplace.

## SECTION III TIME OF PERFORMANCE

The initial term Contract Period start date shall begin <u>January 26, 2022</u> and will extend for two (2) years thereafter ending on <u>January 26, 2024</u>. The Contractor will be required to commence work under this Contract within seven (7) calendar days after the start date identified in this Contract. In the event all work required in the bid specifications has not been completed by the specified date, the Contractor agrees to provide work as authorized by the Project Manager until all work specified in the bid specifications has been rendered. Written requests shall be submitted to the Project Manager for consideration of extension of completion time due to strikes, unavailable materials, or other similar causes over which the Contractor feels

he has no control. Requests for time extensions shall be submitted immediately but in no event more than two (2) weeks upon occurrence of conditions, which, in the opinion of the Contractor, warrant such an extension with reasons clearly stated and a detailed explanation given as to why the delays are considered to be beyond the Contractor's control.

<u>Delivery</u> - Requests for materials will be made to the City on an as-needed basis depending on the assignment of projects and/or stocking requirements. If the order is placed before 9:00 am, same day delivery is required, if placed after 9:00 a.m., delivery is to be the following business day. Backorders are to be filled within two (2) working days. Delivery shall be within the normal working hours of the user, Monday through Friday. Items that are not delivered within the time specified may, at the City's option, may be procured from an alternate source and any additional cost thus incurred invoiced to the Contractor.

<u>Delivery Location</u> Utility Warehouse, 900 SE Ogden Lane, Port St. Lucie Fl. 34983. Additional locations may be added throughout the Contract with no additional cost to the City for delivery.

Backorders Are to be filled within two – (2) business days. If upon receipt of any order, the Contractor is unable to make delivery of any item(s), within the specified time, The Contractor must immediately contact the Project Manager, to advise him of the anticipated delivery date. The Contractor will thereafter proceed as authorized by the Project Manager. Any modification made by the Project Manager to delivery dates or quantities will be confirmed in writing that the Contractor is unable to make delivery of any item(s) on the date specified shall not constitute an excusable delay.

Delayed Delivery - At any time, when unforeseen circumstances cause the Contractor to be unable to fulfill a delivery requirement, the Contractor must notify the City, of said circumstances as soon as practicable. Said notification will not relieve the Contractor of their obligation and/or of penalties as stated in the specifications but will be considered by the City when weighing appropriate action.

Delivery Information - Each release furnished to the Contractor will have the following information:

- a. Visa Order number.
- b. The type and quantity of material required.
- c. The date and time delivery is to be made.
- d. The destination of the delivery.

## SECTION IV RENEWAL OPTION

N/A.

#### SECTION V COMPENSATION

The total amount to be paid by the City to the Contractor is a fixed unit price as listed in Schedule A.

#### **Purchasing Card Payment Procedures**

1. An account with the City's <u>P-Card Provider</u> will be established for the project. The account dollar limit will be established by the City's estimate of monthly expenses. The account will also have limits as per the

Merchant Category Code (MCC). Reasonable total invoice amounts will also be established. The account will be entered with the proper expense codes. The Contractor will be provided this account number to process payments.

- 2. A purchase order to the Contractor for this project may not be issued.
- 3. The Contractor will send the Project Manager by the 1st of each month a detailed pay request listing products that have been received and accepted.
- 4. The (PM) will audit to determine that the materials that are being billed have been received as per contract specifications. The PM will sign documents that state the payment is correct and payment by the City is authorized.
- 5. The PM will email the approved pay request to the City's P-Card Administrator and the Contractor to proceed with placing the charge on the City's P-Card Provider specified account.
- 6. The Contractor may not place the charge on the account until contacted by the City giving approval. Under no circumstances will the account be used between the 1st and 5th of the month.
- 7. Invoices that are not approved by the PM will be returned to the Contractor with a detailed explanation.

The Contract Sum - Work to be paid for on the basis of per unit prices: each, lump sum, linear feet, square yards, system, etc.

The Contractor shall not be paid additional compensation for any loss or damage, arising out of the nature of the work, from the action of the elements, or from any delay or unforeseen obstruction or difficulties encountered in the performance of the work, or for any expenses incurred by, or as a consequence of the suspension or discontinuance of the work.

Frequency of Orders - A Visa Authorization form will be Issued for each individual project issued under this contract. All work assigned will reference that Visa Authorization number. All scheduling and work assignments will be discussed for each project.

invoices for services made with the City's Purchasing Card Program guarantees payment within several days. Payments shall be made provided the submitted invoice is accompanied by adequate supporting documentation and approved by Project Manager as provided in Section XVIII.

All invoices and correspondence relative to this Contract must contain the visa order #, Contract number, unique invoice number, detail of items with prices that correspond to the Contract and release of liens.

All payments not made within the time specified by this section shall bear interest from thirty (30) calendar days after the due date at the rate of 1 percent per month on the unpaid balance.

#### SECTION VI WORK CHANGES

The City reserves the right to order work changes in the nature of additions, deletions, or modifications without invalidating the Contract, and agrees to make corresponding adjustments in the Contract price and time for

completion. All changes will be authorized by a written change order signed by the City Purchasing Agent or their designee as representing the City. Work shall be changed and the Contract price and completion time shall be modified only as set out in the written change order. Any adjustment in the Contract price resulting in a credit or a charge to the City shall be determined by mutual agreement of the parties.

### SECTION VII CONFORMANCE WITH BID

It is understood that the materials and/or work required herein are in accordance with the bid made by the Contractor pursuant to the Invitation to Bid and Specifications on file in the Procurement Management Department of the City. All documents submitted by the Contractor in relation to said bid, and all documents promulgated by the City for inviting bids are, by reference, made a part hereof as if set forth herein in full.

## SECTION VIII INDEMNIFICATION/ HOLD HARMLESS

Contractor agrees to indemnify, defend and hold harmless, the City, its officers, agents, and employees from, and against any and all claims, actions, liabilities, losses and expenses including, but not limited to, attorney's fees for personal, economic or bodily injury, wrongful death, loss of or damage to property, at law or in equity, which may arise or may be alleged to have risen from the negligent acts, errors, omissions or other wrongful conduct of Contractor, agents, laborers, subcontractors or other personnel entity acting under Contractor's control in connection with the Contractor's performance of services under this Contract and to that extent Contractor shall pay such claims and losses and shall pay all such costs and judgments which may issue from any lawsuit arising from such claims and losses including wrongful termination or allegations of discrimination or harassment, and shall pay all costs and attorney's fees expended by the City in defense of such claims and losses including appeals. That the aforesaid hold-harmless Contract by Contractor shall apply to all damages and claims for damages of every kind suffered, or alleged to have been suffered, by reason of any of the aforesaid operations of Contractor or any agent laborers, subcontractors, or employee of Contractor regardless of whether or not such insurance policies shall have been determined to be applicable to any of such damages or claims for damages. Contractor shall be held responsible for any violation of laws, rules, regulations, or ordinances affecting in any way the conduct of all persons engaged in or the materials or methods used by Contractor on the Work. Contractor shall give all notices and comply with all laws, ordinances, rules, regulations, and orders of any public authority bearing on the performance of the Work under this Contract. Contractor shall secure all permits, fees, licenses, and inspections necessary for the execution of the Work, and upon termination of this Contract for any reason, Contractor shall transfer such permits, if any, and if allowed by law, to the City. This indemnification shall survive the termination of this Contract.

### SECTION IX SOVERIEGN IMMUNITY

Nothing contained in this Contract shall be deemed or otherwise interpreted as waiving the City's sovereign immunity protections existing under the laws of the State of Florida, or as increasing the limits of liability as set forth in Section 768.28, Florida Statutes.

SECTION X INSURANCE The Contractor shall, on a primary basis and at its sole expense, agree to maintain in full force and effect at all times during the life of this Contract, insurance coverage, limits, including endorsements, as described herein. The requirements contained herein, as well as City's review or acceptance of insurance maintained by Contractor are not intended to and shall not in any manner limit or qualify the liabilities and obligations assumed by Contractor under the Contract.

The parties agree and recognize that it is not the intent of the City of Port St. Lucie that any insurance policy/coverage that it may obtain pursuant to any provision of this Contract will provide insurance coverage to any entity, corporation, business, person, or organization, other than the City of Port St. Lucie and the City shall not be obligated to provide any insurance coverage other than for the City of Port St. Lucie or extend its sovereign immunity pursuant to Section 768.28, Florida Statutes, under its self-insured program. Any provision contained herein to the contrary shall be considered void and unenforceable by any party. This provision does not apply to any obligation imposed on any other party to obtain insurance coverage for this project, any obligation to name the City of Port St. Lucie as an additional insured under any other insurance policy, or otherwise protect the interests of the City of Port St. Lucie as specified in this Contract.

- 1. Workers' Compensation Insurance & Employer's Liability: The Contractor shall agree to maintain Workers' Compensation Insurance & Employers' Liability in accordance with Section 440, Florida Statutes. Employers' Liability and must include limits of at least \$100,000.00 each accident, \$100,000.00 each disease/employee, \$500,000.00 each disease/maximum. A Waiver of Subrogation endorsement shall be provided. Coverage shall apply on a primary basis. Should scope of work performed by Contractor qualify its employee for benefits under Federal Workers' Compensation Statute (example, U.S. Longshore & Harbor Workers Act or Merchant Marine Act), proof of appropriate Federal Act coverage must be provided.
- Commercial General Liability Insurance: The Contractor shall agree to maintain Commercial General
  Liability insurance issued under an Occurrence form basis, including Contractual liability, to cover
  the hold harmless agreement set forth herein, with limits of not less than:

Each occurrence \$1,000,000

Personal/advertising injury \$1,000,000

Products/completed operations aggregate \$2,000,000

General aggregate \$2,000,000

Fire damage \$100,000 any 1 fire

Medical expense \$10,000 any 1 person

3. Additional Insured: An Additional Insured endorsement must be attached to the certificate of insurance (should be CG2026) under the General Liability policy. Coverage is to be written on an occurrence form basis. Coverage shall apply on a primary and non-contributory basis. Defense costs are to be in addition to the limit of liability. A waiver of subrogation shall be provided in favor of the City. Coverage shall extend to independent contractors, and fellow employees. Contractual Liability is to be included. Coverage is to include a cross liability or severability of interests provision as provided under the standard ISO form separation of insurers clause.

Except as to Workers' Compensation and Employers' Liability, said Certificate(s) and policies shall clearly state that coverage required by the Contract has been endorsed to include the City of Port St. Lucie, a

municipality of the State of Florida, its officers, agents, and employees as Additional Insured added to its Commercial General Liability policy and Business Auto policy. The name for the Additional Insured endorsement issued by the insurer shall read "City of Port St. Lucie, a municipality of the State of Florida, its officers, employees and agents and shall include Contract # 20220016 — Suppliers for Water & Sewer Products shall be listed as additionally insured.". The Policies shall be specifically endorsed to provide thirty (30) day written notice to the City prior to any adverse changes, cancellation, or non-renewal of coverage thereunder. In the event that the statutory liability of the City is amended during the term of this Contract to exceed the above limits, the Contractor shall be required, upon thirty (30) days written notice by the City, to provide coverage at least equal to the amended statutory limit of liability of the City. Copies of the Additional Insured endorsements shall be attached to the Certificate of Insurance.

- 4. <u>Automobile Liability Insurance:</u> The Contractor shall agree to maintain Business Automobile Liability at a limit of liability not less than \$1,000,000.00 each accident covering any auto, owned, non-owned and hired automobiles. In the event, the Contractor does not own any automobiles; the Business Auto Liability requirement shall be amended allowing Contractor to agree to maintain only Hired & Non-Owned Auto Liability. This amended requirement may be satisfied by way of endorsement to the Commercial General Liability, or separate Business Auto Coverage form. Certificate holder must be listed as additional insured. A waiver of subrogation shall be provided. Coverage shall apply on a primary and non-contributory basis.
- 5. Waiver of Subrogation: The Contractor shall agree by entering into this Contract to a Waiver of Subrogation for each required policy. When required by the insurer or should a policy condition not permit an Insured to enter into a pre-loss Contract to waive subrogation without an endorsement then Contractor shall agree to notify the insurer and request the policy be endorsed with a Waiver of Transfer of Rights of Recovery Against Others, or its equivalent. This Waiver of Subrogation requirement shall not apply to any policy where a condition to the policy specifically prohibits such an endorsement, or voids coverage should Contractor enter into such a Contract on a pre-loss basis.
- 6. <u>Deductibles:</u> All deductible amounts shall be paid for and be the responsibility of the Contractor for any and all claims under this Contract. Where an SIR or deductible exceeds \$5,000, the City of Port St. Lucie reserves the right, but not obligation, to review and request a copy of the bidder's most recent annual report or audited financial statement.

It shall be the responsibility of the Contractor to ensure that all independent contractors and/or subcontractors comply with the same insurance requirements referenced herein. It shall be the responsibility of the Contractor to obtain Certificates of Insurance from all contractors and sub-contractors listing the City as an Additional Insured without the language, when required by written contract.

The Contractor may satisfy the minimum limits required above for either Commercial General Liability, Business Auto Liability, or Employers' Liability coverage under Umbrella or Excess Liability. The Umbrella or Excess Liability shall have an Aggregate limit not less than the highest "Each Occurrence" limit for either Commercial General Liability, Business Auto Liability, or Employers' Liability. When required by the insurer, or when Umbrella or Excess Liability is written on Non-Follow Form," the City shall be endorsed as an "Additional Insured."

The City, by and through its Risk Management Department, reserves the right, but not obligation, to review, modify, reject, or accept any required policies of insurance including limits, coverages, or endorsements.

herein from time to time throughout the term of this contract. All insurance carriers must have an AM Best rating of at least A:VII or better.

A failure on the part of the contractor to execute the contract and/or punctually deliver the required insurance, and other documentation may be cause for annulment of the award.

### SECTION XI ACTS OF GOD

The Contractor shall be responsible for all preparation of the site for Acts of God, including but not limited to; earthquake, flood, tropical storm, hurricane or other cataclysmic phenomenon of nature, rain, wind or other natural phenomenon of normal intensity, including extreme rainfall. No reparation shall be made to the Contractor for damages to the Work resulting from these Acts. The City is not responsible for any costs associated with pre or post preparations for any Acts of God.

Emergencies - In the event of emergencies affecting the safety of persons, the work, or property, at the site or adjacent thereto, the Contractor(s), or his designee, without special instruction or authorization from the City, is obligated to act to prevent threatened damage, injury or loss. In the event such actions are taken, the Contractor(s) shall promptly give to the City written notice and contact immediately by phone, of any significant changes in work or deviations from the Contract documents caused thereby, and if such action is deemed appropriate by the City a written authorization signed by the City covering the approved changes and deviations will be issued.

### SECTION XII PERFORMANCE & PAYMENT BONDS

N/A.

### SECTION XIII PROHIBITION AGAINST FILING OR MAINTAINING LIENS AND SUITS

Subject to the laws of the State of Florida and of the United States, neither Contractor nor any Subcontractor, supplier of materials, laborer or other person shall file or maintain any lien for labor or materials delivered in the performance of this Contract against the City. The right to maintain such lien for any or all of the above parties is hereby expressly waived.

### SECTION XIV COMPLIANCE WITH LAWS

The Contractor shall give all notices required by and shall otherwise comply with all applicable laws, ordinances, and codes and shall, at his own expense, secure and pay the fees and charges for all permits required for the performance of the Contract. All materials furnished and works done are to comply with all federal, state, and local laws and regulations. Contractor will comply with all requirements of 28 C.F.R. § 35.151. Contractors and subcontractors shall comply with § 119.0701, Fla. Stat. The Contractor and subcontractors are to allow public access to all documents, papers, letters, or other material made or received by the Contractor in conjunction with this Contract, unless the records are exempt from Art. I, § 24(a), Fla. Const. and § 119.07(1)(a), Fla. Stat. Pursuant to § 119.10(2)(a), Fla. Stat., any person who willfully and

knowingly violates any of the provisions of Ch. 119, Laws of Fla., commits a misdemeanor of the first degree, punishable as provided in § 775.082 and § 775.083 Fla. Stat.

#### RECORDS

The City of Port St. Lucie is a public agency subject to Chapter 119, Florida Statutes. The Contractor shall comply with Florida's Public Records Law. CONTRACTOR'S RESPONSIBILITY FOR COMPLIANCE WITH CHAPTER 119, FLORIDA STATUTES. Pursuant to Section 119.0701, F.S.

Contractor agrees to comply with all public records laws, specifically to:

Keep and maintain public records required by the City in order to perform the service;

- 1. The timeframes and classifications for records retention requirements must be in accordance with the General Records Schedule GS1-SL for State and Local Government Agencies. (See http://dos.dos.slate.fl.us/library-archives/records-management/general-records-schedules/).
- During the term of the contract, the Contractor shall maintain all books, reports and records in accordance with generally accepted accounting practices and standards for records directly related to this contract. The form of all records and reports shall be subject to the approval of the City.
- 3. Records include all documents, papers, letters, maps, books, tapes, photographs, films, sound recordings, data processing software, or other material, regardless of the physical form, characteristics, or means of transmission, made or received pursuant to law or ordinance or in connection with the transaction of official business with the City. Contractor's records under this Contract include but are not limited to, supplier/subcontractor invoices and contracts, project documents, meeting notes, emails and all other documentation generated during this Agreement.
- 4. The Contractor agrees to make available to the City, during normal business hours all books of account, reports and records relating to this contract.
- 5. A Contractor who fails to provide the public records to the City within a reasonable time may also be subject to penalties under Section 119.10, Florida Statutes.

Upon request from the City's custodian of public records, provide the public agency with a copy of the requested records or allow the records to be inspected or copied within a reasonable time at a cost that does not exceed the cost provided in this chapter or as otherwise provided by law.

Ensure that public records that are exempt or confidential and exempt from public records disclosure requirements are not disclosed except as authorized by law for the duration of the contract term and following completion of the contract if the contractor does not transfer the records to the City.

Upon completion of the contract, transfer, at no cost to the City, all public records in possession of the Contractor, or keep and maintain public records required by the City to perform the service. If the Contractor transfers all public records to the City upon completion of the contract, the Contractor shall destroy any duplicate public records that are exempt or confidential and exempt from public records disclosure requirements. If the Contractor keeps and maintains public records upon completion of the contract, the

Contractor shall meet all applicable requirements for retaining public records. All records stored electronically must be provided to the City, upon request from the City's custodian of public records in a format that is compatible with the information technology systems of the City.

IF THE CONTRACTOR HAS QUESTIONS REGARDING THE APPLICATION OF CHAPTER 119, FLORIDA STATUTES, TO THE CONTRACTOR'S DUTY TO PROVIDE PUBLIC RECORDS RELATING TO THIS CONTRACT, CONTACT THE CUSTODIAN OF PUBLIC RECORDS AT:

CITY CLERK
121 SW Port St. Lucie Blvd.
Port St. Lucie, FL 34984
(772) 871 5157
prr@cityofpsl.com

SECTION XV
CLEANING UP

N/A.

SECTION XVI NOTICE OF PERFORMANCE

N/A.=

### SECTION XVII DELIVERY DOCUMENTATION

Where contract provides in whole or in part, for the sale and purchase of materials Contractor shall prepare a delivery ticket in triplicate for each shipment of material delivered to the City. The Project Manager or his /her designee receiving the material shall sign the delivery ticket. One (1) copy shall be given to the Project Manager or his/her designee with the material. The Contractor shall retain one (1) copy, and one (1) copy shall accompany the Contractor's invoice.

### SECTION XVIII INSPECTION AND CORRECTION OF DEFECTS

In order to determine whether the required material has been delivered or the required work performed in accordance with the terms and conditions of the Contract documents, the Project Manager shall make inspection as soon as practicable after receipt from the Contractor of a Notice of Performance or delivery ticket. If such inspection shows that the required material has been delivered and required work performed in accordance with terms and conditions of the Contract documents and that the material and work is entirely satisfactory, the Project Manager shall approve the invoice when it is received. Thereafter the Contractor shall be entitled to payment, as described in Section V. If, on such inspection the Project Manager is not satisfied, he shall as promptly as practicable inform the parties hereto of the specific respects in which his findings are not favorable. Contractor shall then be afforded an opportunity to correct the deficiencies so

pointed out at no additional charge to the City, and otherwise on terms and conditions specified by the Project Manager. Such examination, inspection, or tests made by the Project Manager, shall not relieve Contractor of its responsibility to remedy any deviation, deficiency, or defect.

### SECTION XIX ADDITIONAL REQUIREMENTS

In the event of any conflict between the terms and conditions, appearing on any visa order form issued relative to this Contract, and those contained in this Contract and the Specifications herein referenced, the terms of this Contract and Specifications herein referenced shall apply. If there is a conflict between the Contract and specifications, the Contract will control.

Implied Warranty of Merchantability - It is understood that the implied warranty of merchantability and fitness for the specified purpose are not disclaimed not withstanding any representation to the contrary.

Warranty and Guarantee - All products furnished by the Contractor shall be supplied with all warranties and guarantees of the manufacturer. All products must be warranted by the Contractor to be free of defects in workmanship and material for a period of not less than three hundred sixty-five (365) calendar days; said period to commence upon the date products are installed, or accepted by the City, whichever last occurs.

<u>Miscellaneous Testing</u> - The Contractor must agree to reimburse the City for any expenditure incurred by the City in the process of testing products supplied by the Contractor if said products prove to be defective and/or in other manners not in compliance with the specifications. Expenditures as defined therein shall include, but not limited to, the replacement value of products destroyed in testing, the cost paid by the City to testing laboratories and other entities utilized to provide tests, and the value of labor and materials expended by the City in the process of conducting the testing. Reimbursement of charges as specified herein shall not relieve the Contractor from other remedies.

Cooperative Purchasing Agreement - This bid may be expanded to include other governmental agencies provided a cooperative Purchasing Agreement exists or an Inter-local Agreement for joint purchasing exists between the City and other public agencies. The Contractors may agree to allow other public agencies to contract with them for the same items at the same terms and conditions as this bid, during the period of time that this bid is in effect. Each political entity will be responsible for execution of its own requirements with the Contractor.

<u>Standard Production Items</u> - All products offered must be standard production items that have been available to the trade for a period of not less than two (2) years and are expected to remain available in future years.

SECTION XX LICENSING

N/A.

SECTION XXI SAFETY PRECAUTIONS Conditions for Emergency/Hurricane or Disaster It is hereby made part of the Contract that before and after a public emergency, disaster, hurricane, flood or other such acts of God that the city of Port St. Lucie shall require "priority" basis for goods and services. It is vital and imperative that the majority of citizens are protected from any emergency situation which threatens public health and safety as determined by the City. Contractor agrees to rent/sell/lease all goods and service to the city or other government entities as opposed or a private citizen on a priority basis. The City expects to pay contractual prices for all goods and services required during and emergency situation. The Contractor shall furnish a twenty-four (24) hour phone number in the event of such an emergency.

#### SECTION XXII ASSIGNMENT

Contractor shall not delegate, assign or subcontract any part of the work required to be performed under this Contract or assign any monies due Contractor hereunder without first obtaining the written consent of the City.

## SECTION XXIII TERMINATION, DELAYS AND LIQUIDATED DAMAGES

- A. <u>Termination for Breach of Contract.</u> If the Contractor refuses or falls to deliver material as required and/or prosecute the work with such diligence as will insure its completion within the time specified in this Contract, the City by written notice to the Contractor, may terminate Contractor's rights to proceed. Upon such termination, the City may take over the work and prosecute the same to completion, by Contract or otherwise, and the Contractor and his sureties shall be liable to the City for any additional cost incurred by it in its completion of the work. The City may also in event of termination obtain undelivered materials, by Contract or otherwise, and the Contractor and his sureties shall be liable to the City for any additional cost incurred for such material. Contractor and his sureties shall also be liable to the City for liquidated damages for any delay in the completion of the work as provided below. If the Contractor's right to proceed is so terminated, the City may take possession of and utilize in completing the work such materials, tools, equipment and facilities as may be on the site of the work and necessary therefore.
- B. <u>Liquidated Damages for Delays.</u> If material is not provided or work is not completed within the time stipulated in each visa authorization, including any extensions of time for excusable delays as herein provided, the Contractor shall provide to the City one hundred (\$100.00) dollars as fixed, agreed and liquidated damages for each calendar day of delay until the work is completed. The Contractor and his sureties shall be jointly and severally liable to the City for the amount thereof. The start date and duration of each project shall be listed on the visa authorization and will be mutually agreed to up front and adhered to by the City and Contractor.
- C. Excusable Delays. The right of the Contractor to proceed shall not be terminated nor shall the Contractor be charged with liquidated damages for any delays in the completion of the work or delivery of materials due to: (1) any acts of the Federal Government, including controls or restrictions or requisitioning of materials, equipment, tools or labor by reason of war, national defense or any other national emergency, (2) any adverse acts of the City, (3) causes not reasonably foreseeable by the parties at the time of the execution of the Contract that are beyond the control and without the fault or negligence of the Contractor, including but not restricted to, acts of God, acts of the public enemy, acts of another Contractor in the performance of some other Contract with the City, fires, floods, epidemics, quarantine, restrictions, strikes, freight embargoes and

weather of unusual severity such as hurricanes, tornadoes, cyclones and other extreme weather conditions, and (4) any delay of any Subcontractor occasioned by any of the above mentioned causes. However, the Contractor must promptly notify the City in writing within two (2) calendar days of the cause of delay. If, on the basis of the facts and the terms of this Contract, the delay is properly excusable the City shall extend the time for completing the work for a period of time commensurate with the period of excusable delay.

- D. <u>Termination by the City.</u> The City may terminate this Contract with or without cause by giving the Contractor thirty (30) day notice in writing. Upon delivery of said notice and upon expiration of the thirty (30) day period, the vendor. Contractor shall discontinue all services in connection with the performance of this Contract and shall proceed to cancel promptly all related existing third party Contracts. Termination of the Contract by the City pursuant to this paragraph shall terminate all of the City's obligations hereunder and no charges, penalties or other costs shall be due Contractor except for work timely completed.
- E. <u>Termination for Insolvency</u>. The City also reserves the right to terminate the remaining SERVICES to be performed in the event the CONTRACTOR is placed either in voluntary or involuntary bankruptcy or makes any assignment for the benefit of creditors.

# SECTION XXIV LAW AND VENUE

This Contract is to be construed as though made in and to be performed in the State of Florida and is to be governed by the laws of Florida in all respects without reference to the laws of any other state or nation. The venue of any action taken to enforce this Contract shall be in St. Lucie County, Florida.

## SECTION XXV REIMBURSEMENT FOR INSPECTION

The Contractor agrees to reimburse the City for any expenditures incurred by the City in the process of testing materials supplied by the Contractor against the specifications under which said materials were procured, if said materials prove to be defective, improperly applied, and/or in other manners not in compliance with specifications. Expenditures as defined herein shall include, but not be limited to, the replacement value of materials destroyed in testing, the cost paid by the City to testing laboratories and other entities utilized to provide tests, and the value of labor and materials expended by the City in the process of conducting the testing. Reimbursement of charges as specified herein shall not relieve the Contractor from other remedies provided in the Contract.

#### SECTION XXVI APPROPRIATION APPROVAL

The Contractor acknowledges that the City of Port St. Lucie's performance and obligation to pay under this Contract is contingent upon an annual appropriation by the City Council. The Contractor agrees that, in the event such appropriation is not forthcoming, the City may terminate this Contract and that no charges, penalties or other costs shall be assessed.

SECTION XXVII
ATTORNEY'S FEES

If this matter is placed in the hands of an attorney for collection, or in the event suit or action is instituted by the City to enforce any of the terms or conditions of the Contract, Contractor shall pay to the City, in such suit or action in both trial court and appellate court, the City's costs, and reasonable attorney's fees for the anticipated cost of collection and judgment enforcement.

## SECTION XXVIII CODE OF ETHICS

Contractor warrants and represents that its employees will abide by any applicable provisions of the State of Florida Code of Ethics in Chapter 112.311 et seq., Florida Statutes, and Code of Ethics Ordinances in Section 9.14 of the City of Port St. Lucie Code.

## SECTION XXIX POLICY OF NON-DISCRIMINATION

Contractor shall not discriminate against any person in its operations, activities or delivery of services under this Contract. Contractor shall affirmatively comply with all applicable provisions of federal, state and local equal employment laws and shall not engage in or commit any discriminatory practice against any person based on race, age, religion, color, gender, sexual orientation, national origin, marital status, physical or mental disability, political affiliation or any other factor which cannot be lawfully used as a basis for service delivery.

# SEVERABILITY

The Parties to this Contract expressly agree that it is not their intention to violate any public policy, statutory or common law rules, regulations, or decisions of any governmental or regulatory body. If any provision of this Contract is judicially or administratively interpreted or construed as being in violation of any such policy, rule, regulation, or decision, the provision, sections, sentence, word, clause, or combination thereof causing such violation will be inoperative (and in lieu thereof there will be inserted such provision, section, sentence, word, clause, or combination thereof as may be valid and consistent with the intent of the Parties under this Contract) and the remainder of this Contract, as amended, will remain binding upon the Parties, unless the inoperative provision would cause enforcement of the remainder of this Contract to be inequitable under the circumstances.

## SECTION XXXI AUDITS

The Contractor shall maintain books, records and documents in accordance with generally accepted accounting principles and procedures and which sufficiently and properly document and calculate all charges billed to the City throughout the term of the Contract for a period of at least seven (7) years following the date of final payment or completion of any required audit, whichever is later. Records to be maintained include both financial records and service records. The Contractor shall permit the City's authorized auditor or any authorized representative of the State, and where federal funds are involved, the Comptroller General of the United States, or any other authorized representative of the United States government, to access and examine, audit, excerpt and transcribe any directly pertinent books, documents, papers, electronic or optically stored and created records or other records of the Contractor relating to orders, invoices or payments or any other documentation or materials pertaining to the Contract, wherever such records may be located during normal business hours. The Contractor shall not impose a charge for audit or examination of the Contractor's books and records. If an audit discloses incorrect billings or improprieties, the City reserves the right to charge the Contractor for the cost of the audit and appropriate reimbursement. Evidence of criminal conduct will be turned over to the proper authorities.

## SECTION XXXI ENTIRE CONTRACT

The written terms and provisions of this Contract shall take precedence over any and all prior and contemporaneous verbal or written statements of any official or other representative of the City. Any such statements shall not be effective or be construed as entering into, or forming a part of, or altering in any manner whatsoever, this Contract or Contract documents.

IN WITNESS WHEREOF, the parties have executed this Contract at Port St. Lucie, Florida, the day and year first above written.

CITY OF PORT ST. LUCIE FLORIDA COMPANY NAME
By: Authorized Representative
*** The Qualification to Bid of Core & Main LP is attached hereto and incorporated by reference as though fully set forth herein.
State of: Florida County of: St. Lucie
Before me personally appeared: Pat Zaccaro
please print)
Please check one:
Personally known
Produced Identification: (type of identification)
and known to me to be the person described in and who executed the foregoing instrument and acknowledged to and before me that (he/she) executed said instrument for the purposes therein expressed.
WITNESS my hand and official seal, this day of January, 2022.
Delra Sie Bankent
Notary Signature  Notary Public State of Florida Debra Sue Bancroft
Notary Public: State of Florida at Large. My Commission GG 359811 Expires 09/27/2023
My Commission Expires: (seal)

Qualification to Bid of Core & Main LP Submitted to the City of Port St. Lucie Scaled Electronic Bid (E-Bid) #20220016 Suppliers for Water & Sewer Products

Core & Main LP ("Core & Main") hereby qualifies its bid as follows. It is the express intention of the parties that, to the extent of the terms of this Qualification only, this Qualification shall supersede and control over the terms of the Invitation for Bid, Contract Documents and Specifications and any prior addenda thereto. Acceptance of any Agreement by Core & Main is made expressly conditioned on assent by the City of Port St. Lucie (the "City") to the following additional or different terms:

- Core & Main will use commercially reasonable efforts to deliver materials ordered
  within the time specified in the bid documents or the Agreement. Core & Main
  reserves the right to extend those delivery times based on manufacturer lead times as
  impacted by events beyond the control of Core & Main including but not limited to the
  current pandemic, global shipping delays and resin shortage. Availability of materials
  is not guaranteed.
- Core & Main will make every effort to hold the submitted pricing for the duration of the contract; however, Core & Main reserves the right to increase pricing based on the same percentage of increase received by our manufacturing partner during the contract term.
- 3. Cooperative Purchasing Agreement. The Bidder agrees to this paragraph with the exception that any contracts granted will only for the areas served by the Fort Pierce and Palm Beach County branch.

Dated this 15th day of December, 2021.

CORE & MAIN-LP

By: Pat Zaccard

### SCHEDULE A

Item Description	SCHEDOLE A	Mfr.	Mfg. Part No.	Unit Price
1. ALL GRINDER COMPONENTS/FLOMATIC ONLY			mig. Part Ho.	Omit's Hoc
VALVE BALL CHECK 1-1/4IN PVC - 208T	ALL GRINDER COMPENTS/FLOMATIC ONLY		208T	34.46
1. SUBTOTAL				
2. BRASS ITEMS / FORD, MUELLER OR APPROVED EQUAL / ALL BRASS NO LEAD			7000	
VALVE SWING CHECK 1 1/2" BRASS M31 5 PER BX /LEAD OK SEWER ONLY	BRASS ITEMS / FORD, MUELLER OR APPROVED EQUAL	Matco / Norca	M31	17.76
VALVE 1-1/2IN BALL MxFL - BF83-666W-NL BRASS	BRASS ITEMS / FORD ONLY	Ford Only	BF83-666W-NL	158.33
VALVE 2IN BALL MIPxMF LW BRASS - BF83-77W-NL FORD	BRASS ITEMS / FORD ONLY	Ford Only	BF83-77W-NL	256.18
CORP 1-1/2IN STOP MPTxCTS/PJ - BF1100-6-NL	BRASS ITEMS / FORD ONLY	Ford Only	BF1100-6-NL	123.86
BALL CORP 1-1/2IN MxF - FB1700-6-NL	BRASS ITEMS / FORD ONLY	Ford Only	FB1700-6-NL	119.83
BALL CORP 2IN MxF BRASS - FB1700-7-NL *2 PER BX*	BRASS ITEMS / FORD ONLY	Ford Only	FB1700-7-NL	193.85
BACKFLOW 3/4IN VAC BRKR 8B07 - WATTS EDP# 0061992-NL	BRASS ITEMS / FORD, MUELLER OR APPROVED EQUAL		8B07 / 61992-NL	5.62
NIPPLE 3/4xCL TBE BRASS - 2012-001	BRASS ITEMS / FORD, MUELLER OR APPROVED EQUAL		2012-001	1.66
NIPPLE 1IN X CL BRASS - 2016-001	BRASS ITEMS / FORD, MUELLER OR APPROVED EQUAL		2016-001	2.45
NIPPLE 1IN x 3IN BRASS TBE - 2016-300	BRASS ITEMS / FORD, MUELLER OR APPROVED EQUAL		2016-300	4.04
NIPPLE 1-1/2IN x CL BRASS - 2024-001	BRASS ITEMS / FORD, MUELLER OR APPROVED EQUAL		2024-001	4.79
NIPPLE 1-1/2 x 3IN BRASS - 2024-300	BRASS ITEMS / FORD, MUELLER OR APPROVED EQUAL		2024-300	7.10
NIPPLE 2IN X CL BRASS TBE - 2032-001	BRASS ITEMS / FORD, MUELLER OR APPROVED EQUAL		2032-001	7.29
NIPPLE 2INx4IN TBE BRASS - 2032-400	BRASS ITEMS / FORD, MUELLER OR APPROVED EQUAL		2032-400	11.88
VALVE 3/4IN GATE FPT BRASS - 3407GM300-NL	BRASS ITEMS / FORD, MUELLER OR APPROVED EQUAL	American Valve	3407GM300 / NL	6.13
VALVE 1IN GATE FPT BRASS - 200 WOG-NL *5 PER BX*	BRASS ITEMS / FORD, MUELLER OR APPROVED EQUAL	American Valve	200 WOG / NL	9.29
VALVE 1-1/2IN GATE FPT BRASS - #200 WOG FPT-NL *4 PER BX*	BRASS ITEMS / FORD, MUELLER OR APPROVED EQUAL	American Valve	200 WOG / NL	19.12
VALVE 2IN GATE FPT BRASS - #200 WOG FPT-NL *2 PER BX*	BRASS ITEMS / FORD, MUELLER OR APPROVED EQUAL	American Valve	200 WOG / NL	23.59
VALVE 3/4IN HOSE BIBB BRASS - 3407HBM-NL	BRASS ITEMS / FORD, MUELLER OR APPROVED EQUAL	American Valve	3407HBM / NL	5.89
VALVE 1IN HOSE BIBB BRASS - 107-265/T-531-NL MALE	BRASS ITEMS / FORD, MUELLER OR APPROVED EQUAL	American Valve	107-265/T-531 / NL	22.00

VALVE 3/4IN STR DUAL CK BRASS - HHS31-323-NL FORD *8 PER BX*	BRASS ITEMS / FORD ONLY	Ford Only	HHS31-323-NL	52.48
VALVE 1IN STRAIGHT DUAL CHECK - BRASS FORD HHS31-344-NL	BRASS ITEMS / FORD ONLY	Ford Only	HHS31-344-NL	64.71
VALVE 3/4X5/8IN ANGLE KEY - KV13-332W-NL	BIOGGOTTEWIST OND ONET	Tord Only	1111031-044-NE	04.71
BRASS *12 PER BX* VALVE 3/4X3/4IN ANGLE KEY - KV43-332WG-NL	BRASS ITEMS / FORD ONLY	Ford Only	KV13-332W-NL	27.04
BRASS *8 PER BX*	BRASS ITEMS / FORD ONLY	Ford Only	KV43-332WG-NL	34.57
VALVE 1IN ANGLE KEY BRASS - KV13-444W-NL *5 PER BX*	BRASS ITEMS / FORD ONLY	Ford Only	KV13-444W-NL	331.63
VALVE 1X1IN ANGLE KEY - BRASS P/N-KV43-444WG- NL *5 PER BX*	BRASS ITEMS / FORD ONLY	Ford Only	KV43-444WG-NL	47.32
COUPLING 3/4IN COMP/SINGLE - C84-33G-NL MPJxCTS/PJ BR 24 bx	BRASS ITEMS / FORD ONLY	Ford Only	C84-33G-NL	13.02
COUPLING 1IN COMP/SINGLE BRASS C84-44G-NL		1		
MPTXCTS/PJ 14 PER BX COUPLING 3/4IN DOUBLE COMP - CTS/PJ C44-33G-	BRASS ITEMS / FORD ONLY	Ford Only	C84-44G-NL	15.43
NL BRASS COUPLING 2IN COMP DBL GRIP/JNT - BRASS C44-	BRASS ITEMS / FORD ONLY	Ford Only	C44-33G-NL	15.86
77G-NL FORD	BRASS ITEMS / FORD ONLY	Ford Only	C44-77G-NL	81.95
CODEM OIL FOR OREDATING MUT OTANDARD	BRASS ITEMS / FORD,			
SCREW OIL FOR OPERATING NUT STANDARD TRAFFIC 190703	MUELLER OR APPROVED EQUAL	Mueller	190703	5.83
METER COURTING CHINANT PRACE PLUMPERS	BRASS ITEMS / FORD,			
METER COUPLING 3/4IN NL BRASS - PLUMBERS PIECES	MUELLER OR APPROVED EQUAL			6.50
METER COLIDI INO 4 IN NI BRACC DI LIMPERC	BRASS ITEMS / FORD, MUELLER OR APPROVED			
METER COUPLING 1 IN NL BRASS - PLUMBERS PIECE	EQUAL			8.48
	BRASS ITEMS / FORD, MUELLER OR APPROVED	1		
TEE 1IN NL BRASS FPT	EQUAL			8.43
	BRASS ITEMS / FORD,			
ELL 90 2IN ST FXMPT NL BRASS - 30209E	MUELLER OR APPROVED EQUAL		30209E	28.08
	BRASS ITEMS / FORD,			
REDUCER 1X3/4IN NL BRASS FXM/THD -	MUELLER OR APPROVED		EA 24NII	20.00
MUELLER/METER	BRASS ITEMS / FORD.	+	FA-34NL	20.00
	MUELLER OR APPROVED			
REDUCER 1-1/2 X 1IN MPTxFPT - NL BRASS	EQUAL			6.80
	BRASS ITEMS / FORD, MUELLER OR APPROVED			
REDUCER 2-1/2IN x 2IN MxF - NL BRASS BUSHING	EQUAL			20.12
RESETTER COPPER 5/8 x 3/4 x 7 - V42-7W-NL	BRASS ITEMS / FORD ONLY	Ford Only	V42-7W-NL	77.98
RESETTER COPPER 5/8 x 3/4 x 9 - V42-9W-NL FORD	BRASS ITEMS / FORD ONLY	Ford Only	V42-9W-NL	78.95
RESETTER COPPER 5/8 X 3/4 X 12 V42-12W-NL	BRASS ITEMS / FORD ONLY	Ford Only	V42-12W-NL	81.72
RESETTER COPPER 1 X 10IN - FORD V44-10W-NL	BRASS ITEMS / FORD ONLY	Ford Only	V44-10W-NL	148.89
	BRASS ITEMS / FORD ONLY	Ford Only	V44-12W-NL	152.43
RESETTER COPPER 1 X 12IN - FORD V44-12W-NL	BRASS ITEMS / FORD,	Fold Only	A44-1544-14F	132.43
	MUELLER OR APPROVED			
NIPPLE 1/4" X 2" BRASS 2271-419	EQUAL	-	2271-419	1.10
BALL 2IN CURB STOP FXF BRASS - B11-77W-NL FORD *2 PER BX*	BRASS ITEMS / FORD ONLY	Ford Only	B11-77W-NL	209.90
	BRASS ITEMS / FORD,			
NIPPLE 1 X 36IN BRASS TBE	MUELLER OR APPROVED EQUAL			40.23
THE LY COURT DIVIOUS FOR	BRASS ITEMS / FORD,	†		70.20
NIPPLE 1 1/2 X 36IN BRASS TBE	MUELLER OR APPROVED EQUAL			70.60
	BRASS ITEMS / FORD,			
	MUELLER OR APPROVED	1		1

	BRASS ITEMS / FORD.	1 1		1 1
	MUELLER OR APPROVED			
ELL 90 DEG.3/4IN FPTxFPT ML BRASS - 4501-150	BRASS ITEMS / FORD,		4501-150	3.87
	MUELLER OR APPROVED			
ELL 90 1IN FPT X FPT - NL BRASS	EQUAL			5.95
	BRASS ITEMS / FORD, MUELLER OR APPROVED			
ELL 1-1/2IN 90 FXF - NL BRASS	EQUAL			11.81
	BRASS ITEMS / FORD,			
ELL 90 2IN FXF NL BRASS - 4501-400	MUELLER OR APPROVED EQUAL		4501-400	10.22
ELL 90 2114 FAF INL BRASS - 430 1-400	BRASS ITEMS / FORD.		4501-400	19.22
ADAPTER METER 1 X 3/4 IN MXF - NL BRASS	MUELLER OR APPROVED			
#3907A24 PER PR.	BRASS ITEMS / FORD,		3907A24	21.53
	MUELLER OR APPROVED			
REDUCER 2 X 1-1/2IN MxF NL BRASS - HEX BUSHING	EQUAL			10.06
	BRASS ITEMS / FORD,			
	MUELLER OR APPROVED			
REDUCER 1 X 3/4IN MPTxFPT - NL BRASS BUSHING	BRASS ITEMS / FORD.			3.12
COUPLING 5/8 X 3/4IN METER - C31-23-NL FORD	MUELLER OR APPROVED			
BRASS	EQUAL		C31-23	12.34
	BRASS ITEMS / FORD, MUELLER OR APPROVED			
REDUCER 1 1/4X1IN MXF/THD - NL BRASS	EQUAL			5.32
	BRASS ITEMS / FORD,			
NUDDLE 2/4 V 26/N DDACC TRE 2042 2600	MUELLER OR APPROVED	}	2042 2000	20.05
NIPPLE 3/4 X 36IN BRASS TBE - 2012-3600	BRASS ITEMS / FORD.	<del>                                     </del>	2012-3600	26.85
	MUELLER OR APPROVED			
NIPPLE 2 X 36IN BRASS TBE - 2032-3600	EQUAL FORD		2032-3600	91.13
	BRASS ITEMS / FORD, MUELLER OR APPROVED			
VALVE 1/2IN BALL FPT NL BRASS	EQUAL	American Valve		5.45
	BRASS ITEMS / FORD,			
VALVE 1IN BALL FPT NL BRASS - 68-100	MUELLER OR APPROVED EQUAL	American Valve		11.61
VALVE THE BICAGG - 00-100	BRASS ITEMS / FORD,	American valve		11.01
	MUELLER OR APPROVED			
REDUCER 2 x 3/4IN MxF NL BRASS - 3020B07020B07	BRASS ITEMS / FORD.		3020B07020B07	12.13
	MUELLER OR APPROVED			!
REDUCER 2x1IN MPTxFPT NL BRASS - 3020B10	EQUAL		3020B10	12.13
ELL 90 2IN CTS/PJ X CTS/PJ - L44-77-NL BRASS	BRASS ITEMS / FORD ONLY	Ford Only	L44-77-NL	171.05
VALVE 2IN ANGLE MTR STOP FxFLG - FORD #BFA13-	DDAGG ITEMS (FORD ONLY	510.1.	05440 7774410	204.44
777W-NL *2 PER BX*	BRASS ITEMS / FORD ONLY BRASS ITEMS / FORD,	Ford Only	BFA13-777W-NL	231.41
	MUELLER OR APPROVED			]
TEE 2IN FPT NL BRASS	EQUAL		. <u> </u>	26.62
VALVE 3/4X1IN ANGLE BRASS - KV13-342W-NL *10 PER BX*	BRASS ITEMS / FORD ONLY	Ford Only	KV13-342W-NL	28.86
TENDA	BRASS ITEMS / FORD,	1 Old Offly	IVA 10-04544-MF	20.00
	MUELLER OR APPROVED			
COUPLING 2IN FPT x FPT NL BRASS - 4540-400	BRASS ITEMS / FORD,		4540-400	16.56
	MUELLER OR APPROVED			
CROSS 2IN FPT NL BRASS	EQUAL			50.74
	BRASS ITEMS / FORD,			
CAP 1-1/4IN THREADED NL BRASS	MUELLER OR APPROVED EQUAL			5.94
	BRASS ITEMS / FORD,			Ü.Ü ,
ELL OO SMIN OTDEET EAMAN SEASON WAS AS	MUELLER OR APPROVED		V400 40	500
ELL 90 3/4IN STREET FXM NL BRASS - X103-12	BRASS ITEMS / FORD.	-	X103-12	5.03
	MUELLER OR APPROVED			
ELL 90 1IN STREET FPTxMPT NL BRASS - X103-16	EQUAL		X103-16	8.31

NUT & 1IN GASKET ASSEMBLY GRIP NUT GJCN4-4- NL BRASS	BRASS ITEMS / FORD ONLY	Ford Only	GJCN4-4-NL	8.09
	BRASS ITEMS / FORD,			
/ALVE 2IN BALL FPT NL BRASS - 3420BM200 *2 PER 3X*	MUELLER OR APPROVED EQUAL	American Valve	3420BM200	46.59
5A	BRASS ITEMS / FORD,	American valve	34200WI200	40.39
	MUELLER OR APPROVED			
/ALVE 3/4IN BALL FPT NL BRASS - 3407BM200	EQUAL	American Valve	3407BM200	8.19
	BRASS ITEMS / FORD,			
NIPPLE 3/4 X 3IN BRASS	MUELLER OR APPROVED EQUAL			2.79
THE COST A CHIED TO COS	BRASS ITEMS / FORD,			2.13
	MUELLER OR APPROVED			
JNION 3/4IN FPT NL BRASS	EQUAL			10.06
	BRASS ITEMS / FORD, MUELLER OR APPROVED			
UNION 1IN FPT NL BRASS	EQUAL			13.33
	BRASS ITEMS / FORD,			
	MUELLER OR APPROVED			
JNION 1 1/2IN FPT - NL BRASS	BRASS ITEMS / FORD,			23.04
	MUELLER OR APPROVED			
JNION 2IN 3/PC FPT NL BRASS - 3020U	EQUAL		3020U	35.46
ALVE 1 X 3/4IN STRAIGHT BALL 5/BX- B43-342WG-				
IL	BRASS ITEMS / FORD ONLY	Ford Only	B43-342WG-NL	64.74
ALVE 1X1IN STRAIGHT BALL - NL BRASS	BRASS ITEMS / FORD ONLY	Ford Only	_	64.52
	BRASS ITEMS / FORD,			
ALVE 1-1/2IN BALL FPT NL BRASS 3415BM200	MUELLER OR APPROVED EQUAL	American Valve	3415BM200	28.72
ALVE 1-1/2/14 DALETT THE DIVAGO 3413DIM200	BRASS ITEMS / FORD,	American valve	3413DI41200	20.72
	MUELLER OR APPROVED			
ALVE 4IN GATE NL BRASS FPT 3440GM300	EQUAL	American Valve	3440GM300	177.90
ADAPTER HOSE 3/4FGH x 3/4FPT NL BRASS 5/BX	BRASS ITEMS / FORD, MUELLER OR APPROVED			
122219	EQUAL		122219	2.31
	BRASS ITEMS / FORD,			
	MUELLER OR APPROVED			
REDUCER 3/4 MPT X 1/4FPT NL BRASS COUPLING 1IN DOUBLE COMP BRASS - C44-44G-NL	EQUAL			2.79
12 PER BX*	BRASS ITEMS / FORD ONLY	Ford Only	C44-44G-NL	18.16
COUPLING 2IN GRIP/JOINT BRASS - C84-77G-NL				1
MPTxCTS/GJ	BRASS ITEMS / FORD ONLY	Ford Only	C84-77G-NL	61.56
ELL 90 1IN COMP.GRIP BRASS - L44-44G-NL FORD	PRACCITEMO / FORD ONLY	Ford Oals	1 44 440 AU	00.04
8 PER BX* /ALVE 3/4x1IN ANGLE U-BRANCH - UV-43-42-WG-NL	BRASS ITEMS / FORD ONLY	Ford Only	L44-44G-NL	26.34
ORD *8 PER BX*	BRASS ITEMS / FORD ONLY	Ford Only	UV-43-42-WG-NL	95.10
CORP STOP 1IN BRASS MPTxCTS/G - F1100-4G-NL		,		
ORD *6 PER BX*	BRASS ITEMS / FORD ONLY	Ford Only	F1100-4G-NL	41.93
	BRASS ITEMS / FORD,			
COUPLING 1-1/2IN FPTxFPT NL BRASS - 30155	MUELLER OR APPROVED EQUAL		30155	11.31
ALVE ANGLE 3/4 x 1IN BRASS - KV43-342WG-NL	BRASS ITEMS / FORD ONLY	Ford Only	KV43-342WG-NL	37.51
ALVE ANGLE 3/4 x THI DIVAGG - NV43-342WG-NL	BRASS ITEMS / FORD.	Ford Only	NA40-045AAQ-IAF	37.31
	MUELLER OR APPROVED			
/ALVE 3IN GATE NL BRASS FPT - M300	EQUAL	American Valve	M300	114.95
BALL 1-1/2IN CURB STOP FPTxFPT - BRASS FORD B11-666W-NL *2 PER BX*	BRASS ITEMS / FORD ONLY	Ford Only	B11-666W-NL	144.09
	Î			
JUT ASSEM 2IN/FORD GRIP JOINTS - GJN4-7-NL	BRASS ITEMS / FORD ONLY	Ford Only	GJN4-7-NL	20.04
3G-NL 14/BX	BRASS ITEMS / FORD ONLY	Ford Only	C44-33G-NL	15.86
	BRASS ITEMS / FORD,			13.00
	MUELLER OR APPROVED			
COUPLING 3/4IN FPT x FPT - NL BRASS	EQUAL FORD			3.12
	BRASS ITEMS / FORD, MUELLER OR APPROVED			
	EQUAL	1		4.74

	BRASS ITEMS / FORD,	1		
NIPPLE 1IN X 6IN TBE BRASS	MUELLER OR APPROVED EQUAL			7.75
NIPPLE TIN A OIN THE BRASS	BRASS ITEMS / FORD,	+		7.10
	MUELLER OR APPROVED			
NIPPLE 3/4 IN X 6 IN BRASS TBE	EQUAL FORD			5.31
	BRASS ITEMS / FORD, MUELLER OR APPROVED			1
NIPPLE 1 IN X 4 IN BRASS TBE	EQUAL			5.27
	BRASS ITEMS / FORD,			
NIDDLE 2/4 IN V 4 IN DDAGC TOE	MUELLER OR APPROVED EQUAL	1		3.64
NIPPLE 3/4 IN X 4 IN BRASS TBE	BRASS ITEMS / FORD,	+		3.04
	MUELLER OR APPROVED			
NIPPLE 2IN X 6IN BRASS TBE	EQUAL			17.53
VALVE CANDO CUECE SERDACE M24 2 DED BY /	BRASS ITEMS / FORD, MUELLER OR APPROVED			
VALVE SWING CHECK 2" BRASS M31 2 PER BX / LEAD OK SEWER ONLY	EQUAL	Matco / Norca	M31	28.09
ELL 90 3/4IN COMP GRIP BRASS L44-33G-NL	BRASS ITEMS / FORD ONLY	Ford Only	L44-33G-NL	20.51
VALVE 3/4IN X 3/4IN BALL CURB - FORD #B43-332W-	Brato Hemory one one:	7 513 51)		20.01
G-NL *5 PER BX*	BRASS ITEMS / FORD ONLY	Ford Only	843-332W-G-NL	59.91
	BRASS ITEMS / FORD, MUELLER OR APPROVED			
NIPPLE 3/4 x 12IN BRASS	EQUAL			10.18
	BRASS ITEMS / FORD,			
	MUELLER OR APPROVED			40.40
NIPPLE 3/4 x 18IN BRASS	BRASS ITEMS / FORD.			13.43
	MUELLER OR APPROVED			1
NIPPLE 3/4 x 24IN BRASS	EQUAL			17.90
	BRASS ITEMS / FORD,			
NIPPLE 1 x 12IN BRASS	MUELLER OR APPROVED EQUAL			15.25
THIT LE TX TZIN DIVIGO	BRASS ITEMS / FORD,			
	MUELLER OR APPROVED			20.40
NIPPLE 1 x 18IN BRASS	BRASS ITEMS / FORD.	ļ		20.12
	MUELLER OR APPROVED			
NIPPLE 1 x 24IN BRASS	EQUAL			26.82
	BRASS ITEMS / FORD,	İ		
NIPPLE 2 x 12IN BRASS	MUELLER OR APPROVED EQUAL			34.54
THE FEE Z X TEMPORAGE	BRASS ITEMS / FORD,			
	MUELLER OR APPROVED			45.57
NIPPLE 2 x18IN BRASS	BRASS ITEMS / FORD,			45.57
	MUELLER OR APPROVED			
NIPPLE 2 x 24IN BRASS	EQUAL			60.75
COPR STOP 3/4 IN BRASS - 3/4 IN F1100-3-G-NL *10	PDACO ITEMO / FORD ONLY	Food Only	E4400.2.C.NII	20 44
PER BX*	BRASS ITEMS / FORD ONLY	Ford Only	F1100-3-G-NL	28.41
COUPLING COMP. 1 1/2" BRASS C44-66G-NL	BRASS ITEMS / FORD ONLY	Ford Only	C44-66G-NL	60.72
MALE ADPT. COMP. 1 1/2" BRASS C84-66G-NL	BRASS ITEMS / FORD ONLY	Ford Only	C84-66G-NL	42.25
VALVE 1 1/2 CHECK SINGLE HS11-666-NL *4 PER BX*	BRASS ITEMS / FORD ONLY	Ford Only	HS11-666-NL	141.14
VALVE BALL METER B13-332W-NL 3/4x1 *6 PER BX*	BRASS ITEMS / FORD ONLY	Ford Only	B13-332W-NL	53.30
	BRASS ITEMS / FORD ONLY	Ford Only	B13-344W-NL	58.14
VALVE BALL METER B13-344W-NL 3/4x1 *5 PER BX*		1 -		52.94
COUPLING 1 1/2" MIP X PVC COMP. *FC-8766-NL*	BRASS ITEMS / FORD ONLY	Ford Only	FC-8766-NL	
COUPLING 2" MIP X PVC COMP. *FC-8777-NL*	BRASS ITEMS / FORD ONLY	Ford Only	FC-8777-NL	76.92
COUPLING 3/4IN COMP FIPXCTS	BRASS ITEMS / FORD ONLY	Ford Only	FC-1433-G-NL	13.70
COUPLING 1IN COMP FIP X CTS	BRASS ITEMS / FORD ONLY	Ford Only	FC-1444-G-NL	18.59
COUPLING 1.5 IN COMP FIP X CTS	BRASS ITEMS / FORD ONLY	Ford Only	FC-1466-G-NL	54.05
1	BRASS ITEMS / FORD ONLY	Ford Only	FC-1477-G-NL	64.35

	BRASS ITEMS / FORD,			
VALVE 3/4" BALL SWEAT BRASS	MUELLER OR APPROVED EQUAL	American Valve	3407BBVS	8.15
B. D/I PARTS, ALL TYPES AMERICAN OR APPROVED	EGONE	74Herican valve	04075510	0.10
QUAL				
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			400.00
GASKET 12IN FIELD LOCK	EQUAL TYPES	<del></del>	<del></del>	190.60
	D/I PARTS, ALL TYPES AMERICAN OR APPROVED			
MEGALUG 10 IN FOR D/I PIPE	EQUAL	EBAA		53.30
WEGAEGO TO HET ON DITT II E	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			
RISER 1IN VALVE BOX - 59VR010I	EQUAL	Star	59VR010I	16.23
	D/I PARTS, ALL TYPES			1
	AMERICAN OR APPROVED	Chan	EO/IDO201	22.24
RISER 2IN VALVE BOX - 59VR020I	D/I PARTS, ALL TYPES	Star	59VR020I	22.31
	AMERICAN OR APPROVED	-		
RISER 3IN VALVE BOX - 59VR030I	EQUAL	Star	59VR030I	27.63
NOCITORI VICEYE BOX OSTITOOOI	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			
RISER 4IN VALVE BOX - 59VR040I	EQUAL	Star	59VR040I	39.73
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			41.77
GASKET RUBBER 7.25-7.65 F/STEEL COUPLING	D/I PARTS, ALL TYPES			41.77
	AMERICAN OR APPROVED			
GASKET 9.40-9.74 STEEL COUPLIN - FORD PN=20377	EQUAL	Ford	20377	12.41
ONGINET ON TO THE COURT OF THE	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			
GASKET RUBBER 9.46-9.85 F/STEEL COUPLING	EQUAL			12.41
	D/I PARTS, ALL TYPES			
CACKET DURDED 6 62 E/STEEL COURLING	AMERICAN OR APPROVED EQUAL			9.74
GASKET RUBBER 6.63 F/STEEL COUPLING	D/I PARTS, ALL TYPES		<del></del>	3.74
	AMERICAN OR APPROVED			
GASKET RUBBER 8.60-9.06 F/STEEL COUPLING	EQUAL			12.41
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			1
GASKET RUBBER F/STEEL COUPLING - PN=33813	EQUAL		33813	24.99
	D/I PARTS, ALL TYPES			
GASKET RUBBER 11.90-12.20 - F/STEEL COUPLING	AMERICAN OR APPROVED EQUAL			15.50
GASKET ROBBER 11.90-12.20 - F/3 TEEL COOFLING	D/I PARTS, ALL TYPES	+		10.00
	AMERICAN OR APPROVED			
KIT 3IN COMPANION FLANGE D/I	EQUAL	Union Foundry	<u> </u>	23.87
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED	-		20.00
KIT 4IN COMPANION FLANGE - DUCTILE IRON	D/I PARTS, ALL TYPES	-		32.22
	AMERICAN OR APPROVED			ii.
RESTRAINER FOR 8" PVC BELL JOINT - 1390 1300	EQUAL	Ford		76.03
REGITATION OF TO BELL BOILT 1000 1000	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			
KIT MJ 3IN ACCESSORY	EQUAL	Star		18.45
	D/I PARTS, ALL TYPES			1
KIT AALAIN ACCECCODY	AMERICAN OR APPROVED	Ctor		23.71
KIT MJ 4IN ACCESSORY	D/I PARTS, ALL TYPES	Star		23.11
KIT MJ 6IN ACC. WITH GLAND - FLANGE/GASKET/T-	AMERICAN OR APPROVED			
BOLT	EQUAL	Union Foundry		32.66
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			Ţ
KIT MJ 8IN ACCESSORY	EQUAL	Star		35.82
	D/I PARTS, ALL TYPES	1		
WIT had down a COECCODY	AMERICAN OR APPROVED	C+		51.62
KIT MJ 10IN ACCESSORY	EQUAL	Star		1 31.02

	D/I PARTS, ALL TYPES	1		Ī
VIT MAI 42INI ACCESSORY DART #24AMM IR42	AMERICAN OR APPROVED EQUAL	Tyler	21AMMJR12	53.20
(IT MJ 12IN ACCESSORY - PART #21AMMJR12	D/I PARTS, ALL TYPES	Tylei	ZIAWWIJNIZ	33.20
	AMERICAN OR APPROVED	{		
KIT MJ 16IN ACCESSORY	EQUAL			86.91
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			
GASKET 3IN MJ RUBBER	EQUAL			6.32
	D/I PARTS, ALL TYPES			
GASKET 3IN RUBBER TRANSITION - PART	AMERICAN OR APPROVED EQUAL		21AMG503	6.32
#21AMG503	D/I PARTS, ALL TYPES		2 IAWIG303	0.32
	AMERICAN OR APPROVED			
GASKET MJ 4IN RUBBER	EQUAL			6.32
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			
GASKET 4IN RUBBER TRANSITION	EQUAL			6.86
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			
SASKET 6IN MJ RUBBER - FOR D/I PIPE	EQUAL TYPES			6.32
	D/I PARTS, ALL TYPES	1		
CACKET GIN TO ANGITION DUDDED 24 AMOSOS	AMERICAN OR APPROVED EQUAL		21AMG506	7.38
GASKET 6IN TRANSITION RUBBER - 21AMG506	D/I PARTS, ALL TYPES		2 (ANIGOUO	1.30
	AMERICAN OR APPROVED			
CASKET MIRIN PURRER	EQUAL			6.86
GASKET MJ 8IN RUBBER	D/I PARTS, ALL TYPES			0.00
	AMERICAN OR APPROVED			
GASKET 8IN TRANSITION RUBBER	EQUAL			10.54
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			
GASKET 10IN MJ RUBBER	EQUAL			9.48
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			40.40
GASKET 10IN TRANSITION RUBBER	EQUAL PARTS ALL TYPES	-		12.12
	D/I PARTS, ALL TYPES AMERICAN OR APPROVED			
GASKET MJ 12IN RUBBER	EQUAL	i		10.54
SASKET WO TZIN KODDEK	D/I PARTS, ALL TYPES			10.01
*	AMERICAN OR APPROVED			
GASKET 12IN TRANSITION RUBBER	EQUAL			13.18
	D/I PARTS, ALL TYPES	<u> </u>		
	AMERICAN OR APPROVED			
GASKET MJ 16IN RUBBER	EQUAL			17.91
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			40.50
GASKET MJ 18IN RUBBER	EQUAL			19.50
	D/I PARTS, ALL TYPES			
ELANICE SIN COMPANION DI	AMERICAN OR APPROVED EQUAL			23.85
FLANGE 3IN COMPANION D/I	D/I PARTS, ALL TYPES			20.00
	AMERICAN OR APPROVED			Ì
FLANGE 3IN UNION	EQUAL	Star		55.79
Buttoe out ottlott	D/I PARTS, ALL TYPES			
		1		
	AMERICAN OR APPROVED	1		
MEGALUG 3IN FOR D/I PIPE - PART #21AMF8031103		EBAA	21AMF8031103	18.92
MEGALUG 3IN FOR D/I PIPE - PART #21AMF8031103		EBAA	21AMF8031103	18.92
MEGALUG 3IN FOR D/I PIPE - PART #21AMF803110:	B EQUAL		21AMF8031103	
MEGALUG 3IN FOR D/I PIPE - PART #21AMF8031103	B EQUAL D/I PARTS, ALL TYPES AMERICAN OR APPROVED EQUAL	EBAA	21AMF8031103	18.92
	B EQUAL D/I PARTS, ALL TYPES AMERICAN OR APPROVED EQUAL D/I PARTS, ALL TYPES		21AMF8031103	
MEGALUG 3IN FOR PVC PIPE	B EQUAL D/I PARTS, ALL TYPES AMERICAN OR APPROVED EQUAL D/I PARTS, ALL TYPES AMERICAN OR APPROVED		21AMF8031103	22.59
	B EQUAL D/I PARTS, ALL TYPES AMERICAN OR APPROVED EQUAL D/I PARTS, ALL TYPES AMERICAN OR APPROVED EQUAL		21AMF8031103	
MEGALUG 3IN FOR PVC PIPE FLANGE 4IN SPLIT	B EQUAL D/I PARTS, ALL TYPES AMERICAN OR APPROVED EQUAL D/I PARTS, ALL TYPES AMERICAN OR APPROVED EQUAL D/I PARTS, ALL TYPES		21AMF8031103	22.59
MEGALUG 3IN FOR PVC PIPE FLANGE 4IN SPLIT FLANGE 4IN FEMALE THD 8 HOLE - 2404FCCS	B EQUAL D/I PARTS, ALL TYPES AMERICAN OR APPROVED EQUAL D/I PARTS, ALL TYPES AMERICAN OR APPROVED EQUAL D/I PARTS, ALL TYPES AMERICAN OR APPROVED			22.59
MEGALUG 3IN FOR PVC PIPE FLANGE 4IN SPLIT	B EQUAL D/I PARTS, ALL TYPES AMERICAN OR APPROVED EQUAL D/I PARTS, ALL TYPES AMERICAN OR APPROVED EQUAL D/I PARTS, ALL TYPES AMERICAN OR APPROVED EQUAL EQUAL D/I PARTS, ALL TYPES AMERICAN OR APPROVED EQUAL		21AMF8031103 2404FCCS	22.59
MEGALUG 3IN FOR PVC PIPE FLANGE 4IN SPLIT FLANGE 4IN FEMALE THD 8 HOLE - 2404FCCS	B EQUAL D/I PARTS, ALL TYPES AMERICAN OR APPROVED EQUAL D/I PARTS, ALL TYPES AMERICAN OR APPROVED EQUAL D/I PARTS, ALL TYPES AMERICAN OR APPROVED			22.59

	D/I PARTS, ALL TYPES	1	1	1
MEGALLIO AIN FOR DA RIPE	AMERICAN OR APPROVED	EDAA		20.05
MEGALUG 4IN FOR D/I PIPE	D/I PARTS, ALL TYPES	EBAA		20.05
	AMERICAN OR APPROVED			
MEGALUG 4IN FOR PVC PIPE	EQUAL	Sigma		24.29
	D/I PARTS, ALL TYPES			
FLANGE 6IN FEMALE THD 8 HOLE - STEEL	AMERICAN OR APPROVED EQUAL			51.14
TO MOL SHIT ENDICE THE STREET	D/I PARTS, ALL TYPES	· · · · · · · · · · · · · · · · · · ·		
	AMERICAN OR APPROVED			
FLANGE 6IN SPLIT	EQUAL TYPES			47.40
	D/I PARTS, ALL TYPES AMERICAN OR APPROVED			
MEGALUG 6IN FOR D/I PIPE	EQUAL	Sigma		23.58
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED	0.	044445000000000000000000000000000000000	00.54
MEGALUG 6IN FOR PVC PIPE - 21AMF8062006PV	D/I PARTS, ALL TYPES	Sigma	21AMF8062006PV	29.51
	AMERICAN OR APPROVED			
FLANGE 6IN UNION DUCTILE IRON	EQUAL	Star		74.24
<del>.</del>	D/I PARTS, ALL TYPES			
FLANCE CIALLINION	AMERICAN OR APPROVED	Star		81.50
FLANGE 8IN UNION	D/I PARTS, ALL TYPES	Stal		01.30
	AMERICAN OR APPROVED			
MEGALUG 8IN FOR D/I PIPE	EQUAL	EBAA		35.43
	D/I PARTS, ALL TYPES			
MEGALUG 8IN FOR PVC PIPE	AMERICAN OR APPROVED EQUAL	Sigma		43.63
WEGALOG BIN FOR FVC FIFE	D/I PARTS, ALL TYPES	Sigilia		45.05
	AMERICAN OR APPROVED			
RING 8IN SPLIT 1300	EQUAL		1300	56.11
	D/I PARTS, ALL TYPES AMERICAN OR APPROVED			
FLANGE 10 IN UNION	EQUAL	Union Foundry		166.51
TEMOE TO IN CHICK	D/I PARTS, ALL TYPES			1
	AMERICAN OR APPROVED			
MEGALUG 10IN FOR PVC PIPE	EQUAL TYPE	Sigma		82.45
	D/I PARTS, ALL TYPES AMERICAN OR APPROVED			1
RESTRAINT 12IN SPLIT 1300C	EQUAL	Ford	1300C	100.83
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED	5044		70.54
MEGALUG 12IN FOR D/I PIPE	D/I PARTS, ALL TYPES	EBAA		76.51
	AMERICAN OR APPROVED			
FLANGE 12 IN UNION	EQUAL	Star		196.37
	D/I PARTS, ALL TYPES			
MECALLIC 12IN FOR DVC DIRE	AMERICAN OR APPROVED EQUAL	Sigma		86.82
MEGALUG 12IN FOR PVC PIPE	D/I PARTS, ALL TYPES	Sigma		00.02
	AMERICAN OR APPROVED			
MEGALUG 16IN FOR D/I PIPE	EQUAL	EBAA		148.96
	D/I PARTS, ALL TYPES			
MEGALUG 16IN FOR PVC PIPE	AMERICAN OR APPROVED EQUAL	EBAA		197.90
INCONCO IONA ON FAOT II C	D/I PARTS, ALL TYPES	LUTV	1	107.00
	AMERICAN OR APPROVED			
FLANGE 16IN UNION	EQUAL TYPES			360.96
	D/I PARTS, ALL TYPES AMERICAN OR APPROVED			
MEGALUG 18IN FOR D/I PIPE	EQUAL	EBAA		211.00
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			645.65
MEGALUG 18IN FOR PVC PIPE	EQUAL TYPES	EBAA	<u> </u>	245.65
	D/I PARTS, ALL TYPES AMERICAN OR APPROVED			1
		1	400C	408.13

	D/I PARTS, ALL TYPES	I	I	1 1
	AMERICAN OR APPROVED			
FLANGE 20IN UNION-400C	EQUAL		400C	493.44
	D/I PARTS, ALL TYPES			
MEGALUG 20IN FOR PVC PIPE	AMERICAN OR APPROVED EQUAL	Sigma		304.38
MEGALOG ZONT OR FVC FIFE	D/I PARTS, ALL TYPES	Oigna		304.30
	AMERICAN OR APPROVED			
BOLT 5/8 X 3IN T-HEAD & NUT 120 b/x	EQUAL	Star		2.31
<u> </u>	D/I PARTS, ALL TYPES			
DOLTAN VARIATUES A VIVITA NON DOTATINO	AMERICAN OR APPROVED	0		4.50
BOLT 3/4 X 4IN T-HEAD & NUT - NON-ROTATING	D/I PARTS, ALL TYPES	Star		4.56
	AMERICAN OR APPROVED			77
BOLT 3/4 X 4IN T-HEAD - 60 PER BOX	EQUAL	Star		2.62
	D/I PARTS, ALL TYPES	1		
	AMERICAN OR APPROVED			
BOLT 3/4 X 4-1/2IN T-HEAD - & NUT	EQUAL	Star		2.93
	D/I PARTS, ALL TYPES			
BOLT 3/4 X 4-1/2IN T-HEAD &NUT - NON ROTATING	AMERICAN OR APPROVED EQUAL	Star		5.14
BOLT 3/4 X 4-1/2/10 1-HEAD & NOT - NON ROTATING	D/I PARTS, ALL TYPES	Jiai		3.14
	AMERICAN OR APPROVED			
BOLT 3/4 X 5IN T-HEAD & NUT	EQUAL	Star		3.19
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			
EYEBOLT 3/4IN ANGLED *DUC-LUG*	EQUAL			5.08
	D/I PARTS, ALL TYPES		1	
BEND 90 3IN FLANGED DI - PART #24039F	AMERICAN OR APPROVED EQUAL		24039F	76.10
BEND 30 SHITE EAROLD BITTARY #240031	D/I PARTS, ALL TYPES		240001	70.10
	AMERICAN OR APPROVED	1		
FLANGE 3IN MJ DI	EQUAL			6.86
•	D/I PARTS, ALL TYPES			
0.15 0.11.11.15.1	AMERICAN OR APPROVED		-	
CAP 3IN MJ DI	D/I PARTS, ALL TYPES			20.84
	AMERICAN OR APPROVED			
BEND 45 3IN MJ DI	EQUAL			47.75
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			
SLEEVE 3 x 12IN MJ DI	EQUAL			44.72
	D/I PARTS, ALL TYPES			
BEND 45 4IN FLANGED DI	AMERICAN OR APPROVED EQUAL			105.18
DEND 43 4IN FLANGED DI	D/I PARTS, ALL TYPES	1		100.10
	AMERICAN OR APPROVED			
BEND 90 4IN FLANGED DI C/L C110	EQUAL			117.78
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			
PLUG 4IN MJ DI	EQUAL TYPES			26.92
	D/I PARTS, ALL TYPES AMERICAN OR APPROVED			
CAP 4IN MJ DI	EQUAL			21.71
Ora Titting Or	D/I PARTS, ALL TYPES	<u> </u>		
	AMERICAN OR APPROVED			
FLANGE 4IN MJ DI	EQUAL			11.07
	D/I PARTS, ALL TYPES			
DENID 45 4IN MALDI	AMERICAN OR APPROVED			47.75
BEND 45 4IN MJ DI	D/I PARTS, ALL TYPES		-	47.75
	AMERICAN OR APPROVED			
BEND 90 4IN MJ DI	EQUAL			57.30
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED	)		
FLANGE 4IN WELD NECK - R.F. #150 B-16-A105	EQUAL		150 B-16-A105	200.00
	D/I PARTS, ALL TYPES			
SLEEVE 4 x 12IN MJ DI	AMERICAN OR APPROVED EQUAL			50.80
SELEVE 4 X IZIN IVIJ DI	LEGUNE		<u> </u>	30.00

	DUDARTO ALL TYPES	1	ì
	D/I PARTS, ALL TYPES AMERICAN OR APPROVED		
CAP 6IN MJ DI	EQUAL		38.20
	D/I PARTS, ALL TYPES		
PLUC SIN MUDI	AMERICAN OR APPROVED EQUAL		50.36
PLUG 6IN MJ DI	D/I PARTS, ALL TYPES		30.30
	AMERICAN OR APPROVED	1	
FLANGE 6IN UNI-FLANGE - TWO HOLE FOR DI	EQUAL		74.24
	D/I PARTS, ALL TYPES AMERICAN OR APPROVED		2
FLANGE 6IN MJ DI	EQUAL		12.64
PENIOE ON MODI	D/I PARTS, ALL TYPES	-	10.01
	AMERICAN OR APPROVED		
BEND 45 6IN FLANGED DI	EQUAL D/I PARTS, ALL TYPES		161.88
	AMERICAN OR APPROVED		
BEND 45 6IN MJ DI	EQUAL		75.97
	D/I PARTS, ALL TYPES		
DEND OF CIVIET ANCED DI FROVVIINED	AMERICAN OR APPROVED EQUAL	EDOVVINED	470.72
BEND 90 6IN FLANGED DI - EPOXY LINED	D/I PARTS, ALL TYPES	EPOXY LINED	470.72
	AMERICAN OR APPROVED	]	
BEND 90 6IN MJ X SPIGOT DI	EQUAL		112.43
	D/I PARTS, ALL TYPES		
DEND OF SIN MIDI CEMENT LINED	AMERICAN OR APPROVED	CEMENT LINED	93.76
BEND 90 6IN MJ DI CEMENT LINED	D/I PARTS, ALL TYPES	CEMENT LINED	93.70
	AMERICAN OR APPROVED		Ì
SLEEVE 6 X 12IN MJ DI - CEMENT LINED	EQUAL	CEMENT LINED	85.08
	D/I PARTS, ALL TYPES		
TEE 6 X 6 X 6 MJ DI	AMERICAN OR APPROVED EQUAL		134.57
TEE 0 X 0 X 0 MIS DI	D/I PARTS, ALL TYPES		104.07
	AMERICAN OR APPROVED		
FLANGE 8 IN MJ DI	EQUAL		16.34
	D/I PARTS, ALL TYPES		
CAP 8IN MJ DI - 2108CT	AMERICAN OR APPROVED EQUAL	1	62.51
0/4 011 (NO DI - 21000)	D/I PARTS, ALL TYPES		02.01
	AMERICAN OR APPROVED		
BEND 45 8 IN MJ DI CEMENT LINED	EQUAL	CEMENT LINED	110.70
	D/I PARTS, ALL TYPES AMERICAN OR APPROVED	ł	
SLEEVE 8 X 12 MJ DI	EQUAL		136.74
	D/I PARTS, ALL TYPES		
	AMERICAN OR APPROVED		04.70
FLANGE 10 IN MJ DI	D/I PARTS, ALL TYPES		24.76
	AMERICAN OR APPROVED		
BEND 45 10 IN MJ DI	EQUAL		159.74
	D/I PARTS, ALL TYPES		
OLEEVE 40 V 40 IN MI OL	AMERICAN OR APPROVED		162.65
SLEEVE 10 X 12 IN MJ DI	D/I PARTS, ALL TYPES		163.65
	AMERICAN OR APPROVED		
FLANGE 12 IN MJ DI	EQUAL		25.28
	D/I PARTS, ALL TYPES		
CAP 12 IN MJ DI	AMERICAN OR APPROVED EQUAL		116.77
OAL 12 IN IND DI	D/I PARTS, ALL TYPES		110.77
	AMERICAN OR APPROVED		
BEND 45 12IN MJ DI CEMENT LINED	EQUAL	CEMENT LINED	238.74
	D/I PARTS, ALL TYPES		
SLEEVE 12IN X 12IN MJ DI	AMERICAN OR APPROVED   EQUAL		220.08
OCCUPATION A ISHA MIS IN	D/I PARTS, ALL TYPES		220.00
	AMERICAN OR APPROVED		1
BEND 90 12 IN FLANGED DI	EQUAL		614.08

	D/I PARTS, ALL TYPES AMERICAN OR APPROVED		
FLANGE 16 IN MJ DI	EQUAL		40.56
	D/I PARTS, ALL TYPES		
0. 551.5 .0	AMERICAN OR APPROVED		
SLEEVE 16 X 15 IN MJ DI	EQUAL TYPES		420.62
	D/I PARTS, ALL TYPES	İ	
FLANGE 18 IN MJ DI	AMERICAN OR APPROVED EQUAL		66.36
FEANGE TO IN MIS DI	D/I PARTS, ALL TYPES		00.30
	AMERICAN OR APPROVED		
SLEEVE 18 X 15 IN MJ DI	EQUAL		554.74
	D/I PARTS, ALL TYPES		
	AMERICAN OR APPROVED		
FLANGE 20 IN MJ DI	EQUAL		94.28
	D/I PARTS, ALL TYPES		
CLEEVE 20 V 45 IN MI DI	AMERICAN OR APPROVED		000 77
SLEEVE 20 X 15 IN MJ DI	D/I PARTS, ALL TYPES		669.77
	AMERICAN OR APPROVED		
LID WATER LOCKING	EQUAL		14.12
	D/I PARTS, ALL TYPES		12
	AMERICAN OR APPROVED		
LID SEWER VALVE BOX LOCKING	EQUAL		21.99
	D/I PARTS, ALL TYPES		
	AMERICAN OR APPROVED		
LID WATER NON LOCKING - 5-1/4IN	EQUAL		18.14
	D/I PARTS, ALL TYPES		
VALVE BOY TOP DI 4619	AMERICAN OR APPROVED EQUAL	461S	18.68
VALVE BOX TOP DI 461S	D/I PARTS, ALL TYPES	4013	10.08
	AMERICAN OR APPROVED		
VALVE BOX TOP & BOTTOM - 461-S LESS LID	EQUAL	461-S	43.83
	D/I PARTS, ALL TYPES		1
	AMERICAN OR APPROVED		
REDUCER 6 X 4 IN MJ DI	EQUAL		54.70
	D/I PARTS, ALL TYPES		
DEDUCED A V CINIAL DI	AMERICAN OR APPROVED		
REDUCER 8 X 6 IN MJ DI	EQUAL TYPES		79.44
	D/I PARTS, ALL TYPES AMERICAN OR APPROVED		
TEE 6 X 6 X 4 IN MJ DI CEMENT LINED	EQUAL	CEMENT LINED	125.02
THE VANALATION OF OFMERAL FRAFE	D/I PARTS, ALL TYPES	SCIVILIAL CINCO	120.02
WYE 2-1/2IN X 2-1/2IN PUSH ON - EPOXY COATED	AMERICAN OR APPROVED		
FOR D/I	EQUAL	EPOXY COATED	214.29
	D/I PARTS, ALL TYPES	1	
	AMERICAN OR APPROVED		
TEE 4 X 4 X 4 IN MJ DI	EQUAL		75.10
	D/I PARTS, ALL TYPES		
DEND 44 4/4 2 IN M LOD DI	AMERICAN OR APPROVED		
BEND 11-1/4 3 IN MJ CP DI	EQUAL TYPES		34.73
	D/I PARTS, ALL TYPES AMERICAN OR APPROVED		
BEND 11-1/4 4 IN MJ CP DI C153	EQUAL		43.41
SECTION OF STORY	D/I PARTS, ALL TYPES		70.71
	AMERICAN OR APPROVED		
BEND 22-1/2 3 IN CP DI C153	EQUAL		29.96
	D/I PARTS, ALL TYPES		
	AMERICAN OR APPROVED		
BEND 22-1/2 4IN MJ CP DI C153	EQUAL		45.15
	D/I PARTS, ALL TYPES	1	[
DOLT 2/4 V 2 4/2IN T HEAD A MUST BOS DED DV	AMERICAN OR APPROVED		0.00
BOLT 3/4 X 3-1/2IN T-HEAD & - NUT *85 PER BX*	EQUAL DU DADES ALL TYPES		2.62
	D/I PARTS, ALL TYPES AMERICAN OR APPROVED	1	1
BEND 90 12IN MJ DI - 21129M	EQUAL	21129M	288.66
MANUEL VO 1411 ITIV DI 4112 VIII	D/I PARTS, ALL TYPES	21120111	200.00
	AMERICAN OR APPROVED		
LID SEWER NON LOCKING	EQUAL	I .	9.37

	D/I PARTS, ALL TYPES			1
ELANCE O IN PLIND DU O LOUE	AMERICAN OR APPROVED	}	-	141.22
FLANGE 8 IN BLIND D/I - 8 HOLE	D/I PARTS, ALL TYPES	-		141.22
	AMERICAN OR APPROVED	}	i	
ELL 45 12IN MJ DI	EQUAL			238.74
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			
KIT 12IN MEGALUG ACCESSORY - FOR PVC	EQUAL TIPES			32.66
	D/I PARTS, ALL TYPES  AMERICAN OR APPROVED			
TEE 3 x 3 x 3IN FLANGED D/I - PART #2403T030F	EQUAL		2403T030F	108.57
TEE OX OX ON TEATOED DITE TANY #240010001	D/I PARTS, ALL TYPES		240010001	100.07
	AMERICAN OR APPROVED			
FLANGE 2 IN COMPANION - WITH 2IN FIPT	EQUAL			15.69
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			
TEE 3 x 3 x 3IN MJ D/I - PART #2103T030M	EQUAL TYPES		2103T030M	70.76
	D/I PARTS, ALL TYPES AMERICAN OR APPROVED			
REDUCER 6x4 DI EPOXY LINED - PART #2406R04FE	EQUAL	1	2406R04FE	385.13
ALDOOLIT OXT LINED T FAITI #24001041 L	D/I PARTS, ALL TYPES		24001104112	303.10
CROSS 6IN D/I EPOXY LINED - FLANGED	AMERICAN OR APPROVED			
#2406X060FE	EQUAL	1	2406X060FE	752.31
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			
TEE 8IN FLANGED DUCTILE IRON	EQUAL			443.96
	D/I PARTS, ALL TYPES			
TEE SIN EL ANCED DUCTUE IBON	AMERICAN OR APPROVED EQUAL			266.57
TEE 6IN FLANGED DUCTILE IRON	D/I PARTS, ALL TYPES			200.51
	AMERICAN OR APPROVED			
BEND 6IN 90 DEG D/I FLANGED - NOT LINED	EQUAL			182.24
	D/I PARTS, ALL TYPES			1
TEE 8 x 8 x 6IN DUCTILE IRON - FLANGED CEMENT	AMERICAN OR APPROVED			
LINED	EQUAL			383.38
	D/I PARTS, ALL TYPES			
CAR 46IN DUCTUE IDON MIL WIST CENTER THE TAR	AMERICAN OR APPROVED			200.00
CAP 16IN DUCTILE IRON MJ - W/2" CENTER TH TAP	D/I PARTS, ALL TYPES	-		269.99
CROSS 4IN DI EPOXY LINE FLANGD - PART	AMERICAN OR APPROVED			
#2404X040FE	EQUAL		2404X040FE	473.01
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED			
FLANGE 12 IN BELL - 073019 for C-900	EQUAL			229.13
	D/I PARTS, ALL TYPES			
DECTRAINT FOR 6' DVA 4000 A A FLANOCO	AMERICAN OR APPROVED	F	4000.0	45.40
RESTRAINT FOR 6in P.V.C 1390-C - 2 FLANGES	EQUAL TYPES	Ford	1390-C	45.40
	D/I PARTS, ALL TYPES AMERICAN OR APPROVED			
GASKET 20" MJ	EQUAL			21.07
ONONE LO MO	D/I PARTS, ALL TYPES			21.01
	AMERICAN OR APPROVED			
GASKET 24" MJ	EQUAL			25.67
	D/I PARTS, ALL TYPES			
	AMERICAN OR APPROVED	ļ.		
TEE 8 X 8 X 6 MJ DI CEMENT LINED	EQUAL TYPES	<u> </u>		166.69
	D/I PARTS, ALL TYPES	1		
TEE 24" EPOXY MJ	AMERICAN OR APPROVED EQUAL			2,715.35
ILL 27 LI OAT WO	D/I PARTS, ALL TYPES			2,110.00
	AMERICAN OR APPROVED			
SLEEVE 24" EPOXY MJ	EQUAL			2,234.55
	D/I PARTS, ALL TYPES			1
	AMERICAN OR APPROVED		1	1
SLEEVE 12" EPOXY MJ	THE THE PARTY OF T	1		737.28

1		1	1	ı
	D/I PARTS, ALL TYPES AMERICAN OR APPROVED			
MEGALUG 24IN FOR PVC PIPE	EQUAL	EBAA		351.52
	D/I PARTS, ALL TYPES  AMERICAN OR APPROVED			
SLEEVE 6 X 12" MJ DI EPOXY COATED	EQUAL		EPOXY COATED	324.55
	D/I PARTS, ALL TYPES			
BEND 90 8IN MJ DI CEMENT LINED / C153	AMERICAN OR APPROVED EQUAL			135.43
DETINO OF THE ST. OF T	D/I PARTS, ALL TYPES			
SWIVEL MJ 12X6 TEE DI C153	AMERICAN OR APPROVED			279.11
SAALASE MIN 1570 LEE DI C122	D/I PARTS, ALL TYPES			219.11
OACKET 40 IN TRANSITION	AMERICAN OR APPROVED			70.00
GASKET 16 IN TRANSITION	D/I PARTS, ALL TYPES			72.00
	AMERICAN OR APPROVED			
PLUG 6x4 MJ TAPT DI C153 / CEMENT LINED	D/I PARTS, ALL TYPES	21I06P40T	CEMENT LINED	93.41
	AMERICAN OR APPROVED			
TEE 6x6x6 MJ DI / EPOXY LINED	EQUAL TYPES	MJTP4LAU	EPOXY COATED	410.47
	D/I PARTS, ALL TYPES AMERICAN OR APPROVED			
CROSS 6x6x6x6 MJ DI / EPOXY LINED	EQUAL	21I06X060M401	EPOXY COATED	509.56
	D/I PARTS, ALL TYPES AMERICAN OR APPROVED			
TEE 8x8x6 MJ DI / EPOXY LINED	EQUAL	MJTP4LAXU	EPOXY COATED	526.37
	D/I PARTS, ALL TYPES			
SLEEVE 6x12 MJ DI / EPOXY LINED	AMERICAN OR APPROVED EQUAL	MJLSP4LAX	EPOXY COATED	324.55
LID WATER WEIGHTED		59VLW4S		53.50
4. DUCTILE IRON PIPE / McWANE OR APPROVED				
EQUAL	DUCTILE IRON PIPE / McWANE			
PIPE 3IN DI C/51 CEMENT LINED	OR APPROVED EQUAL		C/51 CEMENT LINED	65.00
PIPE 4IN DI C/51 CEMENT LINED )	DUCTILE IRON PIPE / McWANE OR APPROVED EQUAL		C/51 CEMENT LINED	35.86
THE THE OF OWN DEMENT EINED	DUCTILE IRON PIPE / McWANE		O/OT OLINEITT EINED	00.00
PIPE 6IN D/I CEMENT LINED - CLASS 51	OR APPROVED EQUAL DUCTILE IRON PIPE / McWANE		C/51 CEMENT LINED	27.42
PIPE 8IN DI C/51 CEMENT LINED	OR APPROVED EQUAL		C/51 CEMENT LINED	38.66
	DUCTILE IRON PIPE / McWANE		OF FROM LINES	20.54
PIPE 10IN CLASS 51 EPOXY LINED - DI	OR APPROVED EQUAL DUCTILE IRON PIPE / McWANE		C/51 EPOXY LINED	80.54
PIPE 10IN CLASS 51 CEMENT LINE - DI	OR APPROVED EQUAL		C/51 CEMENT LINED	50.84
	DUCTILE IRON PIPE / McWANE			
PIPE 12IN CLASS 51 EPOXY LINED - DI	OR APPROVED EQUAL DUCTILE IRON PIPE / McWANE		C/51 EPOXY LINED	98.08
PIPE 12IN CLASS 51 CEMENT LINE - DI	OR APPROVED EQUAL		C/51 CEMENT LINED	64.59
DIDE 46IN CLASS 54 EDOVVI INFD. DI	DUCTILE IRON PIPE / McWANE		C/51 EPOXY LINED	135.65
PIPE 16IN CLASS 51 EPOXY LINED - DI	OR APPROVED EQUAL  DUCTILE IRON PIPE / McWANE	<u> </u>	C/31 EPOXT LINED	133.03
PIPE 16IN CLASS 51 CEMENT LINE - DI	OR APPROVED EQUAL		C/51 CEMENT LINED	93.63
PIPE 20IN CLASS 51 EPOXY LINED - DI	DUCTILE IRON PIPE / McWANE OR APPROVED EQUAL		C/51 EPOXY LINED	174.22
THE 23IN OLDOOD IT ELECTRICATE INCLUSION	DUCTILE IRON PIPE / McWANE			
PIPE 20IN CLASS 51 CEMENT LIN - DI	OR APPROVED EQUAL		C/51 CEMENT LINED	122.68
PIPE 18IN CLASS 51 EPOXY LINED - DI	DUCTILE IRON PIPE / McWANE OR APPROVED EQUAL		C/51 EPOXY LINED	159.43
	DUCTILE IRON PIPE / McWANE		0/54 051/51/51	
PIPE 18IN CLASS 51 CEMENT LINE - DI	OR APPROVED EQUAL DUCTILE IRON PIPE / McWANE	+	C/51 CEMENT LINED	107.90
PIPE 24IN CLASS 51 EPOXY LINED - DI	OR APPROVED EQUAL		C/51 EPOXY LINED	218.26
PIPE 24IN CLASS 51 CEMENT LINE - DI	DUCTILE IRON PIPE / McWANE OR APPROVED EQUAL		C/51 CEMENT LINED	154.38
THE 24IN CLASS STOCKMENT LINE * DI	DUCTILE IRON PIPE / McWANE		OTOT OCIVICIAL FINED	107.00
PIPE 8IN DI EPOXY LINED	OR APPROVED EQUAL		EPOXY LINED	63.19

PIPE 6" CL-51 DI EPOXY LINED	DUCTILE IRON PIPE / McWANE OR APPROVED EQUAL		CL/51 EPOXY LINED	47.20
5. FIRE HYDRANT & PARTS				
ADAPTER HYD 2 1/2" x 2" FXM SWIVEL / NO LEAD	FIRE HYDRANT & PARTS	Blue Streak	52528	42.50
COUPLING SAFETY STEM MUELLER 158259 - A-25 HYD PART	FIRE HYDRANT & PARTS	Mueller	158259	95.17
NOZZLE LOCK 5 1/4 FIRE HYD 143137 A13	FIRE HYDRANT & PARTS		143137	1.14
PIN 3/32 X 1IN COTTER F/MUEL HYD - A29/195235	FIRE HYDRANT & PARTS	Mueller	A29/195235	2.62
PIN CLEVIS MUELLER HYD. A30 / 195234 4 1/2" & 5 1/4"	FIRE HYDRANT & PARTS	Mueller	195234	16.58
O-RING PUMPER NOZZLE A16 1988 - MULLER HYD. 5 1/4	FIRE HYDRANT & PARTS	Mueller	A16	15.00
O-RING BOTTOM SEAT MUELLER HYD. 4 1/2" A44 / 195161	FIRE HYDRANT & PARTS	Mueller	195161	12.01
O-RING BOTTOM SEAT MUELLER HYD. 5 1/4" A44 /	CIDE HYDDANT & DADTO	Mueller	142893	12.01
142893	FIRE HYDRANT & PARTS			
O-RING M&H 5 1/4 1987 HYD A36 - 2-1/4 X 2-5/8 X 3/16 O-RING 4-1/2" & 5 1/4" T MUELLER HYD - A414 /	FIRE HYDRANT & PARTS	M & H	A36	3.59
195271 O-RING HOLD DOWN NUT A3 / 194898 MUELLER 4	FIRE HYDRANT & PARTS	Mueller	195271	12.01
1/2" & 5 1/4"	FIRE HYDRANT & PARTS	Mueller	194898	12.01
O-RING BONNET A5 / 142779 CENTURION, 4 1/2" & 5 1/4"	FIRE HYDRANT & PARTS	Mueller	142779	12.01
WASHER ANTI-FRICTION A6 / 195546 CENTURION 4 1/2" & 5 1/4"	FIRE HYDRANT & PARTS	Mueller	195546	3.56
GASKET 5-1/4 1988 MUELLER HYD A15 192345 CENTURION	FIRE HYDRANT & PARTS	Mueller	192345	19.86
HOOK S FOR HYD. 147738	FIRE HYDRANT & PARTS		147738	2.16
PLUG OIL BRASS A7 / 194932 4 1/2" & 5 1/4"	FIRE HYDRANT & PARTS		194932	6.26
O-RING 5 1/4 HYD HOUSING COVER B84B / 84-2-1	FIRE HYDRANT & PARTS	American Darling	B84B / 84-2-1	5.28
GASKET 5 1/4 HYD.HOUSING COVER B84B / 84-13 SEE PID# 622	FIRE HYDRANT & PARTS	American Darling	B84B / 84-13	10.55
OIL HYDRANT LUBE 1 GAL #51	FIRE HYDRANT & PARTS	7 thenean Daning	50457 04-10	79.24
OPERATING NUT 146430 4 1/2&5 1/4 SUPR CENTURION 1987 OR LATER	FIRE HYDRANT & PARTS	Mueller	146430	304.93
OPERATING NUT / BRASS - 4 1/2 & 5 1/4 CHATTANOOGA ST 175001	FIRE HYDRANT & PARTS	Mueller	175001	304.93
PIN & COTTER PIN F/ROD/COUP - F/AMER/DARL HYD	FIRE HYDRANT & PARTS	American Darling		8.79
COUPLING ROD BREAKABLE 5-1/4 - AMER DAR HYD	SIDE LIVODANT & DADTO	Ai Dli	0040	50.00
B84B HRP-3009 OPERATING NUT 4-1/2 WEATHR CAP - CLOW EDDY	FIRE HYDRANT & PARTS	American Darling	8848	56.23
1977	FIRE HYDRANT & PARTS	Clow		53.93
CAP PUMPER NOZZLE - 5 1/4 MUELLER C/I SCREW OIL FOR HOLD DOWN NUT 4 1/2&5 1/4	FIRE HYDRANT & PARTS	Mueller		267.06
STANDRD TRAFFIC 190702 BOLT 1/2" x 3" FIRE HYDRANT - BREAK-AWAY TYPE	FIRE HYDRANT & PARTS	Mueller	190702	2.62
280049	FIRE HYDRANT & PARTS		280049	13.50
KIT REPAIR FOR 1989 4-1/2 M&H - HYDRANT/PART 442929	FIRE HYDRANT & PARTS	M&H_	442929	201.48
GASKET 2-1/2IN RUBBER - HYDRANT FOR PART # 636,637,638,639	FIRE HYDRANT & PARTS			11.43
CAP HOSE 2-1/2" HYD AMER-DARLING 84-21	FIRE HYDRANT & PARTS	American Darling	84-21	86.69
WEATHER SHIELD / RUBBER AMER. DARLING 84- 144 5 1/4"	FIRE HYDRANT & PARTS	American Darling	84-144	29.29
FIBER COVER GASKET AMER. DARLING 84-13 5 1/4"	FIRE HYDRANT & PARTS	American Darling	84-13	10.55
ADAPTER HYD 2 1/2" X 2" BRASS - MNST / NO LEAD	FIRE HYDRANT & PARTS	Blue Streak	52533	28.99
ADAPTER HYD 2 1/2" x 3/4" BRASS - FNST X MIPT / NO LEAD	FIRE HYDRANT & PARTS	Blue Streak	52518	22.01
ADAPTER HYD 2 1/2" X 1" BRASS / NO LEAD	FIRE HYDRANT & PARTS	Blue Streak	52519	20.41
ADAPTER HYD 2 1/2" x 1 1/2" - BRASS / NO LEAD	FIRE HYDRANT & PARTS	Blue Streak	52520	22.01
ADAPTER HYD 2 1/2" X 2" BRASS FXM / NO LEAD	FIRE HYDRANT & PARTS	Blue Streak	52522	22.55

	1	1 1		1
HOLD DOWN NUT / BRASS MUELLER 107 HYD. 4", 5", 6" H-118 / 158383	FIRE HYDRANT & PARTS	Mueller	158383	103.20
HOLD DOWN NUT 4 1/2 & 5 1/4CHATTANOOGA ST TRAFFIC (LEFT)175082	FIRE HYDRANT & PARTS	Mueller	175082	119.48
HOSE NOZZLE 2 1/2 BRASS 4 1/2&5 1/4 CENTURION A18 STANDARD THREAD	FIRE HYDRANT & PARTS	Mueller	A18	110.09
PUMP NOZZLE 5 1/4 BRASS F/MUELLER 1988 HYD. A-14	FIRE HYDRANT & PARTS	Mueller	A-14	353.83
HOSE NOZZLE 2 1/2" NL BRASS AMLOK 84-20-3	FIRE HYDRANT & PARTS		84-20-3-NL	320.39
ADAPTER HYD 2 1/2" X 3" SWIVEL	FIRE HYDRANT & PARTS			53.68
HYDRANT EXTENSION 5 1/4" X 18" CLOW / MED *R1620666*	FIRE HYDRANT & PARTS	Clow	R1620666	769.22
O-RING / SEAT 84-36-1 5 1/4" AMER. DARLING	FIRE HYDRANT & PARTS	American Darling	84-36-1	7.46
VALVE / HYDRANT 84-41 5 1/4" AMER. DARLING	FIRE HYDRANT & PARTS	American Darling	84-41	83.18
O-RING / OPERATING NUT M-1/ T2400815 CLOW / MED. 5 1/4"	FIRE HYDRANT & PARTS	Clow	M-1/ T2400815	9.72
O-RING / THRUST NUT M-28 / T2400948 CLOW / MED. 5 1/4"	FIRE HYDRANT & PARTS	Clow	M-28 / T2400948	1.09
O-RING / STEM M-31 / T2401026 CLOW / MED. 5 1/4"	FIRE HYDRANT & PARTS	Clow	M-31 / T2401026	1.09
OPERATING NUT M-3 / 61CLM3 (RIGHT) CLOW / MED. 5 1/4"	FIRE HYDRANT & PARTS	Clow	M-3 / 61CLM3	184.45
KIT SAFETY FLANGE REPAIR 4 1/2" MUELR195992 A300-00 PRE-1972	FIRE HYDRANT & PARTS	Mueller	195992	291.34
KIT SAFETY FLANGE 5 1/4" MUELLER RTS A301 1972-LATER	FIRE HYDRANT & PARTS	Mueller	A301	280.14
KIT SAFETY FLANGE REPAIR 4 1/2" 1977 CLOW- EDDY F.H.	FIRE HYDRANT & PARTS	Clow		262.55
HYDRANT 6" EXTENSION KIT 4 1/2 CLOW MEDALLION				
R1620658 HYDRANT 6" EXTENSION KIT 4 1/2 CLOW/EDDY 1977	FIRE HYDRANT & PARTS	Clow	R1620658	663.33
HYDRANT	FIRE HYDRANT & PARTS	Clow		595.06
HYDRANT 12" EXTENSION KIT 4 1/2" CLOW/EDDY 1977 F.HYD	FIRE HYDRANT & PARTS	Clow		697.89
HYDRANT 6" EXTENSION KIT 4 1/2" MUELLER STD. TRAFFIC A337	FIRE HYDRANT & PARTS	Mueller	A337	460.39
HYDRANT 6" EXTENSION KIT 5 1/4" MUELLER SUPER FIRE HYD. HRPI-375 CENTURION IMPROVED	FIRE HYDRANT & PARTS	Mueller		623.39
HYDRANT 12" EXTENSION KIT 4 1/2" 61MUA319010 / MUELLER SUPER HYD. A319 HRPI-374 CENTURION IMPROVED NEW STYLE	FIRE HYDRANT & PARTS	Mueller	A319	343.13
HYDRANT 12" EXTENSION KIT 5 1/4" HRPI-375 A320- 010 MUELLER SUPER FIRE HYDRANT CENTURION IMPROVED NEW STYLE	FIRE HYDRANT & PARTS	Mueller	A320-010	733.49
HYDRANT EXTENSION KIT 5 1/4" X 6" WATEROUS PACER WB AMER. DARLING	FIRE HYDRANT & PARTS	American Darling		368.06
HYDRANT EXTENSION 4 1/2" X 12"	FIRE HYDRANT & PARTS			697.89
HYDRANT GRADELOK 6" X 24" OFFSET SWIVEL JOINT	FIRE HYDRANT & PARTS		·	533.17
HYDRANT EXTENSION 5 1/4" X 12"	FIRE HYDRANT & PARTS			93.06
HYDRANT EXTENSION 4 1/2" X 18" STD TRAFFIC A337	FIRE HYDRANT & PARTS	Mueller	A337	686.67
OFF-SET 6 X 18 IN MJ	FIRE HYDRANT & PARTS			640.14
HYDRANT ADAPTER 6" X 13" SWIVEL SOLID MJ	FIRE HYDRANT & PARTS			152.80
ELL-SWIVEL 90 6" X 13" MJ X HYD - D/I	FIRE HYDRANT & PARTS			178.41
O-RING BONNET CLOW 5 1/4" HYD. 442 / M32 & M-47 O-RING RUBBER CLOW 5 1/4" HYD. 444 / M-53	FIRE HYDRANT & PARTS	Clow	M32 & M-47	4.32
T2401040	FIRE HYDRANT & PARTS	Clow	T2401040	4.32
KIT REPAIR 4 1/2" MAIN VALVE R1620654 / CLOW MED	FIRE HYDRANT & PARTS	Clow	R1620654	96.09
KIT REPAIR 5 1/4" MAIN VALVE 1620655 CLOW MED. ( \$09-C09 )	FIRE HYDRANT & PARTS	Clow	R1620655	110.42
KIT REPAIR 5 1/4" FIRE HYD AMER DARLING B84B HRPI-473-584	FIRE HYDRANT & PARTS	American Darling	B84B	163.93

HYDRANT 12" EXTENSION KIT 5 1/4" CLOW	FIRE HYDRANT & PARTS	Clow	R1620665	677.77
MEDALLION HRPI-475 R1620665 HYDRANT 12" EXTENSION KIT 4 1/2" MUELLER	FIRE HIDINANI & FARTS	ClOW	K1020003	077.77
SUPER A337 / 61MUA337010 STANDARD TRAFFIC IMPROVED NEW STYLE	FIRE HYDRANT & PARTS	Mueller		850.00
FIRE HYD 4 1/2" MUELLER W 42 B - 604426M3A421	FIRE HYDRANT & PARTS	Mueller	604426M3A421	1,835.61
HYDRANT 12" EXTENSION KIT 4-1/2 MK73 AM DARLING 5-1/2 884-B	FIRE HYDRANT & PARTS	American Darling	B84-B	355.03
PIN COTTER SS 3/32" X 1" T0400980 CLOW HYD.	FIRE HYDRANT & PARTS	Clow	T0400980	1.09
PIN SS 4 1/2" & 5 1/4" CLOW HYD. T0400891	FIRE HYDRANT & PARTS	Clow	T0400891	5.43
COUPLING MEDALN 4 1/2" & 5 1/4" M2202349	FIRE HYDRANT & PARTS	Clow	M2202349	150.00
KIT REPAIR SAFETY FLANGE 5 1/4" CLOW MED.	FIDE LIVED AND A DADTO	01	D4000050	200.55
R1620653 MAIN VALVE RING 4 1/2" RUBBER MUELLER H-88	FIRE HYDRANT & PARTS	Clow	R1620653	262.55
MPROVED / 195800	FIRE HYDRANT & PARTS	Mueller	195800	197.05
DRAIN VALVE FACING MUELLER H-81 IMPROVED 4 1/4", 4 1/2", 5 1/4" 192447	FIRE HYDRANT & PARTS	Mueller	192447	14.71
MAIN VALVE 4 1/4" RUBBER H-88 IMPROVED 190435 MUELLER HYD.	FIRE HYDRANT & PARTS	Mueller	190435	160.03
GASKET 3 1/8" OD RUBBER HYD. HOSE CAP		indono.		1
F0600547 GASKET 5 3/4" OD RUBBER HYD. STMR CAP	FIRE HYDRANT & PARTS	+	T0600547	2.16
T0600548	FIRE HYDRANT & PARTS		T0600548	6.48
STEM UPPER 5 1/4" HYDRANT - F/1987 MUELLER 42IN	FIRE HYDRANT & PARTS	Mueller		137.84
STEM LOWER 5 1/4" HYDRANT - F/1987 MUELLER	FIRE HTURANT & PARTS	Mueller		131.04
12IN	FIRE HYDRANT & PARTS	Mueller		198.76
FIRE HYD. 5 1/4" CLOW 54" BURY 605546M3 CLMED	FIRE HYDRANT & PARTS	Clow	605546M3	2,248.50
FIRE HYD 5 1/4" CLOW 48" BURY 605486M3 CLMED	FIRE HYDRANT & PARTS	Clow	605486M3	2,198.00
FIRE HYD. 5 1/4" CLOW RED 30" BURY	FIRE HYDRANT & PARTS	Clow		2,042.50
HYDRANT EXTENSION KIT 12" KENNEDY HYD - MODEL K81A 5 1/4"	FIRE HYDRANT & PARTS	Kennedy	K81A	430.76
GREASE HYDRANT FOOD GRADE MYSTIK FG-2 130z. MA-49020	FIRE HYDRANT & PARTS		MA-49020	38.34
HYDRANT EXTENSION 12" 4 1/2" X 12" MUELLER				
A322 NON-TRAFFIC CHAIN ( ONLY ) FOR FIRE HYDRANT CAPS - M-44	FIRE HYDRANT & PARTS	Mueller	A322	625.00
T1600709 HYDRANT 6" EXTENSION 5 1/4" VO R1620664	FIRE HYDRANT & PARTS	+	T1600709	7.56
S1CLR1620664 CLOW MEDALLION HRPI-475	FIRE HYDRANT & PARTS	Clow	R1620664	580.42
FIRE HYD. 5 1/4" CLOW 60" BURY	FIRE HYDRANT & PARTS	Clow		2,297.50
D-RING STEM 4 1/2" & 5 1/4" CENTURION A12 / 194514	FIRE HYDRANT & PARTS	Mueller	194514	12.01
FIRE HYD. 42" 5-1/4 CLOW 2546-5B	FIRE HYDRANT & PARTS	Clow	2546-5B	2,146.50
DPERATING NUT 4 1/2" & 5 1/4" CENTURION 158477	FIRE HYDRANT & PARTS	Mueller	158477	304.93
WEATHER CAP 4 1/2 & 5 1/4 CENTURION 142818 LEFT	FIRE HYDRANT & PARTS	Mueller	142818	46.67
HOLD DOWN NUT / CENTURION 146501 / LEFT	FIRE HYDRANT & PARTS	Mueller	146501	96.87
WEATHER SHIELD / RUBBER AMER. DARLING 84-		America Darlin	04.444	27.00
144 6"	FIRE HYDRANT & PARTS	American Darling	84-144	37.28
FIBER COVER GASKET AMER. DARLING 84-13 6"	FIRE HYDRANT & PARTS	American Darling	84-13	10.55
DPERATING NUT THRUST WASHER T-020-0669	FIRE HYDRANT & PARTS		T-020-0669	2.16
D-RING THRUST NUT M-28 T-240-0948	FIRE HYDRANT & PARTS		T-240-0948	1.09
D-RINGS STEM M-31 T-240-1026	FIRE HYDRANT & PARTS		T-240-1026	1.09
PIPE PLUG GREASE B84B MUELLER FIRE HYDRANT / A423 5 1/4 VO 4'0" B 6MJ	FIRE HYDRANT & PARTS		B84B	5.28
NST / 605486M3A423	FIRE HYDRANT & PARTS	Mueller	605486M3A423	2,195.80
MUELLER FIRE HYDRANT / A423 5 1/4 VO 3'6" B 6MJ NST / 605426M3A423	FIRE HYDRANT & PARTS	Mueller	605426M3A423	2,144.65
MUELLER FIRE HYDRANT / A423 5 1/4 VO 2'6" B 6MJ NST / 605306M3A423	FIRE HYDRANT & PARTS	Mueller	605306M3A423	2,079.93
	*			

MUELLER FIRE HYDRANT / A423 5 1/4 VO 4'6" B 6MJ NST / 605546M3A423	FIRE HYDRANT & PARTS	Mueller	605546M3A423	1,996.86
6. FLO-CONTROL HOT TAP SADDLES ONLY				
SADDLE HOT TAP 2x1-1/2INx2IN - 3220 FLO CONTROL * 5/BX*	FLO-CONTROL HOT TAP SADDLES ONLY	Flo-Control	3220 FLO CONTROL	59.82
SADDLE HOT TAP 2-1/2x1-1/2IN - 3225 FLO CONTROL *5/BX*	FLO-CONTROL HOT TAP SADDLES ONLY	Flo-Control	3225 FLO CONTROL	60.72
SADDLE HOT TAP 3 x 1-1/2IN - 3230 FLO CONTROL *5 PER BX*	FLO-CONTROL HOT TAP SADDLES ONLY	Flo-Control	3230 FLO CONTROL	64.85
SADDLE HOT TAP 4x1-1/2IN - 3240 FLO CONTROL *5 PER BX*	FLO-CONTROL HOT TAP SADDLES ONLY	Flo-Control	3240 FLO CONTROL	71.05
SADDLE HOT TAP 6x1-1/2IN - 3260 FLO CONTROL *5 PER BX*	FLO-CONTROL HOT TAP SADDLES ONLY	Flo-Control	3260 FLO CONTROL	93.03
SADDLE HOT TAP 8x1-1/2-2 - FLO CTL-3280	FLO-CONTROL HOT TAP SADDLES ONLY	Flo-Control	3280	128.00
SADDLE HOT TAP 6x1-1/2-2 C-900 - 9260 FLO CONTROL	FLO-CONTROL HOT TAP SADDLES ONLY	Flo-Control	9260	-
SADDLE HOT TAP 8 x 1-1/2 C-900 - FLO CONTROL #9280	FLO-CONTROL HOT TAP SADDLES ONLY	Flo-Control	9280	
SADDLE HOT TAP 4 X 1 1/2IN-2 F/C-900 PIPE P/N9240	FLO-CONTROL HOT TAP SADDLES ONLY	Flo-Control	9240	_
SADDLE WEDGE 225 - 225 WEDGE	FLO-CONTROL HOT TAP SADDLES ONLY	Flo-Control	225 WEDGE	_
SADDLE WEDGE 380 - 380 WEDGE	FLO-CONTROL HOT TAP SADDLES ONLY	Flo-Control	380 WEDGE	_
SADDLE WEDGE 480 - 480 WEDGE	FLO-CONTROL HOT TAP SADDLES ONLY	Flo-Control	480 WEDGE	
	SADDELS ONL!	Spears	HT2-251	101.50
SADDLE HOT TAP 2 X1-1/2 IN		Spears	HT2-337	115.59
SADDLE HOT TAP 3 X1-1/2 IN		<del>                                     </del>	HT2-419	122.23
SADDLE HOT TAP 4 X1-1/2 IN		Spears	HT2-527	95.15
SADDLE HOT TAP 6 X1-1/2 IN		Spears	N12-321	95.15
7. GENERAL ITEMS	OFNEDAL ITEMO	<del> </del>	T 400 0400	452.02
SPRING FOR CLOW 3" CHECK VALVE T-120-0120	GENERAL ITEMS	-	T-120-0120	152.93
SPRING FOR CLOW 4" CHECK VALVE T-120-0086	GENERAL ITEMS	<del> </del> -	T-120-0086	111.69
SPRING FOR CLOW 6" CHECK VALVE T-120-0038	GENERAL ITEMS		T-120-0038	111.78
LUBRICANT PIPE JOINT 2 LB - 29APLQ	GENERAL ITEMS		29APLQ	5.00
PAINT BLUE MARKING	GENERAL ITEMS	SEYMOUR	20-653	2.95
PAINT GREEN MARKING	GENERAL ITEMS	SEYMOUR	20-655	2.95
CEMENT PVC BLUE QT 22204	GENERAL ITEMS		22204	10.63
CEMENT PVC CLEAR QT - 20504	GENERAL ITEMS	-	20504	10.27
CLEANER PVC CLEAR QT - 21404	GENERAL ITEMS		21404	9.22
CONCRETE MIX 60LB BAG (SAKREET)	GENERAL ITEMS	SAKREET_		6.25
CEMENT PORTLAND TYPE II SKU# 169-846	GENERAL ITEMS		SKU# 169-846	10.50
METER LOCKSEAL HEAD - 93280148 ALUM. SEAL	GENERAL ITEMS		93280148	1.53
METER LOCK STUD X-LONG 1-1/2 - 93210142 REGULAR DIA	GENERAL ITEMS		93210142	1.66
GASKET WASHER 3/4 x 1/16IN - RUBBER	GENERAL ITEMS	1		0.10
GASKET WASHER 3/4 x 1/8IN - RUBBER	GENERAL ITEMS			0.11
WASHER-PAPER/FIBER 3/4 X 1/16 - PAPER	GENERAL ITEMS			0.10
GASKET WASHER 1 x 1/16IN - RUBBER	GENERAL ITEMS	1		0.11
GASKET WASHER 1 x 1/8IN - RUBBER	GENERAL ITEMS			0.13
WIRE #12 TRACER / BLUE 500 FT	GENERAL ITEMS		C1230BHS500	165.00
CAP 4IN DAY PVC	GENERAL ITEMS			4.61
CAP 6IN DAY PVC SDR26 - TEMP PIPE PLUG #2706	GENERAL ITEMS		2706	6.85
PLUG TEST PNEUMATIC 4IN - 262-048	GENERAL ITEMS	Cherne	262-048	55.00
PLUG TEST PNEUMATIC 6IN - 262-064	GENERAL ITEMS	Cherne	262-064	155.00

PLUG TEST PNEUMATIC 8IN - 262-080	GENERAL ITEMS	Cherne	262-080	190.00
PLUG TEST PNEUMATIC 10IN - 262-110	GENERAL ITEMS	Cherne	262-110	250.01
GASKET RUBBER 12.75 - F/STEEL COUPLING	GENERAL ITEMS			16.75
GASKET RUBBER 14.21-14.40 - F/STEEL COUPLING	GENERAL ITEMS	0		16.75
CEMENT PVC GRAY H.D. QUART - 20604	GENERAL ITEMS		20604	10.60
PRIMER PURPLE PVC QUART - 21204	GENERAL ITEMS		21204	9.10
MARKER BRASS - FOR 2" WATER VALVE	GENERAL ITEMS			17.85
PRECO PLUG 5/GAL BUCKET - 96THOROC	GENERAL ITEMS		96THOROC	32.31
GASKET 12 X 1/8 IN RED RUBBER - 12 HÖLE F/F FG 12	GENERAL ITEMS			9.85
NUT OPERATING 2 SQ.IN. FOR 4IN - CLOW MJ GATE VALVE	GENERAL ITEMS	Clow		28.20
PAINT WHITE MARKING CHALK	GENERAL ITEMS	AERVOE	AER215	3.15
MARKING FLAGS WATER BLUE 21in 4x5 100 PACK	GENERAL ITEMS			10.00
MARKING FLAGS SEWER GREEN 21in 4x5 100 PACK	GENERAL ITEMS			10.00
VALVE BOX WATER WITH COVER P/N=7630-125	GENERAL ITEMS		7630-125	153.53
MARKING FLAGS ELECTRICAL RED	GENERAL ITEMS			10.00
PRIMER CLEAR QUART - 21104	GENERAL ITEMS		21104	9.05
CEMENT CPVC ONLY ORANGE QUART - 20704	GENERAL ITEMS		20704	11.47
LOCK SEAL KEY 93280139 - 65FMLSK	GENERAL ITEMS		65FMLSK	6.04
ROAD REFLECTOR BLUE / 2-WAY W/ADHESIVE BACK AA ARC II	GENERAL ITEMS	RAY-O-LITE	AA2BP	3.30
ROAD REFLECTOR GREEN / 2-WAY W/ADHESIVE BACK AA ARC II	GENERAL ITEMS	RAY-O-LITE	AA2G	5.00
PAINT RED MARKING CHALK	GENERAL ITEMS	AERVOE	AER216	3.15
CONCRETE MIX 80 LB BAG (SAKRETE)	GENERAL ITEMS			5.15
MARKING FLAGS FIBER OPTIC ORANGE	GENERAL ITEMS			10.00
GREASE HYDRANT PETRO BLEND FG-2	GENERAL ITEMS		FG-2	45.31
MARKER BRASS - FOR 2" SEWER F/M	GENERAL ITEMS			19.47
PAINT PURPLE MARKING	GENERAL ITEMS	SEYMOUR	20-680	2.95
MARKING FLAGS RE-USE HAND DIG / PURPLE	GENERAL ITEMS			8.50
MARKER WATER BALL 3M 1403XR *30 PER BX*	GENERAL ITEMS	3M	1403XR	10.35
MARKER SEWER BALL 3M 1404XR *30 PER BX*	GENERAL ITEMS	3M	1404XR	10.35
MARKER BRASS - FOR 4" WATER VALVE	GENERAL ITEMS			19.47
MARKER BRASS - FOR 6" WATER VALVE	GENERAL ITEMS			19.47
MARKER BRASS - FOR 8" WATER VALVE	GENERAL ITEMS			19.47
MARKER BRASS - FOR 10" WATER VALVE	GENERAL ITEMS			19.47
MARKER BRASS - FOR 12" WATER VALVE	GENERAL ITEMS			19.47
MARKER BRASS - FOR 16" WATER VALVE	GENERAL ITEMS			19.47
MARKER BRASS - FOR 20" WATER VALVE	GENERAL ITEMS			19.47
MARKER BRASS - FOR 24" WATER VALVE	GENERAL ITEMS			19.47
MARKER BRASS - FOR 30" WATER VALVE	GENERAL ITEMS			19.47
MARKER BRASS - FOR 36" WATER VALVE	GENERAL ITEMS			19.47
MARKER BRASS - FOR 42" WATER VALVE	GENERAL ITEMS			19.47
GASKET 16" X 1/8" RED RUBBER	GENERAL ITEMS			23.08
PAINT GREEN MARKING CHALK	GENERAL ITEMS	AERVOE	AER219	3.15
PAINT BLUE MARKING CHALK	GENERAL ITEMS	AERVOE	AER214	3.15
PAINT BLACK MARKING	GENERAL ITEMS	SEYMOUR	20-663	2.95
MARKING FLAGS ABANDONED WATER/BLUE 21IN 4X5 100 PK.	GENERAL ITEMS			10.00
MARKING FLAGS ABANDONED SEWER/GREEN 21IN 4X5 100 PK.	GENERAL ITEMS		E	10.00

MARKING FLAGS BLUE ASBESTOS	GENERAL ITEMS			10.0
BACKFLOW RUBBER KIT 3/4" -1"	GENERAL ITEMS		RK34-950XLR	20.1
COMPLETE BACKFLOW RUBBER KIT 3/4" -1"	GENERAL ITEMS		RK34-975XLR	33.
BACKFLOW RUBBER KIT 1 1/4" - 2"	GENERAL ITEMS		RK114-950XLR	28.8
COMPLETE BACKFLOW RUBBER KIT 1 1/4" - 2"	GENERAL ITEMS		RK114-975XLR	64.7
BACKFLOW TEST COCK 1/8"M X 1/4" F / TCS-18	GENERAL ITEMS		RK18-860	26.0
BACKFLOW TEST COCK 1/4"M X 1/4" F / TCS-14	GENERAL ITEMS		RK14-860	25.0
BACKFLOW SEAL KIT 3/4"-1"	GENERAL ITEMS		RK34-950XLSK	32.9
BACKFLOW SEAL KIT 1 1/4"-2"	GENERAL ITEMS		RK114-950XLSK	27.2
BACKFLOW 3/4IN VAC BRKR J10	GENERAL ITEMS	Hendrickson	J10 1011	2.5
8. LIFT STATION PARTS / US FOUNDRY OR APPROVED EQUAL				
RAIN GUARD SEWER MANHOLE W/STR - 22 1/2IN OD W/STRAP	LIFT STATION PARTS / US FOUNDRY OR APPROVED EQUAL			32.0
RISER MANHOLE 23 1/2 X 1 1/2 - FOR 1 1/4 IN LID	LIFT STATION PARTS / US FOUNDRY OR APPROVED EQUAL			133.
MANHOLE RING AND LID - USF-465B *DON'T RE- ORDER*	LIFT STATION PARTS / US FOUNDRY OR APPROVED EQUAL			315.
MANHOLE RING & LID 24" * CDPA60EHSSE * SANITARY SEWER	LIFT STATION PARTS / US FOUNDRY OR APPROVED EQUAL		CDPA60EHSSE	636.
RISER MANHOLE 22-3/4ID x 1-1/2 - FOR 2IN LID	LIFT STATION PARTS / US FOUNDRY OR APPROVED EQUAL			104.
RISER MANHOLE 22-3/4ID x 2-1/2 - FOR 2IN LID	LIFT STATION PARTS / US FOUNDRY OR APPROVED EQUAL			135.
RISER MANHOLE 24 X 1 1/2 IN - FOR 1 1/4 IN LID	LIFT STATION PARTS / US FOUNDRY OR APPROVED EQUAL			125.
RISER MANHOLE 22-3/4ID x 1IN FOR 2IN #465 LID	LIFT STATION PARTS / US FOUNDRY OR APPROVED EQUAL			183.
RISER MANHOLE 22-3/4ID x 2IN - FOR 2IN LID	LIFT STATION PARTS / US FOUNDRY OR APPROVED EQUAL			150.
9. METER BOXES & LIDS				
LID ONLY SGL/CI W/CI READER - 36T	METER BOXES & LIDS		36T	63.
LID ONLY /DUAL-H C.I. COVER	METER BOXES & LIDS			78.
METER BOX JUMBO PLASTIC - W/CI READER LID	METER BOXES & LIDS			325.
METER BX DBL CONCRETE / NO LID	METER BOXES & LIDS			30.
	METER BOXES & LIDS	1	-	98.
METER BX JUMBO CONCRETE LID ONLY JUMBO CONCRETE - W / CONCRETE READER	METER BOXES & LIDS			42.
METER BOX SINGLE W/READ LID CONCRETE LID ONLY DOUBLE CONCRETE - DUAL H/CI	METER BOXES & LIDS			53.
W/READER	METER BOXES & LIDS		DUAL H	42.
LID SINGLE CONCRETE W/CI READ - 36H	METER BOXES & LIDS		36H	29.
LID SINGLE CONC. SOLID - 36H	METER BOXES & LIDS		36H	17.
LID, METER BOX WC00-1118-2C	METER BOXES & LIDS		WC00-1118-2C	39.
LID ONLY DOUBLE/SOLID PLASTIC/OVERLAPPING 117CW	METER BOXES & LIDS	N.D.S.	117CW	14.
LID ONLY SINGLE / SOLID OVERLAPPING / PLASTIC 113CW	METER BOXES & LIDS	N.D.S.	113CW	5.8
METER BOX COMPLETE/DOUBLE / SOLID OVERLAPPING LID 117B12CW-3	METER BOXES & LIDS	N.D.S.	117B12CW-3	33

METER BOX COMPLETE/SINGLE / SOLID OVERLAPPING LID 113BCW	METER BOXES & LIDS	N.D.S.	113BCW	20.56
LID ONLY SINGLE / SOLID OVERLAPPING / PLASTIC / GREEN SEWER 213CS	METER BOXES & LIDS	N.D.S.	213CS	12.86
10. METERS, WATER & ALL PARTS				
BACKFLOW 3/4IN PREV. RPZ WILKINS 975 XL / NO LEAD	METERS, WATER & ALL PARTS	Wilkins	975XL-NL	215.44
BACKFLOW 1IN PREVENTER RPZ WILKINS 975XL BRASS / NO LEAD	METERS, WATER & ALL PARTS	Wilkins	975XL-NL	224.76
BACKFLOW 2IN PREVENTER RPZ - WILKINS 975XL BRASS / NO LEAD	METERS, WATER & ALL PARTS	Wilkins	975XL-NL	501.30
BACKFLOW 1-1/2IN RPZ PREVENTER - WILKINS 975XL BRASS / NO LEAD	METERS, WATER & ALL PARTS	Wilkins	975XL-NL	486.31
11. PIPE, PVC 40, C900				
PIPE FLEX SCH40 1 1/2" x 50' / WHITE	PIPE, PVC 40, C900	-	KF15050W	2.00
PIPE 1/2IN SCH40 PVC - 20FT LENGTHS	PIPE, PVC 40, C900	Silver Line		0.43
PIPE 3/4IN SCH40 PVC - 20FT SILVER LINE	PIPE, PVC 40, C900	Silver Line		0.49
PIPE 1IN SCH40 PVC - 20FT SILVER LINE	PIPE, PVC 40, C900	Silver Line		0.76
PIPE 3IN SCH40 PVC SILVER LINE	PIPE, PVC 40, C900	Silver Line		3.16
PIPE 2IN SCH40 PVC - 20FT SILVER LINE	PIPE, PVC 40, C900	Silver Line		1.55
PIPE 1-1/4IN SCH40 PVC SILVER LINE	PIPE, PVC 40, C900	Silver Line		0.98
PIPE 2-1/2IN SCH40 PVC - 20FT SILVER LINE	PIPE, PVC 40, C900	Silver Line		2.65
PIPE 1-1/2IN SCH40 PVC - 20FT SILVER LINE	PIPE, PVC 40, C900	Silver Line		1.18
PIPE 4IN SCH40 PVC SILVER LINE	PIPE, PVC 40, C900	Silver Line		4.28
POLY TUBING 1-1/2IN 200 PSI - 100 FT ROLL	PIPE, PVC 40, C900	Endot		1.22
POLY TUBING 2IN 200 PSI - 100FT ROLLS	PIPE, PVC 40, C900	Endot		1.62
POLY TUBING 1IN 200 PSI - 300FT ROLL DRISCO	PIPE, PVC 40, C900	Endot		0.44
PIPE 8IN X 14FT SEWER SDR26	PIPE, PVC 40, C900		SDR-26	20.82
PIPE 8IN DR 18-C-900 BLUE PVC	PIPE, PVC 40, C900		DR 18-C-900	26.46
PIPE 4IN DR18 C-900 BLUE PVC	PIPE, PVC 40, C900		DR18 C-900	7.55
PIPE 6IN DR-18 C900 BLUE PVC	PIPE, PVC 40, C900		DR-18 C900	15.44
PIPE 4IN X 14FT SEWER SDR26	PIPE, PVC 40, C900		SDR-26	5.14
PIPE 6IN X 14FT SEWER SDR26	PIPE, PVC 40, C900		SDR-26	11.51
PIPE 6IN SCH40 PVC	PIPE, PVC 40, C900	Silver Line		8.00
PIPE 8IN SCH40 PVC - 0508040	PIPE, PVC 40, C900	Silver Line		12.57
PIPE 18IN DR18 BLUE C905 CL235	PIPE, PVC 40, C900		DR18	130.50
PIPE 18IN DR18 GREEN C905 CL235	PIPE, PVC 40, C900		DR18	137.00
PIPE 24IN DR18 BLUE C905 CL235	PIPE, PVC 40, C900		DR18	231.50
PIPE 24IN DR18 GREEN	PIPE, PVC 40, C900		DR18	243.07
PIPE 12IN DR18 BLUE C900 CL150 - 021218B	PIPE, PVC 40, C900		DR18	55.88
PIPE 10IN DR18 BLUE C900 CL150	PIPE, PVC 40, C900		DR18	39.69
PIPE 16IN DR18 BLUE C905 CL235	PIPE, PVC 40, C900		DR18	103.53
PIPE 20IN DR18 BLUE C905 CL235	PIPE, PVC 40, C900		DR18	161.02
PIPE 10IN DR18 GREEN C900 CL150	PIPE, PVC 40, C900		DR18	41.66
PIPE 12IN DR18 GREEN C900 CL150	PIPE, PVC 40, C900		DR18	58.68
PIPE 16IN DR18 GREEN C905 CL235	PIPE, PVC 40, C900		DR18	109.02
PIPE 20IN DR18 GREEN C905 CL23	PIPE, PVC 40, C900		DR18	161.02
PIPE 12IN DR18 GREEN C900 CL150	PIPE, PVC 40, C900		DR18	58.68
			DVIO	0.36
POLY TUBING 3/4IN 200 PSI - 100FT ROLL	PIPE, PVC 40, C900		DR25	169.07
PIPE 20IN DR25 GREEN C905	PIPE, PVC 40, C900			
PIPE 4" DR18 GREEN C900 20'	PIPE, PVC 40, C900		DR18 DR18	7.93 16.20

PIPE 8" DR18 GREEN C900 20'	PIPE, PVC 40, C900		DR18	27.78
PIPE 2 1/2" GREEN PVC SDR-21 PR200	PIPE, PVC 40, C900		SDR-21	6.28
PIPE 3" GREEN PVC SDR-21 PR200	PIPE, PVC 40, C900		SDR-21	4.53
12. PLUMBING PARTS / STREAMLINE-MUELLER OR APPROVED EQUAL				
	PLUMBING PARTS /			
TEE 3/4 X 3/4 X 3/4 COPPER WB04031	STREAMLINE-MUELLER OR APPROVED EQUAL	Nibco	WB04031	2.02
TEE 3/4 X 3/4 X 3/4 COFFER WEDG4031	PLUMBING PARTS /	Nibco	11004001	2.02
ESCUTCHEON PLATE-WHITE PVC 3/4" HOLE/PVC	STREAMLINE-MUELLER OR			
PIPE *921-3W*	APPROVED EQUAL		921-3W	35.00
	PLUMBING PARTS / STREAMLINE-MUELLER OR	1		
ADAPTER 3/4IN MPT X COPPER - W1146	APPROVED EQUAL	Nibco	W1146	1.72
	PLUMBING PARTS /			
DAPTER REDUCER 3/4 MPT X 1/2IN C - W1130	STREAMLINE-MUELLER OR	Streamline /	14/4400	4.00
COPPER	APPROVED EQUAL PLUMBING PARTS /	Mueller	W1130	1.32
	STREAMLINE-MUELLER OR	Streamline /		1
ELL 90 DEG 3/4IN COPPER CxC - C9F - W1634	APPROVED EQUAL	Mueller	W1634	1.11
	PLUMBING PARTS /	1		İ
FLUX WATER SOLUBLE 16OZ PASTE - 30133 Oatey	STREAMLINE-MUELLER OR APPROVED EQUAL	Oatey	30133 Oatey	30.77
PLOX WATER SOLUBLE 1802 PASTE - 30133 Galey	PLUMBING PARTS /	Oaley	30103 Caley	30.77
	STREAMLINE-MUELLER OR			
ESCUTCHEON PLATE 3/4" CHROME - E01075 25/BX	APPROVED EQUAL		E01075	35.00
ESCUTCHEON PLATE - WHITE PVC 3/4in HOLE /	PLUMBING PARTS / STREAMLINE-MUELLER OR			
COPPER * 920-3W*	APPROVED EQUAL		920-3W	35.00
	PLUMBING PARTS /			
	STREAMLINE-MUELLER OR			
DAPTER 3/4IN MPT BRASS x FS - CPVC 6033	APPROVED EQUAL PLUMBING PARTS /	1	CPVC 6033	4.78
	STREAMLINE-MUELLER OR	Streamline /	,	
CAP 3/4IN COPPER - W7009	APPROVED EQUAL	Mueller	W7009	0.68
	PLUMBING PARTS /			
COUPLING 3/4IN COPPER CxC - CCF- WBO1034	STREAMLINE-MUELLER OR APPROVED EQUAL	Streamline / Mueller	WBO1034	0.75
COOPLING 3/4IN COPPER CXC - CCF- VVBO 1034	PLUMBING PARTS /	Wideliei	¥100 1034	0.75
	STREAMLINE-MUELLER OR	Streamline /		}
ELL 45 DEG 3/4IN COPPER CxC - C4F- W3034	APPROVED EQUAL	Mueller	W3034	2.22
	PLUMBING PARTS / STREAMLINE-MUELLER OR			1
ADAPTER 3/4IN COPPER CxF - CFAF- W1246	APPROVED EQUAL	Nibco	W1246	2.22
TOTAL TELL OF THE	PLUMBING PARTS /	1,,,,,,,		
REDUCER 1x3/4IN COPPER FTGxC - BUSHING -	STREAMLINE-MUELLER OR			
CRCGF- W1337	PLUMBING PARTS /	Nibco	W1337	2.43
	STREAMLINE-MUELLER OR	Streamline /		
UNION 3/4IN COPPER CxC - CUF- W8004	APPROVED EQUAL	Mueller	W8004	9.18
	PLUMBING PARTS /			
DIDE 3/4IN CORDED IV HARD E30	STREAMLINE-MUELLER OR		K HARD	6.47
PIPE 3/4IN COPPER - K HARD F20	APPROVED EQUAL PLUMBING PARTS /		N HARD	6.47
	STREAMLINE-MUELLER OR	Streamline /		
COUPLING 1IN COPPER CxC - CCG- W1047	APPROVED EQUAL	Mueller	W1047	1.51
	PLUMBING PARTS /			
ELL 90 DEG 1IN COPPER CxC - C9G- W1647 10/BX	STREAMLINE-MUELLER OR APPROVED EQUAL	Nibco	W1647	2.69
TELESTORO IN COLLECTION COO- HIGH INDA	PLUMBING PARTS /	111000	******	2.00
	STREAMLINE-MUELLER OR	Streamline /		
ELL 45 DEG 1IN COPPER CxC - C4G- W3044	APPROVED EQUAL	Mueller	W3044	3.93
	PLUMBING PARTS / STREAMLINE-MUELLER OR	Streamline /		
ADAPTER 1IN COPPER CxM - CMAG- W1163	APPROVED EQUAL	Mueller	W1163	4.42
	PLUMBING PARTS /			
ADAPTED AN OORDER O. E. OEAC WASS	STREAMLINE-MUELLER OR	APPL -	144000	5.40
ADAPTER 1IN COPPER CxF - CFAG- W1263	APPROVED EQUAL	Nibco	W1263	5.12

	PLUMBING PARTS /	 		1
	STREAMLINE-MUELLER OR	Streamline /		
UNION 1IN COPPER CxC - CUG- W8005 10/BX	APPROVED EQUAL	Mueller	W8005	12.32
	PLUMBING PARTS /			
PIPE 1IN COPPER - K HARD G20	STREAMLINE-MUELLER OR APPROVED EQUAL		K HARD	8.71
FIFE THE COFFER - KTIAND 020	PLUMBING PARTS /		KIIAIO	0.71
	STREAMLINE-MUELLER OR	Streamline /		
ELL 90 DEG 3/4IN COPPER FTGxC - STREET W1654	APPROVED EQUAL	Mueller	W1654	1.59
	PLUMBING PARTS /			
ELL 90 DEG 1IN COPPER FTGxC - STREET- CS9G-	STREAMLINE-MUELLER OR	Streamline /		
W2344	APPROVED EQUAL	Mueller	W2344	9.08
	PLUMBING PARTS /			
PIPE 2IN COPPER K-HARD K20	STREAMLINE-MUELLER OR APPROVED EQUAL		K-HARD	21.40
FIFE ZIN COFFEN N-HAND NZO	PLUMBING PARTS /		KHAKO	21.40
	STREAMLINE-MUELLER OR	Streamline /		}
COUPLING 2IN CxC COPPER - CCK- W1072	APPROVED EQUAL	Mueller	W1072	5.79
	PLUMBING PARTS /			· · ·
	STREAMLINE-MUELLER OR	Streamline /		
ADAPTER MALE 2IN COPPER CxM - W1187	APPROVED EQUAL	Mueller	W1187	12.70
	PLUMBING PARTS /			
	STREAMLINE-MUELLER OR	Streamline /	14/4007	45.00
ADAPTER FEMALE 2IN COPPER CxF - CFAK- W1287	APPROVED EQUAL	Mueller	W1287	15.93
	PLUMBING PARTS /	Streamline /		
ELL 90 DEG. 2IN COPPER CxC - C9K- W2086	STREAMLINE-MUELLER OR APPROVED EQUAL	Mueller	W2086	11.51
13. PVC PARTS & FITTINGS / SPEARS OR	AFFROVED EQUAL	Mideliel	VV2000	11.51
APPROVED EQUAL				
VALVE 3/4IN BALL SXS SCH40 PVC - 2622-007	PVC PARTS & FITTINGS /			
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	2622-007	10.31
01 2410	PVC PARTS & FITTINGS /	Opou.c		10.0.
VALVE BALL 1IN SXS SCH 40 2622-010 *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	2622-010	14.01
	PVC PARTS & FITTINGS /			
ADAPTER 4IN SCH40 TO 4IN SDR26 - PVC	SPEARS OR APPROVED EQUAL	Plastic Trends	SDR-26	12.68
	PVC PARTS & FITTINGS /			
REDUCER 6x4IN SxG SDR-26 SEWER	SPEARS OR APPROVED EQUAL	Plastic Trends	SDR-26	35.27
DEDUCED A CIN CARVET ENDS COD OC	PVC PARTS & FITTINGS /	Dinetia Tranda	CDD 26	70.75
REDUCER 8x6IN GASKET ENDS - SDR-26	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Plastic Trends	SDR-26	70.75
SADDLE WYE 8x4IN SEWER SDR-26 - GASKET END	SPEARS OR APPROVED EQUAL	Plastic Trends	SDR-26	38.73
CABBLE WIL CATIN CEVER OBIT-20 - CACRET END	PVC PARTS & FITTINGS /	T Idolo TTOTICO	051120	00.10
TEE 8x8x6IN SANITARY - BELL ENDS	SPEARS OR APPROVED EQUAL			86.65
	PVC PARTS & FITTINGS /			
WYE 6x4IN SINGLE - PVC P601-532 *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	P601-532	55.00
	PVC PARTS & FITTINGS /			
WYE SEWER 6x4x4IN DOUBLE - SDR26	SPEARS OR APPROVED EQUAL	Plastic Trends	SDR-26	91.14
	PVC PARTS & FITTINGS /		000.00	
WYE 8x6IN SEWER SDR-26 - GASKET END	SPEARS OR APPROVED EQUAL	Plastic Trends	SDR-26	88.97
DILLIC AIN CEINED COLOCT. DVC	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL			5.28
PLUG 4IN SEWER SPIGOT - PVC	PVC PARTS & FITTINGS /			3.20
CAP 6IN SEWER GASKET END SDR26 - PVC	SPEARS OR APPROVED EQUAL	Plastic Trends	SDR-26	37.82
CAI GIT GETTER CACKET END GETTEG TVG	PVC PARTS & FITTINGS /	110000 1101100	0011120	07.02
PLUG 6IN SEWER SPIGOT - PVC	SPEARS OR APPROVED EQUAL			8.10
	PVC PARTS & FITTINGS /			
PLUG 8IN SEWER SPIGOT - SDR-26	SPEARS OR APPROVED EQUAL	Plastic Trends	SDR-26	28.70
	PVC PARTS & FITTINGS /	<u>-</u>		
COUPLING 4 X 4IN SDR 26 PVC - GASKET END	SPEARS OR APPROVED EQUAL	Plastic Trends	SDR-26	20.99
COLUMN NO CONTROL CONTROL CARRETTE	PVC PARTS & FITTINGS /	Disatio Transfer	enn oe	44.07
COUPLING 6IN PVC FOR SDR26 - GASKET END	SPEARS OR APPROVED EQUAL	Plastic Trends	SDR-26	41.07
ELL 22 1/2 DEC AIN RELL Y DELL EOD SOD 26	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Plastic Trends	SDR-26	24.72
ELL 22-1/2 DEG.4IN BELL X BELL - FOR SDR-26	PVC PARTS & FITTINGS /	Fiasuc Henus	3DN-20	24.12
ELL 45 DEG.4IN BELL X BELL PVC - SDR-26	SPEARS OR APPROVED EQUAL	Plastic Trends	SDR-26	18.64
	PVC PARTS & FITTINGS /	1.0000 1101100		1
ELL 45 DEG. 4IN BELL X SPIGOT - SDR-26 PVC	SPEARS OR APPROVED EQUAL	Plastic Trends	SDR-26	16.73
		<del> </del>		-

ELL 45 DEG 6IN BELL X BELL PVC - SDR26	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Plastic Trends	SDR-26	34.15
	PVC PARTS & FITTINGS /			
ELL 45 DEG.6IN BELL X SPICKET - 27064GS SDR 26 CLEAN OUT 4 IN S-SDR 26 X THRD - SCH40 PVC	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Plastic Trends	SDR-26	25.24
*PER EA.*	SPEARS OR APPROVED EQUAL	Plastic Trends	SDR-26	5.21
PLUG 3IN THRD SCH40 *FLUSH* - P110-030 CLEANOUT 50/BX *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	P110-030	4.81
PLUG 4IN THRD SCH40 *FLUSH* - P110-40 25/BX *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	P110-40	3.93
PLUG 6IN THRD SCH 40 FLUSH - P110-060  *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	P110-060	12.03
ADAPTER FEMALE 6IN SCH40 PVC - 435-060	PVC PARTS & FITTINGS /			
*SPEARS*	PVC PARTS & FITTINGS /	Spears	435-060	17.29
ADAPTER MALE 6IN SCH/40 436-060 *SPEARS*	PVC PARTS & FITTINGS /	Spears	436-060	11.70
CAP 6IN SLIP SCH 40 447-060 *SPEARS*	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	447-060	12.39
COUPLING 6IN SCH 40 SXS PVC 429-060 *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	429-060	12.00
COUPLING 6IN COMP. SCH40 - 0110-60 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	0110-60	71.38
ELL 45 DEG.6IN SXS SCH 40 PVC 417-060 * SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	417-060	26.62
ELL 90 6IN SxS SCH40 406-060 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	406-060	26.30
	PVC PARTS & FITTINGS /			
REDUCER 6x4IN SxS SCH40 - 437-532 *SPEARS*	PVC PARTS & FITTINGS /	Spears	437-532	12.44
TEE 6IN SLIP SCH40 - 401-060 *SPEARS*	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	401-060	41.33
COUPLING 8IN SCH 40 SXS - 429-080 *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	429-080	22.42
ELL 45 DEG.8IN SXS SCH 40 - 417-080 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	417-080	64.02
COUPLING 4IN SXS SCH40 PVC 429-040 *SPEARS* *6/BX*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	429-040	3.80
PLUG 4 IN THRD SCH40 PVC *5 PER BX*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	450-040	6.94
REDUCER 4INx3IN SLIP SCH40 PVC 437-422 *SPEARS* *6/BX*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	437-422	5.02
	PVC PARTS & FITTINGS /			
TEE 4IN SLIP SCH40 PVC 401-040 *SPEARS*	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	401-040	12.28
VALVE 4IN CHECK SxS SCH40 - S475P PVC	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	S475P	60.49
WYE 4 IN SINGLE DWV PVC	SPEARS OR APPROVED EQUAL	Spears	P600-040	18.05
COUPLING 3IN SxS SCH40 PVC 429-030 *SPEARS* *10/BX*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	429-030	2.63
ELL 22-1/2 DEG 3IN SxS SCH40 - 416-030 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	416-030	8.58
ELL 45 DEG 3IN SxS SCH 40 PVC - 417-030 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	417-030	6.02
	PVC PARTS & FITTINGS /		406-030	4.63
ELL 90 3IN S X S SCH40 PVC 406-030 *SPEARS*	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	400-030	
PLUG 3IN THRD SCH40 PVC	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears		3.08
REDUCER 3 X 1-1/2" SxS SCH40 437-337 *SPEARS*	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	437-337	2.24
REDUCER 3 X 2IN SxS SCH40 - 437-338	SPEARS OR APPROVED EQUAL	Spears	437-338	2.24
TEE 3IN SLIP SCH 40 PVC - 401-030 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	401-030	6.79
VALVE 3IN CHECK SxS SCH40 - PVC	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL			24.25
WYE 3IN SLIP - DWV SCH 40 P600-030 NON- PRESSURE *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	P600-030	9.75
ADAPTER 4IN FEMALE SCH40 PVC 435-040	PVC PARTS & FITTINGS /			
*SPEARS* *6/BX*	SPEARS OR APPROVED EQUAL	Spears	435-040	4.70

ADAPTER 4IN MALE SCH40 PVC 436-040 *SPEARS* *5/BX*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	436-040	4.49
CAP 4IN SLIP SCH 40 PVC 6/bx- 447-040 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	447-040	5.17
	PVC PARTS & FITTINGS /			
CAP 4IN THREADED SCH40 PVC 448-030 6/bx	SPEARS OR APPROVED EQUAL	Spears	448-030	5.22
COUPLING 4IN COMPRESSION PVC SCH-40 S110-40 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	S110-40	50.02
ELL 22-1/2 DEG. 2IN SxS SCH40 - 416-020 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	416-020	2.14
ELL 45 DEG. 2IN SxS SCH40 PVC 25bx- 417-020 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	417-020	1.49
ELL 90 2IN S X FPT SCH40 PVC	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	407-020	2.72
ELL 2IN 90 ST S X MPT SCH40 PVC	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	410-020	3.27
ELL 90 2IN SXS SCH40 25/bx 406-020 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	406-020	1.27
ELL 2IN 90 ST FPT X MPT SCH40 PVC	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears		3.35
PLUG THRD 2IN SCH40 - 450-020 10/BX *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	450-020	1.47
	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL		401-020	1.57
TEE 2IN SLIP SCH40 401-020 *SPEARS*	PVC PARTS & FITTINGS /	Spears American Flow		1
VALVE 2IN CHECK SXS SCH 40 - 1520-020 COUPLING 2-1/2IN SxS SCH40 PVC 429-025	PVC PARTS & FITTINGS /	Control	1520-020	12.12
*SPEARS* *12/BX* COUPLING 2-1/2IN COMP SCH40 S110-25 *SPEARS*	PVC PAR TS & FITTINGS /	Spears	429-025	1.68
*6/BX* ADAPTER 3IN FEMALE SCH40 PVC 435-030	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	S110-25	26.08
*SPEARS* *10/BX* ADAPTER 3IN MALE SCH40 PVC 436-030 *SPEARS*	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	435-030	2.84
*10/BX*	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	436-030	3.52
CAP 3IN SLIP SCH40 PVC 10/bx- 447-030 *SPEARS*	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	447-030	2.27
CAP 3IN THREADED SCH40 PVC - 448-030 *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	448-030	2.97
COUPLING 3IN COMP SCH40 PVC - S110-30 *SPEARS* *4/BX*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	\$110-30	34.28
ELL 90 1-1/2IN ST SxMPT SCH40 - 410-015 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	410-015	1.33
ELL 90 1-1/2IN SXS SCH40 PVC 406-015 *SPEARS* *25/BX*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	406-015	0.82
SWEEP 90 1-1/2IN SxS SCH40 - D304-015 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	D304-015	8.50
ELL 90 1-1/2IN ST MPTxFPT SCH40 - 412-015 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	412-015	1.77
TEE 1-1/2IN SLIP SCH40 PVC 401-015 25/bx *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	401-015	1.08
PLUG 1-1/2IN THRD SCH40 PVC - 450-015 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	450-015	1.14
VALVE BALL 1-1/2IN SxS SCH40 2622-015 *SPEARS* *20bx*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	2622-015	28.15
VALVE 1-1/2IN CHECK SXS 1520C-15 *CLEAR* FLO	PVC PARTS & FITTINGS /	American Flow		
CONTROL *12BX* ADAPTER FEMALE 2IN SCH40 PVC 435-020	PVC PARTS & FITTINGS /	Control	1520C-15	10.97
*SPEARS* *10/BX* ADAPTER 2IN MALE SCH40 PVC - 436-020 *SPEARS*	PVC PARTS & FITTINGS /	Spears	435-020	0.84
*25/BX* REDUCER MALE 2x1-1/2 SxMPT 436-251 SCH40	PVC PARTS & FITTINGS /	Spears	436-020	0.82
*SPEARS* *10/BX* CAP 2IN SLIP SCH40 PVC 447-020 *SPEARS* *10 PER	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	436-251	1.98
BX* CAP 2IN THREADED SCH40 448-020 10/BX	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	447-020	0.65
*SPEARS* COUPLING 2IN COMP SCH40 PVC - 0110-20	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	448-020	1.54
*SPEARS* *12/BX*	SPEARS OR APPROVED EQUAL	Spears	0110-20	13.43

COUPLING 2IN SCH40 SXS PVC - 429-020 *SPEARS* *25/BX*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	429-020	0.77
ELL 45 DEG 1IN SxS SCH40 PVC 50/bx- 417-010	PVC PARTS & FITTINGS /			
*SPEARS*	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	417-010	0.65
ELL 90 1IN SxFPT SCH40 PVC - 407-010 *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	407-010	0.58
ELL 90 1IN ST SxMPT SCH40 PVC 50/bx- 410-010  *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	410-010	0.92
ELL 90 1IN SxS SCH40 PVC - 406-010 *SPEARS* *50	PVC PARTS & FITTINGS /	Opears	410-010	0.52
PER BX*	SPEARS OR APPROVED EQUAL	Spears	406-010	0.43
ELL 90 1IN STREET MPTxFPT SCH40 412-010 PVC	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	412-010	1.32
	PVC PARTS & FITTINGS /		400.040	4.00
ELL 90 1IN FPTxFPT SCH40 PVC	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	408-010	1.62
PLUG 1IN SLIP SCH40 PVC 449-010 *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	449-010	0.65
PLUG 1IN THRD SCH40 PVC - 450-010 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	450-010	1.00
TEE 1IN SLIP SCH40 PVC - 401-010 *SPEARS* *50	PVC PARTS & FITTINGS /	Орсаго	430-010	1.00
PER BX*	SPEARS OR APPROVED EQUAL	Spears	401-010	0.58
COUPLING 1-1/4IN SXS SCH40 PVC - 429-012 *SPEARS* 25BX	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	429-012	0.47
ADAPTER MALE HOSE 1-1/2IN PVC - 1436-015 25/BX	PVC PARTS & FITTINGS /			
*SPEARS* ADAPTER 1-1/2IN FEMALE SCH40 - 435-015	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	1436-015	6.00
*SPEARS* *25/BX*	SPEARS OR APPROVED EQUAL	Spears	435-015	0.63
ADAPTER 1-1/2IN MALE SCH40 PVC 436-015 SPEARS	PVC PARTS & FITTINGS /	Spears	436-015	0.63
25/BX REDUCER ADAPT 1-1/4 x 1-1/2 SxMPT 436-169	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	430-013	0.03
*SPEARS* *25/BX*	SPEARS OR APPROVED EQUAL	Spears	436-169	1.44
CAP 1-1/2IN SLIP SCH40 PVC 25/bx- 447-015  *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	447-015	0.54
CAP 1-1/2IN THREADED SCH40 PVC 448-015	PVC PARTS & FITTINGS /			
*SPEARS* 25BX COUPLING 1-1/2 IN COMPRESSION S110-15	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	448-015	0.88
*SPEARS* *16/BX*	SPEARS OR APPROVED EQUAL	Spears_	S110-15	10.50
COUPLING 1-1/2IN SxS SCH40 PVC 429-015	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	429-015	0.50
*SPEARS* 25BX CROSS 1-1/2IN SLIP SCH40 PVC - 420-015 *SPEARS*	PVC PARTS & FITTINGS /	Opears	425-015	0.50
*25 PER BX*	SPEARS OR APPROVED EQUAL	Spears	420-015	2.52
ELL 45 DEG 1-1/2IN SxS SCH40 417-015 *SPEARS* *25BX*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	417-015	1.14
ELL 90 1-1/2IN STREET S x FPT PVC 407-015 SCH40	PVC PARTS & FITTINGS /			
*SPEARS* *25/BX* ADAPTER FEMALE 1/2IN SCH40 PVC - 435-005 50/BX	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	407-015	1.05
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	435-005	0.24
ADAPTER MALE 1/2IN SCH40 PVC - 436-005	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	436-005	0.19
*SPEARS*	PVC PARTS & FITTINGS /	Spears	430-003	0.19
COUPLING 1/2IN SxS SCH40 - 429-005 *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	429-005	0.14
ELL 45 DEG 1/2IN SxS SCH40 PVC - 417-005 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	417-005	0.35
	PVC PARTS & FITTINGS /			
ELL 90 DEG 1/2IN SxFPT SCH40 - 407-005 *SPEARS* ELL 90 DEG 1/2IN MPTXS SCH40 - PVC 410-005	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	407-005	0.27
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	410-005	0.47
ELL 90 DEG 1/2IN SxS SCH40 PVC - 406-005 50/BX	PVC PARTS & FITTINGS /	Species	406 005	0.22
*SPEARS* ADAPTER FEMALE 3/4IN SCH40 PVC - 435-007	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	406-005	0.22
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	435-007	0.30
ADAPTER MALE 3/4IN SCH40 PVC - 436-007 *SPEARS* *50 PER BX*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	436-007	0.22
CAP 3/4IN SLIP SCH40 PVC - 447-007 50/BX	PVC PARTS & FITTINGS /	•		1
*SPEARS* CAP 3/4IN THREADED SCH40 PVC - 448-007	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	447-007	0.23
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	448-007	0.47
COUPLING 3/4IN COMPRESSION PVC - S110-07	PVC PARTS & FITTINGS /	Conner	S110-07	4.92
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	3110-01	4.32

COUPLING 3/4IN SxS SCH40 429-007 50/BX *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	429-007	0.19
COUPLING 3/4IN FPTxFPT SCH40 - 430-007 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	430-007	0.50
	PVC PARTS & FITTINGS /			
CROSS 3/4IN SLIP SCH40 PVC - 420-007 *SPEARS* ELL 45 DEG 3/4IN SxS SCH40 417-007 *SPEARS* *50	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	420-007	1.35
PER BX*	SPEARS OR APPROVED EQUAL	Spears	417-007	0.54
ELL 90 3/4IN FPTxS SCH40 PVC - 407-007 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	407-007	0.30
ELL 90 DEG 3/4IN FPTxMPT SCH40 412-007 50/BX *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	412-007	0.77
ELL 90 3/4IN STR SxMPT SCH40 - 410-007 50/BX	PVC PARTS & FITTINGS /			
*SPEARS* ELL 90 3/4IN SxS SCH40 PVC - 406-007 *SPEARS*	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	410-007	0.54
*50 PER BX* PLUG 3/4IN THRD SCH40 PVC - 450-007 *SPEARS*	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	406-007	0.24
*PER EA.*	SPEARS OR APPROVED EQUAL	Spears	450-007	0.62
TEE 3/4IN SLIP SCH 40 - 401-007 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	401-007	0.30
ADAPTER 3/4x1IN - MPTxS - SCH40 436-102 50/BX *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	436-102	0.54
ADAPTER FEMALE 1IN SCH40 PVC - 435-010	PVC PARTS & FITTINGS /	_		
*SPEARS* ADAPTER MALE 1IN SCH40 PVC - 436-010 50/BX	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	435-010	0.35
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	436-010	0.38
ADAPTER FEMALE 3/4x1IN SCH40 435-131 50/BX *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	435-131	0.58
CAP 1IN SLIP SCH40 PVC - 447-010 *SPEARS* *50 PER BX*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	447-010	0.35
	PVC PARTS & FITTINGS /		448-010	
CAP 1IN THREADED SCH40 PVC 448-010 *SPEARS* COUPLING COMP 1IN SCH40 PVC - S110-10	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	440-010	0.70
*SPEARS* COUPLING 1IN SxS SCH40 PVC - 429-010 *SPEARS*	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	S110-10	5.88
*50 PER BX*	SPEARS OR APPROVED EQUAL	Spears	429-010	0.34
REDUCER 2 x 1-1/2IN MPTxFPT SCH40 - 439-251 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	439-251	1.68
REDUCER 2x 1-1/2IN SxF SCH40 - PVC	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears		1.35
REDUCER 2 x 1-1/2IN SxS SCH40 - 437-251 25/BX	PVC PARTS & FITTINGS /		437-251	0.95
*SPEARS*	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	437-231	0.95
REDUCER 2x1IN SxFPT SCH40 PVC REDUCER 2x1IN MPTxFPT SCH40 PVC - 439-249	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	438-249	1.35
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	439-249	1.68
REDUCER 2x1IN SxS SCH40 * 437-249*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	437-249	0.95
REDUCER 2 x 3/4IN SxFPT SCH40 PVC	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	438-248	1.35
REDUCER 2x 3/4IN SxS SCH40 PVC 437-248	PVC PARTS & FITTINGS /			
*SPEARS* REDUCER 1-1/2x1-1/4 SxS - 437-212 *SPEARS* *25	PVC PARTS & FITTINGS /	Spears	437-248	0.95
PER BX* REDUCER 1-1/2 x 1IN MPTxFPT SCH40 - 439-211	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	437-212	0.58
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	439-211	1.57
REDUCER 1-1/2 x 1IN SxFPT SCH40 - 438-211 25/BX *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	438-211	1.00
REDUCER 1-1/2 X 1IN SXS SCH40 437-211 25/bx *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	437-211	0.58
REDUCER 1-1/2 x 3/4IN MPTxFPT SCH40 - PVC 439-	PVC PARTS & FITTINGS /	_		
210	PVC PARTS & FITTINGS /	Spears	439-210	1.57
REDUCER 1-1/2 x 3/4IN SxFPT SCH40 - PVC	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	438-210	1.00
REDUCER 1-1/2x 3/4IN SxS SCH40-437-210 25/bx	SPEARS OR APPROVED EQUAL	Spears	437-210	0.58
REDUCER 1 x 3/4IN SxFPT SCH40 - 438-131	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	438-131	0.58

REDUCER 1x3/4IN SxS SCH40 PVC - 437-131 *SPEARS* *50 PER BX*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	437-131	0.40
REDUCER 3/4INx1/2IN SxS SCH40 437-101 *SPEARS* *50 PER BX*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	437-101	0.23
REDUCER 1/2 x 1/4IN SxFPT SCH40 - 438-072	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	438-072	0.47
VALVE BALL 4 IN SxS SCH40 2622-040 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	2622-040	201.18
CLEANOUT 2 WAY 3" SXSXS SCH40 D448-030 10/BX	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Lesco	D448-030	18.97
CLEANOUT 2 WAY 4" SXSXS SCH40 D448-040 5/BX	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Lesco	D448-040	24.54
WYE 6IN SXS SCH/40 P600-060 *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	P600-060	55.88
ADAPTER MALE 8IN SCH/40 - PVC	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears		53.15
WYE 3IN SXS SCH 40 PVC - 475-030 PRESSURE *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	475-030	19.92
ELL 90 8IN SXS SCH 40 - PVC 406-080	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	406-080	67.73
ADAPTER FEMALE 8IN SCH/40 - PVC	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears		32.59
COUPLING 8IN PVC FOR SDR35 - GASKET END REDUCER 3/4x1/4IN SxFPT SCH40 PVC 438-098	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Plastic Trends	SDR-26	65.59
*SPEARS*  ADAPTER HOSE 3/4IN SCH40 PVC - 1436-007 GRAY	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	438-098	0.47
*SPEARS*  ELL 90 3/4IN MxHOSE BARB SCH40 - 1413-007	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	1436-007	6.00
*SPEARS*	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	1413-007	6.00
CROSS 2IN SLIP PVC SCH 40 - 420-020	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	420-020	3.70
REDUCER 1 1/2 x 1-1/4 SxFPT SCH40 - 438-212	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	438-212	1.00
CAP 1/2IN SLIP SCH40 PVC 447-005	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	447-005	0.19
TEE 3/4X3/4X1/2IN SXSXF 402-101	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	402-101	0.47
TEE 1x1x3/4IN SxSxFPT SCH40 402-131 TEE 3/4IN SxSxFPT SCH40 50/BX *SPEARS* 402-	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	402-131	1.00
007	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	402-007	0.54
ELL 90 4IN BELL X SPIGOT - SDR-35 PVC	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Plastic Trends	SDR-26	16.73
CAP 8IN SLIP PVC SCH 40	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears		31.12
VALVE 2IN BALL SxS PVC - 2622-020 *SPEARS*	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	2622-020	35.76
REDUCER 8x4 SCH40 PVC - PART #2908040RS040H	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	2908040RS040H	43.34
ELL 45 DEG. 2-1/2IN SxS SCH40 - 417-025	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	417-025	3.88
ELL 90 2-1/2IN SCH40 SxS	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears		3.87
REDUCER 2-1/2 x 2IN SCH40 SxS - 437-292	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	437-292	1.53
REDUCER 3 x 2-1/2IN SCH40 SxS - 437-339	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	437-339	2.24
SWEEP 90 DEG 3 IN SxS SCH40 - D300-030 DWV SWEEP 45 DEG 3IN SxS SCH40 - P321-030 DWV *25	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Lasco	D300-030	5.75
PER BX* SWEEP 22 1/2 DEG 3IN SxS SCH40 P324-030 DWV	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	P321-030	4.72
*20/BX*	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	P324-030	5.10
SWEEP 90 DEG 4IN SxS SCH40 10/bx-D300-040 DWV SWEEP 45 DEG 4IN SxS SCH40 - P321-040 DWV *15	SPEARS OR APPROVED EQUAL PVC PARTS & FITTINGS /	Spears	D300-040	10.19
PER BX*	SPEARS OR APPROVED EQUAL	Spears	P321-040	8.13

SWEEP 22 1/2 DEG 4IN SxS SCH40 - P324-040 DWV *15/BX*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	P324-040	7.77
VALVE 4.4/2 IN EDT EDT 2024 045	PVC PARTS & FITTINGS /	Consta	2624.046	28.29
VALVE 1 1/2 IN FPT x FPT - 2621-015	PVC PARTS & FITTINGS /	Spears	2621-015	20.29
SADDLE HOT TAP 2-1/2X1-1/2 IN - SPEARS HT2-291	SPEARS OR APPROVED EQUAL	Spears	HT2-291	104.88
ELL 90 DEG 1 1/4 SCH 40 SXS 406-012 25/bx *SPEARS*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	406-012	0.75
CLEAN OUT ADAPTER 6" SDR 26 *P1406*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Plastic Trends	SDR-26	24.56
SDR 35 ADAPTER SEWER X DWV COUPLING 4X4	PVC PARTS & FITTINGS /			
*P657*	SPEARS OR APPROVED EQUAL		P657	5.48
SDR 35 ADAPTER DWV SPIGOT X SEWER HUB 4X4 *P1208*	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL		P1208	5.21
COUPLING 3" DWV W/O STOP	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	P130-030	3.50
COUPLING 4" DWV W/O STOP	PVC PARTS & FITTINGS / SPEARS OR APPROVED EQUAL	Spears	P130-040	10.69
14. REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL				
	REPAIR CLAMPS & FERNCOS /			
FERNCO 2 x 2IN PVC TO PVC	SMITH-BLAIR, FORD OR APPROVED EQUAL	Fernco		3.58
ERNOU Z X ZIN PVO TO PVO	REPAIR CLAMPS & FERNCOS /	1 511100		0.00
	SMITH-BLAIR, FORD OR		4050.00	
FERNCO 3IN PVC TO PVC - 1056-33	APPROVED EQUAL REPAIR CLAMPS & FERNCOS /	Fernco	1056-33	4.82
	SMITH-BLAIR, FORD OR			
FERNCO CLAY TO PVC 4 x 3IN	APPROVED EQUAL	Fernco		6.66
	REPAIR CLAMPS & FERNCOS /			
FERNCO 4IN PVC TO PVC - 1056-44	SMITH-BLAIR, FORD OR APPROVED EQUAL	Fernco	1056-44	6.03
EN1400 4114 1 VO 101 VO - 1030-44	REPAIR CLAMPS & FERNCOS /	1 011100		
	SMITH-BLAIR, FORD OR	_		
FERNCO 4IN CLAY TO PVC - 1002-44	APPROVED EQUAL REPAIR CLAMPS & FERNCOS /	Fernco	1002-44	6.03
	SMITH-BLAIR, FORD OR			
FERNCO 4IN CLAY TO CLAY	APPROVED EQUAL	Fernco		6.51
	REPAIR CLAMPS & FERNCOS /			
FERNCO 6IN PVC TO PVC - 1056-66	SMITH-BLAIR, FORD OR APPROVED EQUAL	Fernco	1056-66	12.90
12/1/100 01/11/10 101/10 1000 00	REPAIR CLAMPS & FERNCOS /			
	SMITH-BLAIR, FORD OR	_		
FERNCO 6IN CLAY TO PVC - 1002-66	REPAIR CLAMPS & FERNCOS /	Fernco	1002-66	12.90
	SMITH-BLAIR, FORD OR			
FERNCO 6IN CLAY TO CLAY	APPROVED EQUAL	Fernco		13.92
<del></del>	REPAIR CLAMPS & FERNCOS /			
FERNCO 6 X 8 IN PVC TO PVC	SMITH-BLAIR, FORD OR APPROVED EQUAL	Fernco		23.95
. I. I. C. C. C. C. C. C. C. C. C. C. C. C. C.	REPAIR CLAMPS & FERNCOS /	1		1
EEDVICE A CIVIDUS TO THE	SMITH-BLAIR, FORD OR			
FERNCO 8 x 8IN PVC TO PVC	APPROVED EQUAL	Fernco		21.50
	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR			
FERNCO 8IN CLAY TO PVC	APPROVED EQUAL	Fernco		19.83
	REPAIR CLAMPS & FERNCOS /			
EEDNICO 10V10NI CLAV TO DVC	SMITH-BLAIR, FORD OR	Formas		29.78
FERNCO 10X10IN CLAY TO PVC	APPROVED EQUAL REPAIR CLAMPS & FERNCOS /	Fernco		29.16
DONUT 3IN RUBBER SWCI X SCH 40 - INDIANA SEAL	SMITH-BLAIR, FORD OR APPROVED EQUAL			20.00
	REPAIR CLAMPS & FERNCOS /			
DONUT 4IN RUBBER CLAY BELL X - XHC/I C/BELL#432-405	SMITH-BLAIR, FORD OR APPROVED EQUAL		432-405	10.35
DONILIT AIM DURDED OF AV DELL V. CHACK DIOVEY	REPAIR CLAMPS & FERNCOS /			1
DONUT 4IN RUBBER CLAY BELL X - SWC/I DICKEY	SMITH-BLAIR, FORD OR APPROVED EQUAL	1	404	12.62

DONUT 4IN RUBBER CLAY BELL X - SWC/I GRIFFEN C/BELL	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL			12.62
DONUT 6IN RUBBER DICKEY - CLAY BELL #608	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL		608	21.04
DUNUT OIN RUBBER DICKET - CLAT BELL #000	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR		000	21.04
DONUT 6IN RUBBER GRIFFIN - CLAY BELL #604-609	APPROVED EQUAL REPAIR CLAMPS & FERNCOS /		604-609	11.47
DONUT 6 IN RUBBER 6 X 4 IN - INDIANA SEAL CS604-	SMITH-BLAIR, FORD OR APPROVED EQUAL		CS604-41	24.54
DONUT 8IN RUBBER INDIANA SEAL - #C5898-85	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL		C5898-85	23.36
SONOT ON TOP SELECTION OF THE PRODUCT OF	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR		30000	20.00
CLAMP REPAIR H/C 3/4 X 3 IN SS - 245-00010503-0	APPROVED EQUAL REPAIR CLAMPS & FERNCOS /	Smith Blair	245-00010503-000	5.10
CLAMP REPAIR F.CIR 3/4x 3IN SS - #244-00010503- 000 12/BX	SMITH-BLAIR, FORD OR APPROVED EQUAL	Smith Blair	244-00010503-000	16.64
C) AND DEDAID 11/0 2/4 V C IN CC - 245 00040500 0	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR	Smith Blair	245-00010506-000	9.50
CLAMP REPAIR H/C 3/4 X 6 IN SS - 245-00010506-0	APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR	Smith Brair	245-00010506-000	9.50
CLAMP REPAIR F/C 3/4 X 6 IN SS - 244-00010506-000	APPROVED EQUAL REPAIR CLAMPS & FERNCOS /	Smith Blair	244-00010506-000	37.00
CLAMP REPAIR H/C 1 X 3 IN SS - 245-00013203-0	SMITH-BLAIR, FORD OR APPROVED EQUAL	Smith Blair	245-00013203-000	5.57
CLAMP REPAIR 1x3IN SS FULL CIRCLE - 244-013203-	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL	Smith Blair	244-013203-000	18.53
	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR			70.00
CLAMP REPAIR F/C 1 X 6 IN SS - 244-00013206-000	APPROVED EQUAL REPAIR CLAMPS & FERNCOS /	Smith Blair	244-00013206-000	37.29
CLAMP REPAIR H/C 1-1/2 X 3 IN - 245-00019003-0	SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS /	Smith Blair	245-00019003-000	6.14
CLAMP REPAIR F/C 1-1/2 X 3 IN - 244-00019003-000 '6 PER BX'	SMITH-BLAIR, FORD OR APPROVED EQUAL	Smith Blair	244-00019003-000	38.47
CLAMP REPAIR H/C 1-1/2 X 6 IN - 245-00019006-0	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL	Smith Blair	245-00019006-000	11.57
CLAMP REPAIR F.C. 1-1/2 x 6IN - 244-00019006-000	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL	Smith Blair	244-00019006-000	38.47
CLAMP REPAIR H/C 2 X 3 IN SS - 245-00023803-0	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL	Smith Blair	245-00023803-000	7.53
CLAMP REPAIR 2 x 3IN SS FULLCIRCLE #244- 00023803-000 *6 PER BX*	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL	Smith Blair	244-00023803-000	21.24
CLAMP REPAIR 2 X 6 IN SS - 245-00023806-0	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL	Smith Blair	245-00023806-000	14.37
CLAMP REPAIR F/C 2 X 6 IN SS - 244-00023806-000	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL	Smith Blair	244-00023806-000	39.47
CLAMP REPAIR 2 X 12 IN SS - 245-00023812-0	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL	Smith Blair	245-00023812-000	30.73
CLAMP REPAIR F/C 2 X 12-1/2 IN - 2.35-2.63	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL			85.64
CLAMP REPAIR S/B 3 X 12-1/2 IN - 226-00035012-000	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL	Smith Blair	226-00035012-000	95.12

	REPAIR CLAMPS & FERNCOS /		<u> </u>	
	SMITH-BLAIR, FORD OR			
CLAMP REPAIR 3 x 15IN S.S 3.46-3.70 FULL CIRCLE	APPROVED EQUAL REPAIR CLAMPS & FERNCOS /			112.91
	SMITH-BLAIR, FORD OR			
CLAMP REPAIR S/B 4X12-1/2IN SS - 4.74-5.14	APPROVED EQUAL	Smith Blair		106.81
· · · · · · · · · · · · · · · · · · ·	REPAIR CLAMPS & FERNCOS /			
	SMITH-BLAIR, FORD OR			
CLAMP REPAIR S/B 4 X 15 IN SS - 4.95-5.35	APPROVED EQUAL	Smith Blair		130.10
	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR			
CLAMP REPAIR S/B 4x15IN SS - 4.45-4.73	APPROVED EQUAL	Smith Blair		123.95
	REPAIR CLAMPS & FERNCOS /	J		12000
	SMITH-BLAIR, FORD OR			
CLAMP REPAIR S/B 4x15IN SS - O.D.RANGE 4.74-5.14	APPROVED EQUAL	Smith Blair	226 048015 000	128.85
OLAMB BERAIR O VAFIN OINOLE BAND O 04 7 04	REPAIR CLAMPS & FERNCOS /	į		
CLAMP REPAIR 6 X 15IN SINGLE BAND - 6.84-7.24 FORD SS	SMITH-BLAIR, FORD OR APPROVED EQUAL	Ford		134.56
FORD 33	REPAIR CLAMPS & FERNCOS /	FOIG		134.30
	SMITH-BLAIR, FORD OR			
CLAMP REPAIR 6x15IN 7.05-7.45 #226-071015-000	APPROVED EQUAL	Smith Blair	226-071015-000	144.82
· · ·	REPAIR CLAMPS & FERNCOS /			•
	SMITH-BLAIR, FORD OR			
SLEEVE 6X6X6 TAPPING	APPROVED EQUAL			582.52
OLEFUE OVOVO TARRINO O CO O OF FORD FACT	REPAIR CLAMPS & FERNCOS /			
SLEEVE 8X6X8 TAPPING 8.63-9.05 - FORD FAST- 905X6	SMITH-BLAIR, FORD OR APPROVED EQUAL	Ford	905X6	621.43
503/0	REPAIR CLAMPS & FERNCOS /	100	30370	021.43
	SMITH-BLAIR, FORD OR			
CLAMP REPAIR D/B 8 X 10 IN SS - 8.99-9.39	APPROVED EQUAL			121.75
	REPAIR CLAMPS & FERNCOS /			
	SMITH-BLAIR, FORD OR			
CLAMP REPAIR S/B 8 X 15 IN SS - 8.54-8.94	APPROVED EQUAL	Smith Blair		170.52
	REPAIR CLAMPS & FERNCOS /			
CLAMP REPAIR 8x15IN 8.99-9.39 - #226-090515-000	SMITH-BLAIR, FORD OR APPROVED EQUAL	Smith Blair	226-090515-000	175.57
OLAIMI TEL AIT 0.7511 0.55-5.55 - #220-0505 15-000	REPAIR CLAMPS & FERNCOS /	Omiai Diaii	220-030313-000	170.07
	SMITH-BLAIR, FORD OR			•
CLAMP REPAIR S/B 8 X 15 IN SS - FORD F1-967X15	APPROVED EQUAL	Ford	967X15	152.16
	REPAIR CLAMPS & FERNCOS /		į	
OLAMB DEDAIR OID OO 40 V 45 0 70 40 40	SMITH-BLAIR, FORD OR			04440
CLAMP REPAIR S/B SS 10 X 15 9.70-10.10	APPROVED EQUAL REPAIR CLAMPS & FERNCOS /			244.12
	SMITH-BLAIR, FORD OR			
CLAMP REPAIR D/B 10 X 15 IN SS - 10.70-11.50 D/B	APPROVED EQUAL			260.10
	REPAIR CLAMPS & FERNCOS /			
	SMITH-BLAIR, FORD OR			
CLAMP REPAIR S/B 10 X 16 IN SS - 11.04-11.44 S/B	APPROVED EQUAL			219.24
	REPAIR CLAMPS & FERNCOS /			
CLAMP REPAIR D/B 10" X 15 " SS - 11.60-12.40	SMITH-BLAIR, FORD OR APPROVED EQUAL			323.48
OLAIME INCEAUN DID TO A 10 33 - 11.00-12.40	REPAIR CLAMPS & FERNCOS /			JZJ.40
	SMITH-BLAIR, FORD OR			
CLAMP REPAIR S/B 12 X 12-1/2IN - 14.00-14.40 S/B	APPROVED EQUAL			212.08
	REPAIR CLAMPS & FERNCOS /			
	SMITH-BLAIR, FORD OR	_		
CLAMP REPAIR D/B 12 X 15 IN SS - 12.70-13.50 D/B	APPROVED EQUAL	Ford		294.02
C) AMD DEDAID 6/D 10 V 15 10 10 10 10 10 10	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR			
CLAMP REPAIR S/B 12 X 15 13.10-13.50 226- 00132015000	APPROVED EQUAL	Smith Blair	226-00132015000	252.62
00102010000	REPAIR CLAMPS & FERNCOS /	Omini Didii	220 00 1020 10000	202.02
	SMITH-BLAIR, FORD OR			
CLAMP REPAIR D/B 12 X 15 IN SS - 13.65-14.45 D/B	APPROVED EQUAL	Ford		294.02
	REPAIR CLAMPS & FERNCOS /			
OLAMB DEDAID OID 40 V 45 IV 60 14 40 14 40 17	SMITH-BLAIR, FORD OR			204
CLAMP REPAIR S/B 12 X 15 IN SS - 14.00-14.40 S/B	APPROVED EQUAL			264.52
	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR			
CLAMP REPAIR D/B 16 X 15 IN SS - 17 15-17 90	· ·			387.93
CLAMP REPAIR D/B 16 X 15 IN SS - 17.15-17.90	APPROVED EQUAL			387.93

	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR			
CLAMP REPAIR D/B 16 X 15 IN SS - 18.46-19.21	APPROVED EQUAL			492.0
	REPAIR CLAMPS & FERNCOS /			
CLAND DEDAID DID 40 V COIN CC. 47 45 47 00	SMITH-BLAIR, FORD OR	Carith Diain		C40.
CLAMP REPAIR D/B 16 X 20IN SS - 17.15-17.90	APPROVED EQUAL REPAIR CLAMPS & FERNCOS /	Smith Blair	ļ	642.4
	SMITH-BLAIR, FORD OR			
CLAMP REPAIR D/B 18 X 15IN SS - 18.46-19.21	APPROVED EQUAL			492.0
OD 4111 11C1 / 11 ( O/O 10 / 10 / 10 / 10 / 10 / 10 / 10 /	REPAIR CLAMPS & FERNCOS /		<u> </u>	102.0
CLAMP REPAIR D/B 18 X 15IN SS 19.23-19.98 228-	SMITH-BLAIR, FORD OR			
20192315-000	APPROVED EQUAL	Smith Blair	228-20192315-000	499.3
	REPAIR CLAMPS & FERNCOS /			
	SMITH-BLAIR, FORD OR	0 21 51 1		
CLAMP REPAIR D/B 20 X 30IN SS - 21.52-22.27	APPROVED EQUAL REPAIR CLAMPS & FERNCOS /	Smith Blair		1,084.3
	SMITH-BLAIR, FORD OR			
COUPLING 4 FLG ADAP.4.74-4.90 - 912-00048004-000	APPROVED EQUAL		912-00048004-000	113.0
0001 ENTO 41 E0 710701 .4.74 4.00 012 00010004 000	REPAIR CLAMPS & FERNCOS /		012 00010001 000	110.0
COUPLING 10IN QUANTUM - 10.64-11.97 461-	SMITH-BLAIR, FORD OR			
10641197	APPROVED EQUAL	Smith Blair	461-10641197	318.7
	REPAIR CLAMPS & FERNCOS /			
	SMITH-BLAIR, FORD OR			
COUPLING 10IN D/I 11.55-12.12 - D/I	APPROVED EQUAL			600.3
	REPAIR CLAMPS & FERNCOS /			
COUPLING 12IN D/I 13.92-14.26 - D/I	SMITH-BLAIR, FORD OR APPROVED EQUAL			976.4
COOPEING 12IN DIT 13.92-14.20 - DIT	REPAIR CLAMPS & FERNCOS /			370.4
	SMITH-BLAIR, FORD OR			
CLAMP 4IN BELL JOINT LEAK-4.80 - 274-00000480-000	APPROVED EQUAL	Smith Blair	274-00000480-000	128.2
	REPAIR CLAMPS & FERNCOS /			
	SMITH-BLAIR, FORD OR			
CLAMP 6IN BELL JOINT LEAK-6.90 - 274-00000690-000	APPROVED EQUAL	Smith Blair	274-00000690-000	141.2
	REPAIR CLAMPS & FERNCOS /			
CLAND ON BELL IONET FAIL OF CO.	SMITH-BLAIR, FORD OR	0 11 01 .		405.4
CLAMP 8IN BELL JOINT LEAK - 9.05-9.30	APPROVED EQUAL	Smith Blair		195.1
	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR			
CLAMP 10IN BELL JOINT LEAK - 11.10-11.40	APPROVED EQUAL	Smith Blair		245.1
The state of the s	REPAIR CLAMPS & FERNCOS /		1	
	SMITH-BLAIR, FORD OR			
CLAMP 12IN BELL JOINT LEAK - 13.20-13.50	APPROVED EQUAL	Smith Blair		265.2
	REPAIR CLAMPS & FERNCOS /			
	SMITH-BLAIR, FORD OR			
CLAMP 16IN BELL JOINT LEAK - 17.40-17.80	APPROVED EQUAL	Smith Blair		444.4
	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR			ĺ
CLAMP 18IN BELL JOINT LEAK - 19.50-19.92	APPROVED EQUAL	Smith Blair		617.5
OCCUPATE TO HAD DECENDED AS 12:00-12:22	REPAIR CLAMPS & FERNCOS /	Omini Dian		017.5
			1	l
	SMITH-BLAIR, FORD OR		1	l
COUPLING 8IN MAXI-FIT - 8.59-9.25	APPROVED EQUAL			197.6
COUPLING 8IN MAXI-FIT - 8.59-9.25				197.6
	APPROVED EQUAL  REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR			
COUPLING 8IN MAXI-FIT - 8.59-9.25  CLAMP REPAIR F/C 1-1/2X 12-1/2 - 1.88-1.92	APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL			
	APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS /			
CLAMP REPAIR F/C 1-1/2X 12-1/2 - 1.88-1.92	APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR			72.2
	APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL			
CLAMP REPAIR F/C 1-1/2X 12-1/2 - 1.88-1.92  CLAMP REPAIR F/C 1-1/2 X 15 IN - 1.88-1.92	APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS /			72.2
CLAMP REPAIR F/C 1-1/2X 12-1/2 - 1.88-1.92	APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR	Smith Blair	46106300740	72.2
CLAMP REPAIR F/C 1-1/2X 12-1/2 - 1.88-1.92  CLAMP REPAIR F/C 1-1/2 X 15 IN - 1.88-1.92  COUPLING 6IN QUANTUM 6.54-7.65 PART	APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS /	Smith Blair	46106300740	72.2
CLAMP REPAIR F/C 1-1/2X 12-1/2 - 1.88-1.92  CLAMP REPAIR F/C 1-1/2 X 15 IN - 1.88-1.92  COUPLING 6IN QUANTUM 6.54-7.65 PART	APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL	Smith Blair	46106300740	72.2
CLAMP REPAIR F/C 1-1/2X 12-1/2 - 1.88-1.92  CLAMP REPAIR F/C 1-1/2 X 15 IN - 1.88-1.92  COUPLING 6IN QUANTUM 6.54-7.65 PART #46106300740	APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS /	Smith Blair Smith Blair	46106300740 461-08540960-000	72.2
CLAMP REPAIR F/C 1-1/2X 12-1/2 - 1.88-1.92  CLAMP REPAIR F/C 1-1/2 X 15 IN - 1.88-1.92  COUPLING 6IN QUANTUM 6.54-7.65 PART #46106300740  COUPLING 8IN QUANTUM 8.54-9.85 PN #461-	APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR			197.6 72.2 169.3
CLAMP REPAIR F/C 1-1/2X 12-1/2 - 1.88-1.92  CLAMP REPAIR F/C 1-1/2 X 15 IN - 1.88-1.92  COUPLING 6IN QUANTUM 6.54-7.65 PART #46106300740  COUPLING 8IN QUANTUM 8.54-9.85 PN #461-08540960-000  COUPLING 4IN QUANTUM 4.46-5.60 PN=461-	APPROVED EQUAL  REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL  REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL  REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL  REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL  REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL  REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR	Smith Blair	461-08540960-000	72.2 169.3
CLAMP REPAIR F/C 1-1/2X 12-1/2 - 1.88-1.92  CLAMP REPAIR F/C 1-1/2 X 15 IN - 1.88-1.92  COUPLING 6IN QUANTUM 6.54-7.65 PART #46106300740  COUPLING 8IN QUANTUM 8.54-9.85 PN #461-08540960-000	APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL			72.2
CLAMP REPAIR F/C 1-1/2X 12-1/2 - 1.88-1.92  CLAMP REPAIR F/C 1-1/2 X 15 IN - 1.88-1.92  COUPLING 6IN QUANTUM 6.54-7.65 PART #46106300740  COUPLING 8IN QUANTUM 8.54-9.85 PN #461-08540960-000  COUPLING 4IN QUANTUM 4.46-5.60 PN=461-	APPROVED EQUAL  REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL  REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL  REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL  REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL  REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR APPROVED EQUAL  REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR	Smith Blair	461-08540960-000	72.2 169.3

	REPAIR CLAMPS & FERNCOS /			
COUPLING 12IN QUAN 12.75-14.40 - 461-1275144 0000	SMITH-BLAIR, FORD OR APPROVED EQUAL	Smith Blair	461-1275144 0000	376.99
	REPAIR CLAMPS & FERNCOS /			
OLAND DEDAID DID 40 V 45 IN 00 , 000 474545 000	SMITH-BLAIR, FORD OR	Oction District	000 474545 000	00400
CLAMP REPAIR D/B 16 X 15 IN SS - 263-171515-000	APPROVED EQUAL REPAIR CLAMPS & FERNCOS /	Smith Blair	263-171515-000	834.23
CLAMP REPAIR 6x15IN SINGLE BAND - 6.56-6.96	SMITH-BLAIR, FORD OR			rg .
226-066315-000	APPROVED EQUAL	Smith Blair	226-066315-000	139.78
	REPAIR CLAMPS & FERNCOS /			
COUPLING 16 IN MAXI-FIT - 74MFC1728	SMITH-BLAIR, FORD OR APPROVED EQUAL		74MFC1728	1,062.60
COOPERING TO IN WAXIFITY FAMILY CITES	REPAIR CLAMPS & FERNCOS /		741011 01720	1,002.00
CLAMP 20" BELL JOINT LEAK CLAMP SMITH BLAIR #	SMITH-BLAIR, FORD OR			
274-2160-000	APPROVED EQUAL	Smith Blair	274-2160-000	717.16
CLAMP 24" BELL JOINT LEAK CLAMP SMITH BLAIR#	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR			
274-2580-000	APPROVED EQUAL	Smith Blair	274-2580-000	816.75
•	REPAIR CLAMPS & FERNCOS /			
CLAMP 3/4" X 3" FULL CIRCLE 244-008803-000 *16	SMITH-BLAIR, FORD OR	0 11 51 1		47.05
PER BX*	APPROVED EQUAL REPAIR CLAMPS & FERNCOS /	Smith Blair	244-008803-000	17.35
	SMITH-BLAIR, FORD OR			
CLAMP 3/4"X 6" FULL CIRCLE 244-008806-001	APPROVED EQUAL	Smith Blair	244-008806-001	36.91
	REPAIR CLAMPS & FERNCOS /			
COUPLING HYMAX 6IN 6.42-7.68	SMITH-BLAIR, FORD OR APPROVED EQUAL			345.00
COOP LING TH MAX ON 0.42-7.00	REPAIR CLAMPS & FERNCOS /			343.00
	SMITH-BLAIR, FORD OR			
COUPLING 4" 4.22-5.60 #242-0550	APPROVED EQUAL		242-0550	297.18
	REPAIR CLAMPS & FERNCOS / SMITH-BLAIR, FORD OR			
COUPLING 6" 6.28-7.80 #242-0760	APPROVED EQUAL		242-0760	386.71
	REPAIR CLAMPS & FERNCOS /			
	SMITH-BLAIR, FORD OR			
COUPLING 8" 8.40-9.75 #242-0960	APPROVED EQUAL REPAIR CLAMPS & FERNCOS /		242-0960	478.48
	SMITH-BLAIR, FORD OR			
COUPLING 10" 10.50-12.12 #242-1200	APPROVED EQUAL		242-1200	592.59
	REPAIR CLAMPS & FERNCOS /			
COUPLING 12" 12.50-14.38 #242-1430	SMITH-BLAIR, FORD OR APPROVED EQUAL		242-1430	703.53
COUPLING 12 12.30-14.30 #242-1430	REPAIR CLAMPS & FERNCOS /		242-1430	703.33
	SMITH-BLAIR, FORD OR	1:		
COUPLING 16" 17.32-19.20 #242-1920	APPROVED EQUAL		242-1920	1,360.00
15. SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL				
APPROVED EQUAL	SCH 80 PIPE & ALL FITTINGS /			-
COUPLING 6" SxS SCH80 PVC - 829-060 *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	829-060	32.54
	SCH 80 PIPE & ALL FITTINGS /			
REDUCER 1 1/4" X 1" SCH80 837-168 *25 BX* REDUCER BUSHING 1 X 1/4" MXF SCH80 839-128	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	837-168	2.52
25/bx *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	839-128	4.22
REDUCER BUSHING 1 X 1 1/4" MXF SCH80 839-168	SCH 80 PIPE & ALL FITTINGS /			
25/bx *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	839-168	3.58
NIPPLE 1-1/2 x 8IN TBE SCH80 - 886-080 *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Connen	886-080	5.62
EA 25/BOX	SCH 80 PIPE & ALL FITTINGS /	Spears	000-000	3.02
NIPPLE 3/4 X CL TBE SCH80 PVC - PART #207-016	SPEARS OR APPROVED EQUAL	Spears	207-016	1.09
	SCH 80 PIPE & ALL FITTINGS /		007.000	1.55
NIPPLE 3/4 X 2IN TBE SCH80 PVC - PART #207-020	SPEARS OR APPROVED EQUAL	Spears	207-020	1.09
NIPPLE 3/4 X 3IN TBE SCH80 PVC - PART #207-030	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	207-030	1.22
	SCH 80 PIPE & ALL FITTINGS /	2,5000		
NIPPLE 3/4 X 4IN TBE SCH80 PVC - PART #207-040	SPEARS OR APPROVED EQUAL	Spears	207-040	1.66
NIDDLE 2/4 V CIN THE COURS BUC DART #207 000	SCH 80 PIPE & ALL FITTINGS /	Cacaaa	207.000	200
NIPPLE 3/4 X 6IN TBE SCH80 PVC - PART #207-060	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	207-060	2.06
NIPPLE 1IN X CL SCH80 PVC 884-005 *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	884-005	1.43
			· · · · · · · · · · · · · · · · · · ·	

NIPPLE 1IN X 2IN TBE SCH80 PVC - PART #210-020	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	210-020	1.58
NIPPLE 1IN X 3IN TBE SCH80 PVC - PART #210-030	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	210-030	1.80
NUMBER AND A SECOND PART #240 040	SCH 80 PIPE & ALL FITTINGS /	S	240.040	200
NIPPLE 1IN X 4IN TBE SCH80 PVC - PART #210-040 COUPLING 1IN SCH80 PVC GRAY - HOSE	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	210-040	2.06
BARBXHOSE BARB	SPEARS OR APPROVED EQUAL	Spears		20.00
NIPPLE 1-1/4 IN X CL TBE SCH80 - 885-005	SCH 80 PIPE & ALL FITTINGS /	_		
*SPEARS*	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	885-005	2.06
NIPPLE 1-1/4 X 2IN TBE SCH80 - PART #212-020	SPEARS OR APPROVED EQUAL	Spears	212-020	2.12
	SCH 80 PIPE & ALL FITTINGS /			
NIPPLE 1-1/4 X 3IN TBE SCH80 - 212-030	SPEARS OR APPROVED EQUAL	Spears	212-030	2.40
NIPPLE 1-1/2 X 2IN TBE SCH80 - PART #215-020	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	215-020	2.50
THE THE NEW TOLL COLLEGE THAT HE TO GET	SCH 80 PIPE & ALL FITTINGS /	Opouro	210 020	2.00
NIPPLE 1-1/2 X 3IN TBE SCH80 - PART #215-030	SPEARS OR APPROVED EQUAL	Spears	215-030	2.84
NIPPLE 1-1/2 X 4IN TBE SCH80 886-040 *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	886-040	3.79
MIFFLE 1-1/2 A 4IN THE SCHOOL BOU-040 SFEARS	SCH 80 PIPE & ALL FITTINGS /	Opears	000-040	3.73
NIPPLE 2IN X CL TBE SCH80 PVC - PART #220-016	SPEARS OR APPROVED EQUAL	Spears	220-016	2.97
NIDDLE OIN VOIN TRE COLIDA DVO 007 020	SCH 80 PIPE & ALL FITTINGS /	C	887-030	2.52
NIPPLE 2IN X 3IN TBE SCH80 PVC 887-030 NIPPLE 2IN X 4IN TBE SCH80 PVC - 887-040	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	007-030	3.53
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	887-040	4.90
	SCH 80 PIPE & ALL FITTINGS /			
NIPPLE 3IN X CL TBE SCH80 PVC - 889-005	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	889-005	12.13
NIPPLE 4IN X CL TBE SCH80 PVC - 890-005	SPEARS OR APPROVED EQUAL	Spears	890-005	19.82
ELL 90 1-1/2IN SLIP SCH80 PVC - 806-015 10/BX	SCH 80 PIPE & ALL FITTINGS /			
*SPEARS* COUPLING 1-1/2IN SxS SCH80 PVC 10/BX 829-015	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	806-015	2.84
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	829-015	3.98
COUPLING 1-1/2IN FPTxFPT SCH80 - PVC #830-015	SCH 80 PIPE & ALL FITTINGS /			
*SPEARS*	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	830-015	8.21
TEE 1-1/2IN SLIP SCH80 PVC - 801-015 *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	801-015	9.78
UNION 2IN SCH80 PVC FPTxFPT 858-020 5/BX	SCH 80 PIPE & ALL FITTINGS /		250 200	
*SPEARS* ELL 90 2-1/2IN SxS SCH80 PVC - PART #806-025	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	858-020	28.03
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	806-025	8.03
FLANGE 1-1/2IN SLIP FF SCH80 - 854-015 4-HOLE	SCH 80 PIPE & ALL FITTINGS /	0	054.045	2.50
*SPEARS* FLANGE 2IN SLIP FF SCH80 - 854-020 PVC 4-HOLE	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	854-015	6.59
10/BX *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	854-020	8.78
FLANGE 3 IN SWIVEL SLIP SCH80 - 854-030 4 HOLE	SCH 80 PIPE & ALL FITTINGS /	0	054.000	14.00
GRAY *SPEARS* FLANGE 2-1/2IN SLIP FF SCH80 PVC 854-025	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	854-030	14.98
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	854-025	13.55
FLANGE 4IN SWIVEL SLIP SCH80 - 854-040 8 HOLE	SCH 80 PIPE & ALL FITTINGS /	0	054.040	40.04
GRAY *SPEARS* FLANGE 6IN SWIVEL SLIP SCH80 5/bx- 854-060 8-	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	854-040	18.94
HOLE *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	854-060	29.80
TEE 1" FIPT X FIPT SCH80 805-010 15/bx	SCH 80 PIPE & ALL FITTINGS /	0	005.040	7.74
*SPEARS* UNION 1* THREADED FIPT W/VITON SEALS SCH80	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	805-010	7.71
8058-010 15/bx *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	8058-010	7.71
ADAPTER 1" M X HOSE BARB SCH80 1436-010	SCH 80 PIPE & ALL FITTINGS /	Space	1426 040	6.00
25/bx *SPEARS* ADAPTER MALE 1-1/4IN SCH80 PVC 10/bx- 836-012	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	1436-010	6.00
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	836-012	4.16
ELL 45 DEG. 2-1/2IN SxS SCH80 - PVC 817-025 GRAY	SCH 80 PIPE & ALL FITTINGS /	See	047.005	47.00
*SPEARS*	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	817-025	17.02
PIPE 2IN SCH80 PVC GRAY - 20FT LENGTHS	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Silver Line		10.29

COUPLING 2IN SXS SCH80 PVC - 829-020 20/BX *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	829-020	4.27
COUPLING 2-1/2IN SXS SCH80 PVC - 829-025 10/bx  *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	829-025	10.52
ELL 90 2IN SCH80 SxS PVC GRAY 25/bx- 806-020	SCH 80 PIPE & ALL FITTINGS /	•		
*SPEARS* ELL 45 DEG. 2IN SxS SCH80 PVC - 817-020 10/BX	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	806-020	3.43
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	817-020	8.10
ADAPTER MALE 2IN MPTxS SCH80 - 836-020 10/bx *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	836-020	9.44
ADAPTER MALE 2-1/2IN SCH80 PVC - 836-025 5/BX *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	836-025	10.72
ADAPTER FEMALE 2IN SCH80 PVC - 835-020 10/bx	SCH 80 PIPE & ALL FITTINGS /			
*SPEARS*   ADAPTER FEMALE 2-1/2IN SCH80 - 835-025 5/BX	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	835-020	12.38
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	835-025	19.52
WYE 2IN SxS SCH80 PVC - 875-020 *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	875-020	29.47
ELL 90 6IN SXS SCH80 PVC - 806-060 *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	806-060	39.07
ELL 90 0110 3A3 3CH00 FVC - 000-000 3FEAR3	SCH 80 PIPE & ALL FITTINGS /	Spears	800-000	35.07
COUPLING 4IN SxS SCH80 PVC - 829-040 *SPEARS*	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	829-040	15.12
ELL 90 4IN SxS SCH80 PVC - 806-040 *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	806-040	13.74
COUPLING 2IN FPT X FPT SCH80 PVC 830-020 10/BX *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	830-020	8.62
	SCH 80 PIPE & ALL FITTINGS /		050.040	
PLUG 1IN THRD SCH80 PVC - 850-010 *SPEARS*  REDUCER 1 X 1/2IN SxS SCH80-837-130 50/bx	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	850-010	2.10
*SPEARS* TEE 1/2IN SLIP SCH80 PVC - 801-005   25/bx	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	837-130	1.62
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	801-005	2.71
TEE 3/4IN SLIP SCH80 PVC - 801-007 *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	801-007	2.84
TEE 1IN SLIP SCH80 PVC - 801-010 15/bx	SCH 80 PIPE & ALL FITTINGS /	• • • • •		
*SPEARS*  ELL 90 DEG.1/2IN SxS SCH80 PVC 20/BX 806-005	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	801-010	3.56
*SPEARS* ELL 90 1IN SxS SCH80 PVC - 806-010 25/BX	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	806-005	0.96
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	806-010	1.99
TEE 1-1/4IN SxS SCH80 PVC - 801-012 10/bx *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	801-012	9.78
ELL 45 DEG.1/2IN SxS SCH80 PVC - 817-005	SCH 80 PIPE & ALL FITTINGS /			
*SPEARS* ELL 45 DEG.3/4IN SxS SCH80 PVC - 817-007	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	817-005	1.82
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	817-007	2.78
ELL 45 DEG. 1IN SxS SCH80 PVC - 817-010 *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	817-010	4.15
COUPLING 1/2IN SxS SCH80 PVC - 829-005 *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	829-005	1.75
COUPLING 3/4IN SxS SCH80 PVC - 829-007	SCH 80 PIPE & ALL FITTINGS /	,		
*SPEARS* COUPLING 1IN SxS SCH-80 PVC - 829-010 25/BX	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	829-007	2.36
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	829-010	2.43
ADAPTER FEMALE 1/2IN SCH80 PVC - 835-005 *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	835-005	1.63
ADAPTER FEMALE 3/4IN SCH80 PVC - 835-007 25/bx	SCH 80 PIPE & ALL FITTINGS /	Sacara	935 007	2.42
*SPEARS* ADAPTER FEMALE 1IN SCH80 PVC - 835-010	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	835-007	2.43
*SPEARS* ADAPTER FEMALE 1-1/2IN SCH80 - 835-015	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	835-010	3.58
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	835-015	7.10
ADAPTER MALE 1/2IN SCH80 PVC - 836-005 *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	836-005	2.04
ADAPTER MALE 3/4IN SCH80 PVC - 836-007	SCH 80 PIPE & ALL FITTINGS /			
*SPEARS* ADAPTER MALE 1IN SCH80 PVC - 836-010 20/BX	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	836-007	2.05
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	836-010	3.89

ADAPTER MALE 1-1/2IN SCH80 PVC - 836-015 10/BX *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	836-015	5.97
REDUCER 3/4 x 1/2IN SCH80 PVC- 837-101 50/bx *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	837-101	0.56
REDUCER 1x3/4IN SxS SCH80 PVC 50/BX 837-131	SCH 80 PIPE & ALL FITTINGS /			
*SPEARS* REDUCER 1-1/2x3/4IN SxS SCH80 - 837-210	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	837-131	1.62
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	837-210	3.43
REDUCER 2x 3/4IN SxS SCH80 PVC - 837-248 *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	837-248	4.90
REDUCER 2 X 1IN SxS SCH80 PVC - 837-249	SCH 80 PIPE & ALL FITTINGS /			
*SPEARS* REDUCER 2 X 1-1/2IN SxS SCH80 - 837-251	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	837-249	4.90
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	837-251	4.90
TEE 2IN SLIP SCH80 PVC - 801-020 *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	801-020	12.23
UNION 1-1/2IN SXS SCH80 PVC - 8057-015 10/BX	SCH 80 PIPE & ALL FITTINGS /	Opears	001-020	12.20
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	8057-015	11.64
UNION 1IN SxS SCH80 PVC - 8057-010	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	8057-010	5.18
LINION APPLIA O COLLEGE COST COST CONTROL	SCH 80 PIPE & ALL FITTINGS /	0	0057.005	2.50
UNION 1/2IN SxS SCH 80 8057-005 20/BX	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	8057-005	3.58
UNION 3/4IN SxS SCH80 PVC - 34P8U 8057-007	SPEARS OR APPROVED EQUAL	Spears	8057-007	4.54
UNION 2IN SxS SCH80 PVC 2P8U 857-020 5/BX *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	857-020	15.78
ELL 90 3/4IN SCH80 PVC GRAY-806-007 20/bx	SCH 80 PIPE & ALL FITTINGS /	Opouro	001 020	
*SPEARS*	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	806-007	1.23
ELL 45 DEG 1-1/2IN SxS SCH80 - 817-015 *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	817-015	6.26
COUPLING 1-1/4IN SxS SCH80 PVC - 829-012 10/BX	SCH 80 PIPE & ALL FITTINGS /	Co.com	920.042	2.20
*SPEARS*	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	829-012	3.38
ADAPTER FEMALE 1-1/4IN SCH80 835-012 10/BX	SPEARS OR APPROVED EQUAL	Spears	835-012	5.79
PIPE 3/4IN SCH80 PVC - 20FT LENGTHS GRAY	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Silver Line		3.02
	SCH 80 PIPE & ALL FITTINGS /			
PIPE 1IN SCH80 PVC - GRAY 20FT LENGTHS	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Silver Line		4.42
PIPE 1-1/2IN SCH80 PVC	SPEARS OR APPROVED EQUAL	Silver Line		7.45
ELL 90 1-1/2IN SxF SCH80 PVC - 807-015 *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	807-015	6.63
ELL 30 1-1/2111 3AF 301100 FVC - 807-013 3F EARS	SCH 80 PIPE & ALL FITTINGS /	Opears	007-013	0.03
ELL 90 2IN SxF SCH80 PVC - 807-020 *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	807-020	8.58
VALVE 1 1/4IN BALL TRUE UNION DURA ST8-012 SCH80	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	DURA	ST8-012	42.56
DIDE 4 444N OCUPA DIVO ODAY OSET LENGTUD	SCH 80 PIPE & ALL FITTINGS /	Otherships		0.45
PIPE 1-1/4IN SCH80 PVC GRAY - 20FT LENGTHS VALVE 2IN TRUE UNION SCH80 IPEX/353011	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Silver Line		6.15
VXEBV108 EPDM O-RING	SPEARS OR APPROVED EQUAL	IPEX	353011	60.35
CROSS 1-1/2IN SLIP SCH80 PVC PART #820-015	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	820-015	21.32
	SCH 80 PIPE & ALL FITTINGS /	•	020 010	
NIPPLE 2 1/2 X CL TBE SCH80 PVC	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears		10.16
PIPE 1IN CPVC SCH80 20FT LNG	SPEARS OR APPROVED EQUAL			7.25
PIPE 3/4IN CPVC SCH80 20FT LNG	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL			6.75
ELL 90 1-1/4IN SCH80 PVC SxS - #806-012 10/bx	SCH 80 PIPE & ALL FITTINGS /			0.75
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	806-012	2.43
ELL 45 DEG.1-1/4IN SXS SCH80 - PVC PART #817-012 *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	817-012	5.28
	SCH 80 PIPE & ALL FITTINGS /			1
PIPE 4IN SCH80 PVC 20FT LENGTH	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Silver Line		28.25
ELL 3IN 90 SCH80 SxS PVC - 806-030 *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	806-030	9.03
UNION 3IN SCH80 SxS VITON O-RG - 857-030 *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	857-030	29.39

VALVE 3IN BALL TRUE UNION - VXEAV110 SCH80	SCH 80 PIPE & ALL FITTINGS /	1		
EPDM O-RING	SPEARS OR APPROVED EQUAL	IPEX	VXEAV110	438.94
ELL 45 DEG. 3IN SXS SCH80 PVC - 817-030 *SPEARS*	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	817-030	20.71
or Errito	SCH 80 PIPE & ALL FITTINGS /	5,000.0	017 000	20.77
PIPE 1/2IN CPVC SCH80 20FT LNG	SPEARS OR APPROVED EQUAL	<u></u>		7.00
	SCH 80 PIPE & ALL FITTINGS /			
PIPE 2IN CPVC SCH80 20FT LNG	SPEARS OR APPROVED EQUAL			7.50
VALVE 1/2IN BALL TRUE UNION SCH80 CPVC	SCH 80 PIPE & ALL FITTINGS /	0	2220 2050	50.00
SPEARS / 2339-005C VITON O-RING	SPEARS OR APPROVED EQUAL	Spears	2339-005C	56.82
VALVE 3/4IN BALL TRUE UNION SCH80 CPVC SPEARS / 2339-007C VITON O-RING	SCH 80 PIPE & ALL FITTINGS / SPEARS OR APPROVED EQUAL	Spears	2339-007C	108.49
VALVE 1IN BALL TRUE UNION SCH80 CPVC SPEARS /	SCH 80 PIPE & ALL FITTINGS /	Орсаго	2000-0010	100.43
2339-010C VITON O-RING	SPEARS OR APPROVED EQUAL	Spears	2339-010C	122.36
VALVE 2IN BALL TRUE UNION SCH80 CPVC SPEARS /	SCH 80 PIPE & ALL FITTINGS /			
3639-020C VITON O-RING	SPEARS OR APPROVED EQUAL	Spears	3639-020C	208.35
	SCH 80 PIPE & ALL FITTINGS /			
PIPE 3IN SCH80 PVC - 0503080	SPEARS OR APPROVED EQUAL	Silver Line		19.38
	SCH 80 PIPE & ALL FITTINGS /			
PIPE 6IN SCH80 PVC - 0506080	SPEARS OR APPROVED EQUAL	Silver Line		54.32
DIDE SIN COLISO DVC	SCH 80 PIPE & ALL FITTINGS /	Cilvertine		92.63
PIPE 8IN SCH80 PVC	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Silver Line		92.03
VALVE 1/2IN BALL SCH80 PVC SxS - 2622-005G	SPEARS OR APPROVED EQUAL	Spears	2622-005G	3.83
THE TENT BALL GOLIGO I TO GAO - 2022 0000	SCH 80 PIPE & ALL FITTINGS /	Opears	2022 0000	0.00
REDUCER 1/2 X 1/4IN SxF SCH80 - 838-072 *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	838-072	1.54
REDUCER 3/4 X 1/4IN SxF SCH80 - 838-098	SCH 80 PIPE & ALL FITTINGS /			
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	838-098	1.02
	SCH 80 PIPE & ALL FITTINGS /			
PIPE 1/2IN SCH80 PVC - 0505080	SPEARS OR APPROVED EQUAL	Silver Line		2.22
	SCH 80 PIPE & ALL FITTINGS /			
TEE 3IN SxSxS SCH 80 801-030	SPEARS OR APPROVED EQUAL	Spears	801-030	16.60
COLIDI INC 201 CC COLIDA 820 020 E/DV #CDEADC#	SCH 80 PIPE & ALL FITTINGS /	S	920,020	10.07
COUPLING 3IN SxS SCH80 829-030 5/BX *SPEARS*	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	829-030	12.07
REDUCER 8IN X 6IN SCH80	SPEARS OR APPROVED EQUAL	Spears		63.15
TEDOOLIC ON A ON OCTIO	SCH 80 PIPE & ALL FITTINGS /	Opedio		00.10
COUPLING 8IN SxS SCH80	SPEARS OR APPROVED EQUAL	Spears		44.28
	SCH 80 PIPE & ALL FITTINGS /			
TEE 4IN SxSxS SCH80 801-040	SPEARS OR APPROVED EQUAL	Spears	801-040	19.24
REDUCER 4IN X 1IN SxTHRD SCH80 - 4IN SLIPx1IN	SCH 80 PIPE & ALL FITTINGS /			
THRD	SPEARS OR APPROVED EQUAL	Spears		65.00
ADAPTER 4IN FEMALE SCH80 PVC - 835-040	SCH 80 PIPE & ALL FITTINGS /	Canada	925.040	27.70
*SPEARS*	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	835-040	37.79
ELL 45 DEG 4IN SCH80 PVC -817-040 *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	817-040	37.28
ELE 43 DEG 4IN 301 IBO F VO -017-040 SI EARO	SCH 80 PIPE & ALL FITTINGS /	Opears	017-040	37.20
CROSS 3IN SLIP SCH80	SPEARS OR APPROVED EQUAL	Spears		44.90
	SCH 80 PIPE & ALL FITTINGS /			1
ADAPTER 4IN MALE SCH80 836-040 *SPEARS*	SPEARS OR APPROVED EQUAL	Spears	836-040	21.19
REDUCER 1 1/2 X 1 1/4 SCH80 25/BX 837-212	SCH 80 PIPE & ALL FITTINGS /			
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	837-212	3.14
VALVE 1 1/2IN BALL TRUE UNION SCH80 IPEX /	SCH 80 PIPE & ALL FITTINGS /			
353009 VXEB107 EPDM O-RING	SPEARS OR APPROVED EQUAL	IPEX	353009	44.89
DEDUCED 4 V 2 COLUMN DV 2 COZ 400 +0DEADO*	SCH 80 PIPE & ALL FITTINGS /	C	007.400	40.07
REDUCER 4 X 3 SCH80 PVC 837-422 "SPEARS"  ADAPTER 3/4x1IN - MPTxS - SCH80 836-102 50/BX	SPEARS OR APPROVED EQUAL SCH 80 PIPE & ALL FITTINGS /	Spears	837-422	18.67
*SPEARS*	SPEARS OR APPROVED EQUAL	Spears	836-102	4.40
	SI ENIO ON AI PROVED EQUAL	<del>' '                                  </del>		
VALVE 2IN PVC CHECK T/U / FKM or VITON O-RING		Chemtrol / Nibco	U45BCV	125.02
VALVE 2IN BALL CHK TRU UNION / FKM O-RING		Spears	2239-020	206.05
UNION 1-1/2IN SxS SCH40 PVC		Spears	457-015	8.18
16. STAINLESS STEEL				
	STAINI ESS STEEL	Ford	51 SS	1.24
INSERT 3/4IN FOR POLY TUBING - 51 SS INSERT 1IN S.S.FOR POLY TUBING - INSERT -52	STAINLESS STEEL	FUIG	3133	1.24
100/B0X	STAINLESS STEEL	Ford	52 SS	1.31
			_	
INSERT 1-1/2IN FOR POLY TUBING - 54 SS	STAINLESS STEEL	Ford	54 SS	1.81

INSERT 2IN SS FOR POLY TUBING - INSERT-55	STAINLESS STEEL	Ford	55 SS	1.81
NIPPLE 1 1/4" X CL 316 SS	STAINLESS STEEL		316 SS	4.76
PIPE 2IN SCH40 SS 316/316L	STAINLESS STEEL		316 SS	50.67
NIPPLE 2x6 SCHD 40 - 316 S.S.	STAINLESS STEEL		316 S.S.	23.43
NIPPLE 2X6IN SCH/40 - 304/SS	STAINLESS STEEL		304 S.S.	16.22
NIPPLE 1 1/2 X 3IN S.S.	STAINLESS STEEL			9.35
17. TAP SADDLES, ALL TYPES / SMITH-BLAIR OR	OT WITCH THE STATE OF THE STATE			0.00
APPROVED EQUAL				
	TAP SADDLES, ALL TYPES / SMITH-BLAIR OR APPROVED			
SADDLE 2"x1" TAP S/B 2.35-2.56 315-025608-000	EQUAL	Smith Blair	315-025608-000	27.39
	TAP SADDLES, ALL TYPES /			
SADDLE TAP 3" X 1" S/B 2.97 - 3.54 315-035408-	SMITH-BLAIR OR APPROVED EQUAL	Smith Blair	315-035408-000	28.49
	TAP SADDLES, ALL TYPES /	Sittlet biali	313-033406-000	20.49
SADDLE TAP 3" X 1" D/B 2.97 - 3.54 317-035408-	SMITH-BLAIR OR APPROVED			
000	EQUAL	Smith Blair	317-035408-000	49.23
SADDLE TAP 3-4" X 2" D/B 3.74-4.13 317-041314-	TAP SADDLES, ALL TYPES / SMITH-BLAIR OR APPROVED			
000	EQUAL	Smith Blair	317-041314-000	55.27
	TAP SADDLES, ALL TYPES /			
SADDLE 4 X 1 TAP S/B 3.74-4.55 315-00045508-000	SMITH-BLAIR OR APPROVED EQUAL	Smith Blair	245 00045500 000	27.02
SAUDLE 4 X 1 TAP 5/B 3.74-4.55 315-00045506-000	TAP SADDLES, ALL TYPES /	Similin blair	315-00045508-000	21.02
SADDLE 4" X 1-1/2" TAP D/B 5.00 - 5.63 317-	SMITH-BLAIR OR APPROVED			
056312-000	EQUAL	Smith Blair	317-056312-000	50.85
SADDLE 4" X 2" TAP S/B 4.74 - 5.63 315-056314-	TAP SADDLES, ALL TYPES / SMITH-BLAIR OR APPROVED			
100	EQUAL	Smith Blair	315-056314-000	34.50
	TAP SADDLES, ALL TYPES /			
SADDLE TAP 6"x1" S/B 5.94 - 6.90 315-066308-000 *8	SMITH-BLAIR OR APPROVED	One little Differie	045 000000 000	00.07
PER BX*	TAP SADDLES, ALL TYPES /	Smith Blair	315-066308-000	30.27
	SMITH-BLAIR OR APPROVED			
SADDLE 6 X 1-1/2 TAP S/B 6.84-7.60 315-076012-000	EQUAL	Smith Blair	315-076012-000	37.68
SADDLE 6" X 2" TAP D/B 6.84 - 7.60 317-076014-	TAP SADDLES, ALL TYPES / SMITH-BLAIR OR APPROVED			
000 ST7-076014-	EQUAL	Smith Blair	317-076014-000	64.32
	TAP SADDLES, ALL TYPES /	5111111 51111		
SADDLE 6" X 2" TAP S/B 6.84 - 7.60 315-076014-	SMITH-BLAIR OR APPROVED	O Mr. Divis	045 070044 000	07.00
000	TAP SADDLES, ALL TYPES /	Smith Blair	315-076014-000	37.68
SADDLE 8"x2" TAP SB 8.54 - 10.10 315-00101014-	SMITH-BLAIR OR APPROVED			
000	EQUAL	Smith Blair	315-00101014-000	45.35
24DD1 F 01 V 01 TAD DID	TAP SADDLES, ALL TYPES /			
SADDLE 8" X 2" TAP D/B 8.54 - 10.10 317-101014-	SMITH-BLAIR OR APPROVED EQUAL	Smith Blair	317-101014-000	74.87
	TAP SADDLES, ALL TYPES /			
SADDLE 10" X 1-1/2" TAP D/B - 10.75-11.10 317-	SMITH-BLAIR OR APPROVED			
111012	TAP SADDLES, ALL TYPES /	Smith Blair	317-111012	81.07
SADDLE 10" X 2" TAP D/B 10.64-12.12 317-121214-	SMITH-BLAIR OR APPROVED			
100	EQUAL	Smith Blair	317-121214-000	87.42
	TAP SADDLES, ALL TYPES /			
SADDLE 10" X 2" TAP S/B 10.64 - 12.12 315- 21214-000	SMITH-BLAIR OR APPROVED EQUAL	Smith Blair	315-121214-000	50.94
£1217-000	TAP SADDLES, ALL TYPES /	Gilliai Diali	310-121214-000	50.34
SADDLE 12"x 1" TAP 12.62 - 14.32 SB 315-	SMITH-BLAIR OR APPROVED			
0143208-000	EQUAL	Smith Blair	315-00143208-000	46.14
CADDLE 40" V 4" TAD D/D 40.00 44.00 947	TAP SADDLES, ALL TYPES /			
SADDLE 12" X 1" TAP D/B 12.62 - 14.32 317- 43208-000	SMITH-BLAIR OR APPROVED EQUAL	Smith Blair	317-143208-000	87.71
	TAP SADDLES, ALL TYPES /	Omini Didii	5.1. 110E00-000	01.11
SADDLE 12" X 1-1/2" TAP D/B 12.62 - 14.32 317-	SMITH-BLAIR OR APPROVED			
143212-000	EQUAL	Smith Blair	317-143212-000	93.94

SADDLE 12" X 1-1/2" TAP D/B 12.75 - 13.20 317-	TAP SADDLES, ALL TYPES / SMITH-BLAIR OR APPROVED			
32012-000	EQUAL	Smith Blair	317-132012-000	93.94
	TAP SADDLES, ALL TYPES /			
SADDLE 12" X 2" TAP D/B 12.62 - 14.32 317-	SMITH-BLAIR OR APPROVED			
43214-000	EQUAL	Smith Blair	317-143214-000	100.49
tal management	TAP SADDLES, ALL TYPES /			
SADDLE 16" X 1" TAP D/B 17.40 - 18.88 317-	SMITH-BLAIR OR APPROVED	j		
88808-000	EQUAL	Smith Blair	317-188808-000	126.20
6	TAP SADDLES, ALL TYPES /			
SADDLE 16" X 1-1/2" TAP D/B 15.95 - 17.25 317-	SMITH-BLAIR OR APPROVED			
72512-000	EQUAL	Smith Blair	317-172512-000	125.03
	TAP SADDLES, ALL TYPES /			
ADDLE 16-18" X 1-1/2" TAP D/B 17.40-18.88 317-	SMITH-BLAIR OR APPROVED			
88812-000	EQUAL	Smith Blair	317-188812-000	134.90
	TAP SADDLES, ALL TYPES /			
SADDLE 16" X 2" TAP D/B 17.40-18.88 317-	SMITH-BLAIR OR APPROVED		]	
88814-000	EQUAL	Smith Blair	317-188814-000	134.90
	TAP SADDLES, ALL TYPES /	0	0.1.100017000	
ADDLE 18" X 1" TAP D/B 19.00-20.50 JCM	SMITH-BLAIR OR APPROVED			
45320	EQUAL	JCM	645320	305.56
TOVEV	TAP SADDLES, ALL TYPES /	UOIN	010020	555.00
ADDLE 20" X 1" TAP D/B 21.35 - 22.60 JCM 406-	SMITH-BLAIR OR APPROVED			
		ICM	ANG COGNYOUR	212 50
260X08IP	EQUAL TYPES /	JCM	406-2260X08IP	312.50
AADDIE 008 V 08 TAD D/D   01 05   00 00   1011   100	TAP SADDLES, ALL TYPES /			
SADDLE 20" X 2" TAP D/B 21.35 - 22.60 JCM 406-	SMITH-BLAIR OR APPROVED	1014	400 000004445	240.00
2260X14IP	EQUAL	JCM	406-2260X14IP	340.28
	TAP SADDLES, ALL TYPES /			
SADDLE 24-26" X 1" TAP D/B 25.50-26.50 JCM	SMITH-BLAIR OR APPROVED			
I06-2650X08IP	EQUAL	JCM	406-2650X08IP	348.62
	TAP SADDLES, ALL TYPES /		1	
SADDLE TAP 3-4" X 2" S/B 3.74 - 4.55 315-	SMITH-BLAIR OR APPROVED			
00045514-000	EQUAL	Smith Blair	315-00045514-000	33.98
	TAP SADDLES, ALL TYPES /		,	
SADDLE 14" X 2" TAP D/B 14.73 - 15.65 317-	SMITH-BLAIR OR APPROVED	1		
156514-000	EQUAL	Smith Blair	317-156514-000	112.08
	TAP SADDLES, ALL TYPES /			
SADDLE 8"x1" TAP S/B 8.54 - 10.10 315-101008-	SMITH-BLAIR OR APPROVED			
000	EQUAL	Smith Blair	315-101008-000	38.17
	TAP SADDLES, ALL TYPES /			
	SMITH-BLAIR OR APPROVED			
SADDLE TAP 4"x1" S/B 4.74 - 5.63 315-056308-000	EQUAL	Smith Blair	315-056308-000	27.63
SADDEL TAL 4 XT 0/B 4.74 5.00 010 00000 000	TAP SADDLES, ALL TYPES /	Cimur Dian	0.000000000	27.00
CADDLE TAD 16", 1" C/D EODD 17.40 19.40 EC	SMITH-BLAIR OR APPROVED			
SADDLE TAP 16"x1" S/B FORD 17.40-18.40 FC-	EQUAL	Ford	FC-202-1840-IP4	158.11
202-1840-IP4		FOIG	FU-202-1040-1F4	130.11
2ADDLE 408 48 TAD 0/D 40.04 40.40 045 404600	TAP SADDLES, ALL TYPES /	1		
SADDLE 10" x 1" TAP S/B 10.64 - 12.12 315-121208-	SMITH-BLAIR OR APPROVED	Operated Direct	245 404000 000	44.70
000	EQUAL	Smith Blair	315-121208-000	41.70
	TAP SADDLES, ALL TYPES /			
	SMITH-BLAIR OR APPROVED			
SADDLE 6"x 2" TAP D/B 5.94 - 6.90 317-069014-000	EQUAL	Smith Blair	317-069014-000	63.31
	TAP SADDLES, ALL TYPES /			
SADDLE 2 1/2" X 1 1/2" S/B 2.44 - 2.91 315-	SMITH-BLAIR OR APPROVED			
029112-000	EQUAL	Smith Blair	315-029112-000	32.96
18. TOOLS, SHOVELS, RAKES / REED, 3M,				
RAZORBACK OR APPROVED EQUAL			<u> </u>	
	TOOLS, SHOVELS, RAKES /			
	REED, 3M, RAZORBACK OR			
WRENCH FOR LOCKING LID - VALVE BOX 59WL	APPROVED EQUAL		59WL	12.50
	TOOLS, SHOVELS, RAKES /	1		
BLADE FOR 18IN PVC SAW - PPS18B REED *PER	REED, 3M, RAZORBACK OR			
EA.*	APPROVED EQUAL	Reed	PPS18B	12.65
-A.		1,000	110100	12.03
	TOOLS, SHOVELS, RAKES			İ
CAMULIAND AGIN FOR DICC. PROVIDED ARES SA	REED, 3M, RAZORBACK OR	0	DDC40	40.07
	APPROVED EQUAL	Reed	PPS18	18.97
SAW HAND 18IN FOR PVC - PPS18 REED *PER EA.*	<del></del>		1	
SAVY HAND TOIN FOR PVC - PPS TO REED PER EA.	TOOLS, SHOVELS, RAKES /			
HOOK MANHOLE COVER - P553	<del></del>		P553	29.27

	TOOLS, SHOVELS, RAKES /	1	1	
PROBE FIBERGLASS W/TEE HANDLE - 4FT	REED, 3M, RAZORBACK OR APPROVED EQUAL			29.00
TRODE HIDEROLAGO WITCH HANDLE - 41 T	TOOLS, SHOVELS, RAKES /			23.00
MODENCIA DI UNITADI E UNIDOANIT. AURA	REED, 3M, RAZORBACK OR			00.00
WRENCH ADJUSTABLE HYDRANT - AHW	APPROVED EQUAL TOOLS, SHOVELS, RAKES /			26.98
	REED, 3M, RAZORBACK OR			
SHOVEL ROUND-POINT RAZORBACK - 65UF45520	APPROVED EQUAL	Union Tools	65UF45520	25.13
	TOOLS, SHOVELS, RAKES /			
SHOVEL SQUARE-POINT RAZORBACK - 65UF44124	REED, 3M, RAZORBACK OR APPROVED EQUAL	Union Tools	65UF44124	25.13
orioved against 1 and 1	TOOLS, SHOVELS, RAKES /	CHICH TOOLS	000111121	20.10
	REED, 3M, RAZORBACK OR	1		
CUTTER PVC PIPE 1-1/2IN - REED RS1	APPROVED EQUAL	Reed	RS1	56.88
	TOOLS, SHOVELS, RAKES / REED, 3M, RAZORBACK OR			
WRENCH VALVE KEY TELESCOPIC - 2x4-8FT STEEL	APPROVED EQUAL			136.32
	TOOLS, SHOVELS, RAKES /			
BLADE FOR 2" P.V.C. CHRISTY / RED RAZOR CUTTER	REED, 3M, RAZORBACK OR	Christy	TC.2	20 E4
*TC-2* 65TC2	APPROVED EQUAL TOOLS, SHOVELS, RAKES /	Christy	10.2	39.51
	REED, 3M, RAZORBACK OR			
BLADE 1-1/2IN RATCHET SHEARS - RS-1B REED	APPROVED EQUAL	Reed	RS-1B	25.96
	TOOLS, SHOVELS, RAKES /			
SHOVEL 6 INCH TRENCH - 47026 RAZOR-BACK	REED, 3M, RAZORBACK OR APPROVED EQUAL	Razor Back	47026	21.93
ONOVEE O INON INCHON - 47 020 TO 2017-DAON	TOOLS, SHOVELS, RAKES /	Nazor Back	47020	21.33
	REED, 3M, RAZORBACK OR			
WRENCH VALVE OPERATING 2IN SQ. X 6FT LONG	APPROVED EQUAL			95.00
CUTTER PVC RATCHET 2IN CHRISTY / RED RAZOR	TOOLS, SHOVELS, RAKES / REED, 3M, RAZORBACK OR			
TC.PC.2 65TCPCR2	APPROVED EQUAL	Christy	TC.PC.2	99.00
	TOOLS, SHOVELS, RAKES /			
110 0 V 114 1 1 1 0 1 5 00 1 1	REED, 3M, RAZORBACK OR	-		
HOOK MANHOLE 36IN	APPROVED EQUAL TOOLS, SHOVELS, RAKES /			32.93
	REED, 3M, RAZORBACK OR			
SHOVEL 4 INCH TRENCH - 47171 RAZOR-BACK	APPROVED EQUAL	Razor Back	47171	30.19
19. VALVES/GATE, STEEL/CLOW, DEZURIK,				
KENNEDY, MUELLER OR APPROVED EQUAL	VALVES/GATE.	-		
	STEEL/CLOW.DEZURIK.			
	KENNEDY, MUELLER OR			
VALVE 2IN GATE KENNEDY FG#4597 - 200W / IRON	APPROVED EQUAL	Kennedy	4597 - 200W	374.53
	VALVES/GATE, STEEL/CLOW,DEZURIK,			
	KENNEDY, MUELLER OR			
VALVE 4IN PLUG DEZURIK - FIG118.F.6.RS26.ANG	APPROVED EQUAL	Dezurik	FIG118.F.6.RS26.ANG	432.38
	VALVES/GATE,			
	STEEL/CLOW,DEZURIK, KENNEDY, MUELLER OR			
VALVE 4IN CHECK FLANGED	APPROVED EQUAL	Clow		560.74
	VALVES/GATE,			
	STEEL/CLOW, DEZURIK,	1		
VALVE 4IN GATE F6100 MJ - R/S	KENNEDY, MUELLER OR APPROVED EQUAL	Clow	F6100 MJ - R/S	404.30
THE THE WITE LOUVE HOTIVO	VALVES/GATE,	OIO#	10100 100-100	
	STEEL/CLOW,DEZURIK,			
VALVE SIN CATE ESTOS MIL DIS 1/400	KENNEDY, MUELLER OR	Olave	E6400 441 D/0	646.04
VALVE 6IN GATE F6100 MJ - R/S L/ACC	APPROVED EQUAL VALVES/GATE.	Clow	F6100 MJ - R/S	515.91
	STEEL/CLOW,DEZURIK,			
	KENNEDY, MUELLER OR		1	
VALVE 6" GATE F6106 MJ / FLANGE	APPROVED EQUAL	Clow	F6106 MJ/FLANGE	518.33
	VALVES/GATE, STEEL/CLOW,DEZURIK,			
	KENNEDY, MUELLER OR			
VALVE 8IN GATE F6100 MJ - R/S	APPROVED EQUAL	Clow	F6100 MJ - R/S	821.72

I	VALVES/GATE,	I	I	I	1
	STEEL/CLOW,DEZURIK,				
WALVE ON CATE DIVE THE IDON FOACO OF ON	KENNEDY, MUELLER OR		50400		
VALVE 2IN GATE/RW F-THD. IRON - F6103 CLOW	APPROVED EQUAL VALVES/GATE.	Clow	F6103	246.73	_
	STEEL/CLOW,DEZURIK,				
	KENNEDY, MUELLER OR				
VALVE 10IN GATE F6100 MJ R/S	APPROVED EQUAL	Clow	F6100 MJ R/S	1,281.30	_
	VALVES/GATE,				
	STEEL/CLOW,DEZURIK, KENNEDY, MUELLER OR				
VALVE 12IN GATE F6100 MJ - R/S	APPROVED EQUAL	Clow	F6100 MJ - R/S	1,621.32	
	VALVES/GATE,				
	STEEL/CLOW,DEZURIK,				
VALVE 12IN PLUG W/GEAR & 2NUT - 10785901052255	KENNEDY, MUELLER OR APPROVED EQUAL		10785901052255	2,339.43	
114.72	VALVES/GATE,		1070001002200	2,000.10	ヿ
	STEEL/CLOW, DEZURIK,				
VALVE 2IN FLANGED PLUG DEZURIK W/BURIED	KENNEDY, MUELLER OR	Danuelle		244.62	
SERV. ADAPT	APPROVED EQUAL VALVES/GATE.	Dezurik		244.63	-
	STEEL/CLOW, DEZURIK,				
	KENNEDY, MUELLER OR				
VALVE 3IN FLANGED KENNEDY SPRING & LEVER	APPROVED EQUAL	Kennedy	17	725.33	4
	VALVES/GATE, STEEL/CLOW,DEZURIK,				
VALVE 2IN CHECK FLANGED KENNEDY SPRING &	KENNEDY, MUELLER OR				
LEVER	APPROVED EQUAL	Kennedy		631.98	
	VALVES/GATE,				
	STEEL/CLOW,DEZURIK, KENNEDY, MUELLER OR		F6100 MJ RW L/ACC		
VALVE 3IN GATE F6100 MJ RW L/ACC - R/S	APPROVED EQUAL	Clow	- R/S	361.80	
	VALVES/GATE,				7
	STEEL/CLOW, DEZURIK,				ŀ
VALVE 16IN MJ GATE - F6100 W/SQ OPERATING NUT	KENNEDY, MUELLER OR APPROVED EQUAL	Clow	F6100	3,454.46	
VALVE TOTAL WIS CATE - TOTAL WIS GOT ETATING NOT	VALVES/GATE.	Olow	10100	3,434.40	┥
	STEEL/CLOW,DEZURIK,				
VALVE CINTARRING FORMA MURIN	KENNEDY, MUELLER OR		50444 141 514	700.40	
VALVE 6IN TAPPING F6114 MJ RW	APPROVED EQUAL VALVES/GATE.		F6114 MJ RW	720.48	$\dashv$
	STEEL/CLOW,DEZURIK,				
VALVE 3IN GATE F6102 R/S - FLANGED W/HAND	KENNEDY, MUELLER OR			1	
WHEEL	APPROVED EQUAL		F6102 R/S	358.69	4
	VALVES/GATE, STEEL/CLOW,DEZURIK,			[	-
	KENNEDY, MUELLER OR				
VALVE 6IN CHECK SPR & LVR - KENNEDY #106LS	APPROVED EQUAL	Kennedy	106LS	1,149.18	_
	VALVES/GATE,		14		
VALVE 6IN PLUG DEZURIK #F118N - FLANGED W/2IN	STEEL/CLOW,DEZURIK, KENNEDY, MUELLER OR				
OP NUT	APPROVED EQUAL	Dezurik	F118N	605.75	
	VALVES/GATE,		,		7
VALVE ON DEZUDIK BUIG ELANGED. ON OD	STEEL/CLOW,DEZURIK,				
VALVE 8IN DEZURIK PLUG FLANGED - 2IN OP NUT/#F118N	KENNEDY, MUELLER OR APPROVED EQUAL	Dezurik	F118N	1,174.66	
	VALVES/GATE,	DOLUIN	1 1 1004	, ,,,,,,,,,,	7
	STEEL/CLOW,DEZURIK,				
VALVE 4IN KENNEDY SPRING/LEVER - FLANGED	KENNEDY, MUELLER OR	Vannadi.	1000	054.00	
STYLE 106SL	APPROVED EQUAL VALVES/GATE.	Kennedy	106SL	854.30	$\dashv$
	STEEL/CLOW,DEZURIK,				109 18
	KENNEDY, MUELLER OR				
VALVE 2 1/2" GATE/RW THRD F6103 CLOW	APPROVED EQUAL	Clow	F6103	305.47	_
	VALVES/GATE, STEEL/CLOW,DEZURIK,				
	KENNEDY, MUELLER OR				
VALVE 2IN GATE/RW F-THD. IRON MUELLER	APPROVED EQUAL	Mueller	2" A2360-8	312.19	

	VALVES/GATE, STEEL/CLOW,DEZURIK, KENNEDY, MUELLER OR			
VALVE 2 1/2" GATE/RW THRD MUELLER	APPROVED EQUAL	Mueller	2 1/2" A2360-8	386.59
	VALVES/GATE,			
	STEEL/CLOW,DEZURIK,			
	KENNEDY, MUELLER OR			
VALVE 3IN GATE MJ RW L/ACC - R/S MUELLER	APPROVED EQUAL	Mueller	3" A2361-23	457.69
	VALVES/GATE,			
	STEEL/CLOW,DEZURIK, KENNEDY, MUELLER OR			
VALVE 4IN GATE MJ - R/S MUELLER	APPROVED EQUAL	Mueller	4" A2361-23	511.43
VALVE TIN GATE 1010-100 MIDELLEIN	VALVES/GATE.	Midellet	4 A2301-23	311.43
	STEEL/CLOW,DEZURIK,			
	KENNEDY, MUELLER OR			
VALVE 6IN GATE MJ - R/S L/ACC MUELLER	APPROVED EQUAL	Mueller	6" A2361-23	652.32
	VALVES/GATE,			
•	STEEL/CLOW,DEZURIK,			
<u> </u>	KENNEDY, MUELLER OR			
VALVE 6" GATE MJ / FLANGE MUELLER	APPROVED EQUAL	Mueller	6" A2361-19	910.95
	VALVES/GATE,			
	STEEL/CLOW,DEZURIK, KENNEDY, MUELLER OR			j l
VALVE 8IN GATE MJ - R/S MUELLER	APPROVED EQUAL	Mueller	8" A2361-23	1.038.94
VALVE ON OATE MID-100 MIDELLEIN	VALVES/GATE.	Mideliei	0 A2301-23	1,030.34
	STEEL/CLOW,DEZURIK,			
	KENNEDY, MUELLER OR			
VALVE 10IN GATE MJ R/S MUELLER	APPROVED EQUAL	Mueller	10" A2361-23	1,619.90
	VALVES/GATE,			
	STEEL/CLOW,DEZURIK,			
	KENNEDY, MUELLER OR	1		
VALVE 12IN GATE MJ - R/S MUELLER	APPROVED EQUAL	Mueller	12" A2361-23	2,049.76
	VALVES/GATE,			
VALVE 16IN MJ GATE W/SQ OPERATING NUT	STEEL/CLOW,DEZURIK, KENNEDY, MUELLER OR			
MUELLER	APPROVED EQUAL	Mueller	16" A2361-23	6.870.72
WIOLLLIN	AFFROVED EQUAL	ividellei	10 A2301-23	0,010.12



### CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 02/02/2022

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

COVEDACES	CEDTIFICATE NUMBER, W23874169	DEVISION NUMBER.		
		INSURER F:		
		INSURER E:		
Saint Louis, MO 63146		INSURER D:		
1830 Craig Park Court		INSURER C: ACE Property & Casualty Insurance Company 2		
INSURED Core & Main LP		INSURER B: Willis Submission Carrier	GENRC	
		INSURER A: National Union Fire Insurance Company of P	19445	
Nashville, TN 372305191 USA		INSURER(S) AFFORDING COVERAGE	NAIC#	
P.O. Box 305191		E-MAIL ADDRESS: certificates@willis.com		
		PHONE (A/C, No, Ext): 1-877-945-7378 FAX (A/C, No): 1-888-	-467-2378	
		CONTACT Willis Towers Watson Certificate Center		
this certificate does not comer rights to the certificate noider in ned of such endorsement(s).				

#### COVERAGES CERTIFICATE NUMBER: W23874169 REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMIT	s	
	X COMMERCIAL GENERAL LIABILITY						EACH OCCURRENCE	\$	1,000,000
	CLAIMS-MADE X OCCUR						DAMAGE TO RENTED PREMISES (Ea occurrence)	\$	1,000,000
A	X SIR: \$500,000*						MED EXP (Any one person)	\$	15,000
		Y	Y	GL 1728964	08/01/2021	08/01/2022	PERSONAL & ADV INJURY	\$	1,000,000
	GEN'L AGGREGATE LIMIT APPLIES PER:						GENERAL AGGREGATE	\$	2,000,000
	POLICY PRO- X LOC						PRODUCTS - COMP/OP AGG	\$	2,000,000
	OTHER:							\$	
	AUTOMOBILE LIABILITY						COMBINED SINGLE LIMIT (Ea accident)	\$	2,000,000
	× ANY AUTO						BODILY INJURY (Per person)	\$	
В	OWNED SCHEDULED AUTOS	Y	Y	SEE ATTACHED	08/01/2021	08/01/2022	BODILY INJURY (Per accident)	\$	
	HIRED NON-OWNED AUTOS ONLY					PROPERTY DAMAGE (Per accident)	\$		
								\$	
С	X UMBRELLA LIAB X OCCUR						EACH OCCURRENCE	\$	5,000,000
	EXCESS LIAB CLAIMS-MADE			XEU G72535613 001	08/01/2021	08/01/2022	AGGREGATE	\$	5,000,000
	DED RETENTION\$							\$	
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY						X PER OTH-ER		
В	ANYPROPRIETOR/PARTNER/EXECUTIVE T/N	N/A	Y	SEE ATTACHED	09/01/2021	08/01/2022	E.L. EACH ACCIDENT	\$	1,000,000
	(Mandatory in NH)		_	SEE ATTACHED	00/01/2021	00/01/2022	E.L. DISEASE - EA EMPLOYEE	\$	1,000,000
	If yes, describe under DESCRIPTION OF OPERATIONS below						E.L. DISEASE - POLICY LIMIT	\$	1,000,000
В	Additional Lines of Coverage			SEE ATTACHED	08/01/2021	08/01/2022			

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
Re: Suppliers for Water & Sewer Products, Contract #20220016

\* General Liability: The \$1,000,000 per Occurrence and \$2,000,000 Aggregate limits displayed is a combination of \$500,000 Self-Insured Retention and \$500,000 Per Occurrence /\$1,500,000 Aggregate limits of liability provided by the carrier noted above.

CERTIFICATE HOLDER	CANCELLATION
	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
City of Port St. Lucie Procurement Management Department	AUTHORIZED REPRESENTATIVE
121 S.W. Port St. Lucie Blvd.	Moley
Port St. Lucie, FL 34984-5099	ff 1 they

© 1988-2016 ACORD CORPORATION. All rights reserved.

AGENCY CUSTOMER ID:	
1.00 #.	



# ADDITIONAL REMARKS SCHEDULE

Page 2 of 2

AGENCY Willis Towers Watson Northeast, Inc.	NAMED INSURED Core & Main LP 1830 Craig Park Court Saint Louis, MO 63146	
POLICY NUMBER See Page 1		
CARRIER	NAIC CODE	
See Page 1	See Page 1	EFFECTIVE DATE: See Page 1

POLICY NUMBER See Page 1		Saint Louis, MO 63146			
-					
CARRIER See Page 1	NAIC CODE				
See Page 1	See Page 1	EFFECTIVE DATE: See Page 1			
ADDITIONAL REMARKS					
THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACC					
FORM NUMBER: 25 FORM TITLE: Certificate of	Liability	Insurance			
City of Port St. Lucie, a municipality of the Sta Additional Insureds as respects to General Liabil		ida, its officers, agents and employees are included as to Liability where required by written contract.			
General Liability and Auto Liability policies sha purchased by Additional Insureds where required by		ary to any other insurance in force for or which may be contract.			
Waiver of Subrogation applies in favor of Addition Workers Compensation where required by written co		ds with respects to General Liability, Auto Liability and as permitted by law.			
Coverage for Contractual Liability, Severability Liability policy.	of Interes	ts and Separation of Insureds are provided under General			

ACORD 101 (2008/01)

© 2008 ACORD CORPORATION. All rights reserved.

CERT: W23874169

## THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

# ADDITIONAL INSURED - DESIGNATED PERSON OR ORGANIZATION

This endorsement modifies insurance provided under the following:

COMMERCIAL GENERAL LIABILITY COVERAGE PART

#### **SCHEDULE**

Name Of Additional Insured Person(s) Or Organization(s):	
ANY PERSON OR ORGANIZATION WHOM YOU BECOME OBLIGATED TO INCLUDE A ADDITIONAL INSURED AS A RESULT OF ANY CONTRACT OR AGREEMENT YOU HENTERED INTO.	

Information required to complete this Schedule, if not shown above, will be shown in the Declarations.

- A. Section II Who Is An Insured is amended to include as an additional insured the person(s) or organization(s) shown in the Schedule, but only with respect to liability for "bodily injury", "property damage" or "personal and advertising injury" caused, in whole or in part, by your acts or omissions or the acts or omissions of those acting on your behalf:
  - In the performance of your ongoing operations; or
  - 2. In connection with your premises owned by or rented to you.

#### However:

- The insurance afforded to such additional insured only applies to the extent permitted by law; and
- 2. If coverage provided to the additional insured

- is required by a contract or agreement, the insurance afforded to such additional insured will not be broader than that which you are required by the contract or agreement to provide for such additional insured.
- B. With respect to the insurance afforded to these additional insureds, the following is added to Section III - Limits Of Insurance:

If coverage provided to the additional insured is required by a contract or agreement, the most we will pay on behalf of the additional insured is the amount of insurance:

- 1. Required by the contract or agreement; or
- Available under the applicable Limits of Insurance shown in the Declarations;

whichever is less.

This endorsement shall not increase the applicable Limits of Insurance shown in the Declarations.

## ADDITIONAL COVERAGE SCHEDULE

## **AUTOMOBILE LIABILITY**

Policy Effective & Expiration Dates: See Page 1

Limits: See Page 1

POLICY NUMBER	STATE	INSURER(S) AFFORDING COVERAGE
CA 4594395	All Other States	National Union Fire Insurance Company of Pittsburgh
CA 4594397	MA	National Union Fire Insurance Company of Pittsburgh
CA 4594396	VA	National Union Fire Insurance Company of Pittsburgh

## **WORKERS COMPENSATION & EMPLOYERS LIABILITY**

Policy Effective & Expiration Dates: See Page 1 Limits:

See Page 1

POLICY NUMBER	STATE	INSURER(S) AFFORDING COVERAGE		
WC 016393321	All Other States	AIU Insurance Company		
WC 016393322	CA	AIU Insurance Company		
WC 016393323	WI	AIU Insurance Company		
WC 016393324	NY	AIU Insurance Company		

EXCESS LIABILITY					
Policy Effective & Expiration Dates: 08/01/2021-08/01/2022					
POLICY NUMBER	TYPE OF INSURANCE	LIMITS	INSURER(S) AFFORDING COVERAGE		
MKLM6MM50000028	Excess General Liability	\$5,000,000 xs \$1,000,000 Primary	Markel Insurance Company		
NY21RXSZ02HYLIV	Excess Automobile Liability	\$3,000,000 xs \$2,000,000 Primary	Navigators Insurance Company		

<sup>\*</sup>Umbrella Liability shown on Page 1 applies after above shown limits are exhausted for their respective lines of coverage