

Landscape Data

Total:

	Required Tree Credits:	Provided Tree Credits:
Perimeter: (4349'/ 30')	145	145
Entrance: (220'/ 15')	15	15
Street Tree: (12,052'/ 60')	201	201
Total:	361	361

*All tree credits are counted 1:1 & 2:1 per Appendix C Table 1 'Approved Trees & Shrubs' in the PSL Landscape Code.

	Required Shrub Credits:	Provided Shrub Credits:
erimeter: 349'/2')	1909	1909
ntrance: 20'/2)	110	110

2019

Notes:

2019

Alternate Species may be used to satisfy Street Tree requirements depending on planting space & species availability. Alternates are as follows:

Quercus virginiana- Live Oak

Swietenia mahagoni- Mahogany Southern Magnolia- Magnolia grandiflora

*Bauhinia x blakeana- Hong Kong Orchid Tree *Elaeocarpus decipiens- Japanese Blueberry

*Ilex x attenuata 'Eagleston' Eagleston Holly

*Lagerstroemea indica - Crape Myrtle

guidelines in the Street Tree Planting section 156.121

If Cul-De-Sac areas do not allow for Street Tree Planting due to space constraints, 9. Fence other than the chain link boundary fence will be a Decorative Aluminum fence (6') in height. required tree quantities will be added to the common green spaces throughout the 10. The street trees may be located within the home landscape beds, or as a stand-alone specimen in sod. community. 11. All proposed landscaping meets FDOT specifications.

*Location of street trees may vary due to the location of driveways

PLANT SCHEDULE TOTAL SITE PLANT LIST

TREES	CODE		BOTANICAL NAME	COMMON NAME	CONTAINER	HEIGHT	WIDTH	NOTES	NATIVE	CALIPER	
	CAL	100	Callistemon viminalis	Weeping Bottle Brush	65G	14`HT	5`SPR	F, SP		3" Calıper	
	CER	32	Conocarpus erectus	Buttonwood	45G	1 2` HT	5° SPR			3" Caliper	
<	QV	2	Quercus virginiana	Southern Live Oak	1 00G	16`HT	8` SPR	F, SP	Native	5" Caliper	
	QUV	253	Quercus virginiana	Southern Live Oak	65G	4" HT	5`SPR			3" Caliper	
L'ON THE	SP	102	Sabal palmetto	Sabal Palm	FG	10`-18` CT		HVY CAL, SP	Native		
SHRUBS	CODE	<u>QTY</u>	BOTANICAL NAME	COMMON NAME		HEIGHT	WIDTH	NOTES	NATIVE		
$\left\langle +\right\rangle$	AWB	793	Acalypha wilkesiana `Louisiana Red`	Red Copperieaf	3G	24" HT	24"W	FTB, SP	Non-native		
	CHR	84	Chrysobalanus icaco `Red Tip`	Red Tip Cocoplum	3G	24" HT	18"W	FTB	Native		
$\bigcirc \bigcirc$	CLU	935	Clusia guttifera	Smail-Leaf Clusia	15G	5`HT	4`W	FTB			
$\langle \cdot \rangle$	HAM	283	Hamelia patens "Compacta"	Dwarf Firebush	3G	36" HT	30"W	FTB	Non-native		
\bigcirc	МС	37	Myrica cerifera	Wax Myrtle	I 5G	5`HT	4`W	FTB			
And the second sec	ΡΑ	1,136	Pennisetum setaceum	White Fountain Grass	3G	24" HT	24"W	FTB			
	ROL	575	Rondeletia leucophylla	Panama Rose `Pınk`	3G	24" HT	24"W	FTB, SP	Non-native		
$\overline{\bullet}$	51	568	Schefflera arboricola `Trinette`	Schefflera	3G	24" HT	24"W	FTB, SP			
$\overline{\cdot}$	VIA	929	Viburnum awabuki	Evergreen Sweet Vıburnum	15G	5`HT	4`W	fтв			
GROUND COVERS	CODE	QTY	BOTANICAL NAME	COMMON NAME	CONTAINER	HEIGHT	WIDTH	NOTES	NATIVE		SPACING
	ILS	2,018	llex vomitoria `Stokes Dwarf`	Dwarf Yaupon	I G	I 2"HT	2"W	Fuli	Native		8" o.c.
	JUP	1,928	Juniperus chinensis `Parsonii`	Parsoni Juniper	3G	1 <i>0</i> " HT	I 5" SPR	Fuli	Non-native		24" o.c.

WMT-1 Southern Grove CDD No. 5 SOUTHERN GROVE PLAT NO. 18 (PB 73-25) WATER MANAGEMENT TRACT 1 Parcel ID: 4315-609-0001-000-5

Grande Pa Parcel ID: 4:

Grande Pa Parcel ID: 43

GENERAL LANDSCAPE NOTES:

1. At least 50% of all required trees shall be of a native species.

2. All plant material to be Florida No. 1 or better.

3. All landscape & sod areas to be irrigated by an automated system. that provides 100% coverage with 100% overlap with a minimum d.u. of .70.

4. All landscaping at intersection and corners complies with Section 158.204 of the Port St Lucie Code of Ordinances to provide a clear sight zone between 2' - 6' above the final road crown elevation. All hedges and shrubs with in the 25' sight triangle will be maintained at a height no higher than 2' above the crown elevation of the road. In addition, the foliage line any tree within the 25' sight triangle will maintained at a height of no less than 6' above the road crown.

5. Street tree locations will occur within 5' Landscape Easement as shown on civil engineering plans and can be adjusted based on final utility, sidewalk and driveway locations. 6. Where applicable, street trees requiring root barriers shall be installed with Biobarrier Root Control Fabric or approved equal. Install per manufacturer specifications.

7. Berm landscape to be field adjusted according to final grading and top of berm locations. *If medium or small canopy trees are used as alternates, planting intervals will follow The viburnum hedge will be planted along each side of the boundary fence or wall, following the top of berm.


8. The boundary feature will be either a Black Vinyl Covered Chain Link (6') in height or Opaque Concrete Wall (6') in height.



701 SE Ocean Blvd., Stuart, Florida 34994

(772) 220-2100, Fax (772) 223-0220

Key / Location:



Project Team:

Mattamy Homes, LLC. 1500 Gateway Blvd, Suite 220 Boynton Beach, FL 33426
Lucido & Associates 701 E Ocean Boulevard Stuart, FL 34994
Kimley Horn 445 24th Street, Suite 200 Vero Beach, FL 32960
Caulfield & Wheeler Inc. 410 S.E. Port St. Lucie Blvd. Port St. Lucie, Florida 34984

Mattamy at Southern Grove Plat 1

Cover Sheet

Port St. Lucie, Florida September 5, 2018

P18-121

Date	Ву	Description
09/05/18	RM	Initial Submittal
10/03/18	RM	Response to PSL Comments
12/17/18	RM	Response to PSL Comments
02/05/19	RM	Response to PSL Comments
04/16/19	RM	Response to PSL Comments
08/08/19	RM	Response to PSL Comments

PSLUSD NOTES FOR LANDSCAPE PLANS

1.All new landscaping within utility easements and within ten (10) feet of underground


infrastructure shall comply with PSLUSD technical specifications, policies, and codes.

2.No landscaping other than sod grasses may be planted within a 5' radius maintenance area of any utility appurtenances such as water meters, backflow devices, fire hydrants, sanitary sewer cleanouts, and manholes, air release valves, etc. Trees shall not be planted within ten (10) feet of any underground infrastructure.

3.No landscaping shall be planted in such a manner as to adversely affect utility installation,

operation and maintenance.

utility



0 100' 200'


REG. # 1018 Thomas P. Lucido


Designer	RM	Sheet
Manager	SG	
Project Number	18-550	CV
Municipal Number		
Computer File	18-550-Mattamy	SG2 Landscape-07-24-19.


400'


Index of Drawings:

Landscape Plans Plant List **Details & Specifications** SP-1, LA-1 - LA-16 CV LA-17 - LA-19










MATCHLINE LA-3

WETLAND/ CONSERVATION

MATCHLINE LA-3 MATCHLINE LA-4





NOTE:

REQUIRED MINIMUM LANDSCAPE PERIMETER BUFFER PROVIDED VIA ADJACENT EXISTING WETLAND/ **CONSERVATION.**

> WETLAND/ CONSERVATION

LA-4 MATCHLINE







.


TRACT-1 SOUTHERN GROVE PLAT NO. 21 (PB 75-1) TRACT 1

S MATCHLINE




Date	Ву	Description
09/05/18	RM	Initial Submittal
10/03/18	RM	Response to PSL Comments
12/17/18	RM	Response to PSL Comments
02/05/19	RM	Response to PSL Comments
04/16/19	RM	Response to PSL Comments
08/08/19	RM	Response to PSL Comments







Mattamy Homes, LLC. 500 Gateway Blvd, Suite 220 Boynton Beach, FL 33426
Lucido & Associates /01 E Ocean Boulevard Stuart, FL 34994
Kimley Horn 145 24th Street, Suite 200 /ero Beach, FL 32960
Caulfield & Wheeler Inc. 110 S.E. Port St. Lucie Blvd. Port St. Lucie, Florida 34984

Date	Ву	Description
09/05/18	RM	Initial Submittal
10/03/18	RM	Response to PSL Comments
12/17/18	RM	Response to PSL Comments
02/05/19	RM	Response to PSL Comments
04/16/19	RM	Response to PSL Comments
08/08/19	RM	Response to PSL Comments








Discovery Way

REG. # 1018 Thomas P. Lucido

Designer

Manager .**A-**9 Project Number **Municipal Number** Computer File 18-550-Mattamy SG2 Landscape-07-24-19.





N.T.S.

Mattamy Homes, LLC. 1500 Gateway Blvd, Suite 220 Boynton Beach, FL 33426

Lucido & Associates

701 E Ocean Boulevard Stuart, FL 34994

Kimley Horn 445 24th Street, Suite 200

Caulfield & Wheeler Inc.

Vero Beach, FL 32960

Key / Location:

Project Team:

Property Owner:

Landscape Architect:

Client &

Engineer

Surveyor

PRØJECT LOCATION

410 S.E. Port St. Lucie Blvd. Port St. Lucie, Florida 34984


Mattamy at **Southern Grove** Plat 1

Landscape Plans


Port St. Lucie, Florida September 5, 2018

P18-121


Date	Ву	Description
09/05/18	RM	Initial Submittal
10/03/18	RM	Response to PSL Comments
12/17/18	RM	Response to PSL Comments
02/05/19	RM	Response to PSL Comments
04/16/19	RM	Response to PSL Comments
08/08/19	RM	Response to PSL Comments




Lucido & Associates. Any reproductions, revisions, modifications or use of these documents without the express written consent of Lucido & Associates is prohibited by law.





Date	Ву	Description
09/05/18	RM	Initial Submittal
10/03/18	RM	Response to PSL Comments
12/17/18	RM	Response to PSL Comments
02/05/19	RM	Response to PSL Comments
04/16/19	RM	Response to PSL Comments
08/08/19	RM	Response to PSL Comments






without the express written consent of Lucido & Associates is prohibited by law.






Client & Property Owner:	Mattamy Homes, LLC. 1500 Gateway Blvd, Suite 220 Boynton Beach, FL 33426
Landscape Architect:	Lucido & Associates 701 E Ocean Boulevard Stuart, FL 34994
Engineer	Kimley Horn 445 24th Street, Suite 200 Vero Beach, FL 32960
Surveyor	Caulfield & Wheeler Inc. 410 S.E. Port St. Lucie Blvd. Port St. Lucie, Florida 34984

Date	Ву	Description
09/05/18	RM	Initial Submittal
10/03/18	RM	Response to PSL Comments
12/17/18	RM	Response to PSL Comments
02/05/19	RM	Response to PSL Comments
04/16/19	RM	Response to PSL Comments
08/08/19	RM	Response to PSL Comments



09/05/18	RM	Initial Submittal
10/03/18	RM	Response to PSL Comments
12/17/18	RM	Response to PSL Comments
02/05/19	RM	Response to PSL Comments
04/16/19	RM	Response to PSL Comments
08/08/19	RM	Response to PSL Comments






701 SE Ocean Blvd., Stuart, Florida 34994

(772) 220-2100, Fax (772) 223-0220

N.T.S.

Key / Location:



Project Team:

•	
Client & Property Owner:	Mattamy Homes, LLC. 1500 Gateway Blvd, Suite 220 Boynton Beach, FL 33426
Landscape Architect:	Lucido & Associates 701 E Ocean Boulevard Stuart, FL 34994
Engineer	Kimley Horn 445 24th Street, Suite 200 Vero Beach, FL 32960
Surveyor	Caulfield & Wheeler Inc. 410 S.E. Port St. Lucie Blvd. Port St. Lucie, Florida 34984


Mattamy at Southern Grove Plat 1

Landscape Plans

Port St. Lucie, Florida September 5, 2018


P18-121


Date	Ву	Description
09/05/18	RM	Initial Submittal
10/03/18	RM	Response to PSL Comments
12/17/18	RM	Response to PSL Comments
02/05/19	RM	Response to PSL Comments
04/16/19	RM	Response to PSL Comments
08/08/19	RM	Response to PSL Comments




Project Number 18-550 Municipal Number ---Computer File 18-550-Mattamy SG2 Landscape-07-24-19.

OPTIONAL DESIGN ELEMENTS SUCH AS BERM ELEVATION, FENCE OR WALL AND SPECIES SUBSTITUTIONS WILL BE PROVIDED AT TIME OF FINAL PLAT.







NOTES:

- 1- SEE LANDSCAPE PLAN FOR FENCE ALIGNMENT.
- 3- NO PRUNING SHALL BE PERFORMED EXCEPT BY APPROVED ARBORIST.
- 4- NO EQUIPMENT SHALL OPERATE INSIDE THE PROTECTIVE FENCING INCLUDING DURING
- FENCE INSTALLATION AND REMOVAL.



PRØJECT LOCATION

Key / Location:

	N.T.S.
Project Team:	
Client & Property Owner:	Mattamy Homes, LLC. 1500 Gateway Blvd, Suite 220 Boynton Beach, FL 33426
Landscape Architect:	Lucido & Associates 701 E Ocean Boulevard Stuart, FL 34994
Engineer	Kimley Horn 445 24th Street, Suite 200 Vero Beach, FL 32960
Surveyor	Caulfield & Wheeler Inc. 410 S.E. Port St. Lucie Blvd. Port St. Lucie, Florida 34984

Mattamy at **Southern Grove** Plat 1


Landscape Plans

Port St. Lucie, Florida September 5, 2018

P18-121

Date	Ву	Description
09/05/18	RM	Initial Submittal
10/03/18	RM	Response to PSL Comments
12/17/18	RM	Response to PSL Comments
02/05/19	RM	Response to PSL Comments
04/16/19	RM	Response to PSL Comments
08/08/19	RM	Response to PSL Comments

- SOIL MIX THE SAME THROUGHOUT THE PLANTING PIT AND DRAINAGE CHANNEL.



LA-18 Project Number 18-550 Municipal Number 18-550-Mattamy SG2 Landscape-07-24-19.dwg Computer File

PART 1:					
1.01 A.	SCOPE: The landscape contract includes the supplying and planting of all trees, shrubs, vines, and ground cover together with all necessary labor, equipment, tools and materials needed for the successful completion, execution and maintenance of the landscape plans.	2.02 A.	INSPECTION The Landscape Architect and Owner may inspect trees and shrubs at place of growth or at site before planting, for compliance with requirements for genus, species, variety, size and quality. The Landscape Architect and Owner retain the right to further inspect trees	I.	All plants shall be set to ultimate fin be removed from sides and top of t
1.02 A.	AGENCY STANDARDS: Grades and standards of plant materials to be used shall be true to name, size, condition and graded Florida #1 or better as stated in: Grades and Standards of Florida Plant Materials published by the State of Florida Department of Agriculture, Tallahassee, Florida.		and shrubs for size and condition of balls and root systems, insects, injuries and latent defects, and to reject unsatisfactory or defective material at any time during progress of work. Rejected plant materials shall be immediately removed from project site.	J. K.	All flagging ribbon shall be removed Excess excavation (fill) from all hole
1.03 A.	SITE EXAMINATION: The Landscape Contractor shall personally examine the site and fully acquaint him/herlself with all of the existing conditions in order that no mis-understanding may afterwards arise as to the character or extent of the work to be performed, and, additionally, in order to acquaint him/herself with all precautions to be taken in order to avoid injury to property or persons. No additional compensation will be	2.03 A.	PROTECTION OF PLANT MATERIALS: Balled and burlapped plants (B & B) shall be dug with firm natural balls of earth of sufficient diameter and depth to encompass the fibrous and feeding root system necessary for full recovery of the plant. Balls shall be firmly wrapped with burlap similar materials and bound with cord, rope, or wire mesh. All collected plants shall be balled and burlapped.	L.	All palms shall be backfilled with sa the soil line for future watering's. Sa manner.
1.04	granted because of any unusual difficulties which may be encountered in the execution or maintenance of any portion of the work.	В. С.	Plants with broken, damaged or insufficient rootballs will be rejected. All plant material shall be protected from possible bark injury or breakage of branches. All plants transported by open trucks shall be	3.04 A.	PRUNING: Remove dead and broken branches and spread as possible in a mannel
A.	The plant list is a part of the drawings and is furnished as a convenience. The plant list indicates the name, size and quantities of specific plant materials as called for and is located on the drawings. The Landscape Contractor is responsible for his/her own quantity count, and any discrepancy between drawings and plant list shall be considered as correct on the drawings.	D.	adequately covered to prevent windburn, drying or damage to plants. Plants which cannot be planted immediately on delivery to the site shall be covered with moist soil, mulch or other protection from the	В.	Make all cuts with sharp instrument made at right angles to line of grow
В.	The Landscape Contractor shall not take advantage of errors or omissions in the specifications or contract drawings. Full instruction will be given if such errors are discovered. Upon the discovery of any discrepancies in, or omissions from the drawings or documents,	2.04	drying of wind and sun. All plants shall be watered as necessary by the Landscape Contractor until planted.	C.	Trees shall not be poled or topped.
	or should the Landscape Contractor be in doubt as to their meaning, the Landscape Architect shall be notified and will determine the actions necessary to each query.	А. В.	All plant materials shall be stored on the site in designated areas, specified by the Landscape Architect or Owner's agent. No plant material shall be stored longer than seventy-two (72) hours unless approved by Landscape Architect and/or owner.	D. 3.05	Remove all trimming from site.
C.	If plans and specifications are found to disagree after the contract is awarded, the Landscape Architect shall be the judge as to which was intended.	C.	The Landscape Architect reserves the right to reject any plant materials not in conformance with these specifications.	Α.	All trees over six (6') feet in height s gauge malleable galvanized iron, in
1.05 A.	EXECUTION OF THE WORK: The Landscape Contractor shall have his labor crews controlled and directed by a Foreman well versed in plant materials, planting	D.	All rejected material shall be immediately removed from the site and replaced with acceptable material at no cost to the Owner.	В.	Wires shall not come in direct conta
В.	methods, reading plans, and coordination between job and nursery in order to execute installation correctly and in a timely manner. The Landscape Contractor shall provide a competent English-speaking Foreman on the project at all times, who shall be fully authorized as the Contractor's agent on the work. The Foreman shall be capable of reading and thoroughly understanding the Plans,	2.05 A.	PROTECTION DURING PLANTING: Trees moved by winch or crane shall be thoroughly protected from chain marks, girdling or bark slippage by means of burlap, wood battens or other approved methods. Battens shall NOT be attached to the tree with nails	C.	shall be fastened in such a manner Stake & Brace all trees larger than tree.
C.	Specifications and other Contract Documents. If the Superintendent is deemed incompetent by the Landscape Architect, he (the superintendent) shall be immediately replaced. The Landscape Contractor shall be available for any meetings with the Owner and/or Landscape Architect during implementation of	2.06 A.	TOP SOIL: Planting soil for all plantings shall consist of topsoil and be natural, friable, fertile, fine loamy soil possessing characteristics of representative topsoil in the vicinity of the project site that produces heavy growth. Topsoil shall have a PH range of 5.5-7.4, free from subsoil, weeds, litter, sods, clay, stones, stumps, roots, trash, herbicides, toxic substances, or any other material which may be harmful	D.	Turnbuckles for guying trees shall t tight guy wires.
	the job. Any additional work or changes required as a result of failure to communicate with the Owner or Landscape Architect during implementation will be the responsibility of the Landscape Contractor.		to plant growth, or hinder planting operations. Topsoil shall contain a minimum of 3% organic material. Topsoil must percolate water at a rate of 1" per hour (See also drainage testing detail for trees)	3.06 A.	WATER: Each plant or tree shall be thorough of the Landscape Contractor until fi
1.06 A.	PROTECTION OF PUBLIC AND PROPERTY: The Landscape Contractor shall protect all materials and work against injury from any cause and shall provide and maintain all necessary safeguards for the protection of the public. He shall be held responsible for any damage or injury to persons or property which may occur as a result of his fault or negligence in the execution of the work, i.e. damage to underground pipes or cables.	B. the well as	Landscape Area Preparation. The intent of this section is to ensure a healthy growing environment for all planting material in <u>all</u> landscaped areas. Landscape Contractor to examine existing soils prior to planting to ensure conformance to <u>all</u> definitions of "Topsoil" (seeLandscape Area Preparation Detail); In addition, a 3" layer of high organic (min 40%) potting soil shall be added to topsoil and mixed in at time of planting. <i>East Coast Recycling Inc.</i> is a recommended source for imported Topsoil (if needed) as the top 3" layer of potting soil.	В.	Prior to installing any irrigation systection conduct a particle size and count at test results to the owner/owner's rewritten approval to do so.
1.07 A.	CHANGES AND EXTRAS: The Contractor shall not start work on any changes or "extras" in the project until a written agreement setting forth the adjusted prices has been executed by the Owner and the Contractor. Any work performed on changes or "extras" prior to execution of a written		Existing soils must meet <u>all</u> definitions of 'Topsoil' as described above in <u>all</u> planting areas throughout the site. If existing soils do not meet all definitions of Topsoil, please refer to the 'Landscape Area Preparation' detail. Examination may require existing soils	3.07 A.	SOD: The Landscape Contractor shall so
1.08	agreement may or may not be compensated for by the Owner at his discretion. GUARANTEE:		to be tested by an accredited testing laboratory. Should a soil test be necessary, Contractor shall contact soil testing lab directly to confirm such lab's soil collection and transmittal protocol; all costs if any shall be borne by the Contractor. Contractor shall provide to Landscape Architect for review the results of the soil test if conducted. Contractor shall schedule an on-site meeting with	В.	It shall be the responsibility of the L stones, and other debris.
	The Landscape Contractor shall furnish a written guarantee warranting all materials, workmanship and plant materials, except sod, for a period of 18 MONTHS from the time of completion and acceptance by the Landscape Architect and Owner. Sod shall be guaranteed to 90 calendar days after acceptance by the Landscape Architect and Owner. All plant material shall be alive and in satisfactory condition and growth for each specific kind of plant at the end of the guarantee period. The guaranteeing of plant material shall be construed to		Landscape Architect to review existing and/or imported soils prior to planting. The Landscape Area Preparation is the responsibility of the Landscape Contractor. He/she shall except all responsibility of planting soils and shall honor all guarantee items in section 1.08.	C.	The sod shall be firm, tough texture weeds, or any other objectionable v free from stones and debris.
	mean complete and immediate replacement with plant material of the same variety, type, size, quality and grade as that of the originally specified material. During the guarantee period it shall be the Landscape Contractor's responsibility to immediately replace any dead or unhealthy material as determined by the Landscape Architect. The guarantee will be null and void if plant material is damaged by lightning, hurricane force winds, or any other acts of God, as well as vandalism or lack of proper maintenance.	2.07 A.	FERTILIZER: Commercial fertilizer shall comply with the state and local fertilizer laws. Nitrogen shall not be less than 40% from organic source. Inorganic chemical nitrogen shall not be derived from the sodium form of nitrate. Fertilizers shall be delivered to the site in unopened original containers, each bearing the manufacturer's guaranteed analysis. Any fertilizer that becomes caked or otherwise damaged	D.	Before being cut and lifted, the sod than seven days before the sod is c
В.	At the end of the specified guarantee period, any plant required under this contract that is dead or not in satisfactory condition, as determined by the Landscape Architect, shall be replaced. The Landscape Contractor shall be responsible for the full replacement cost	в	shall be rejected. Thoroughly mixed 3 lbs. of commercial fertilizer to each cubic yard of planting soil.	E. F.	6-6-6 fertilizer with all trace elemen Solid sod shall be laid with closely a
	of plant materials for the first replacement and share subsequent replacement (s) costs equally with the Owner, should the replacement plant fail to survive.	С.	Tabletized fertilizer shall be Agriform planting tablets 20-10-5 formula, 21 gram or equal. All trees and shrubs shall be fertilized with tabletized fertilizer as follows. While backfilling plant holes, fertilizer tablets shall be equally spaced and placed adjacent to the ball	G.	The finished level of all sod areas a borders to allow for building turf.
1.09 A.	CARE AND MAINTENANCE: The Landscape Contractor shall be responsible for the care and maintenance of all plant materials and irrigation when applicable until final acceptance by the Owner or Landscape Architect.		mid-way in depth in accordance with the following rates:	Н.	If in the opinion of the Landscape A entire surface and thoroughly wash
В. 1.10	The Owner agrees to execute the instructions for such care and maintenance.		3 gallon container 2 tablets 5 gallon container 3 tablets 7 gallon container 5 tablets	3.08 A.	SEEDING: The Landscape Contractor shall ren then apply fertilizer at a rate of 500
A.	It shall be the responsibility of the Landscape Contractor to protect all persons from injury and to avoid property damage. Adequate warning devices shall be placed and maintained during the progress of the work.		Large tubs, wire baskets, grow bags, and balled and burlapped material shall have 1 tablet for each 1/2 inch of trunk diameter (measured 3 feet from ground) or for each foot of height or spread of larger shrub material. The Landscape Architect reserves the right to inspect and review the application of fertilizer.	В.	Application: Argentine Bahia Grass seed mixtures shall be applied per
В.	It shall be the contractor's responsibility to conform to all local, state, and federal safety laws and codes including the Federal Occupational Safety And Health Act (O.S.H.A.).	2.08 A.	MULCH: Mulch material shall be clean, dry, free of weeds, seeds and pests, moistened at the time of application to prevent wind displacement.	C.	Roll immediately after seeding with
1.11 A. 1. A	CONTRACTOR QUALIFICATION: The Owner may require the apparent contractor (s) to qualify him/herself to be a responsible entity by furnishing any or all of the following documentary data: A financial statement showing assets and liabilities of the company current to date.	В.	Cypress &/or Red mulch is prohibited. All trees and shrub beds shall receive 3" mulch immediately after planting and thoroughly watered. Apply 2" max on tree & palm rootballs, keep 6" away from tree & palm trunks or as required by local jurisdiction.	D. 3.09 A.	Apply fertilizer at the rate of 150 lbs CLEANING UP: The contractor shall at all times kee
2. A 3. F	Nisting of not less than (3) completed projects of similar scope and nature. Permanent name and address of place of business. The number of regular employees of the organization and length of time the organization has been in business under the present	PART 3	EXECUTION	3.10	work. He shall leave all paved area MAINTENANCE:
name. 1.12	INSURANCE AND BONDING:	3.01 A.	DIGGING: The Landscape Contractor shall exercise care in digging and other work so as not to damage existing work, including overhead wires,	A.	Maintenance shall begin immediate or Landscape Architect. Maintenan- upright positions, spraying, restorat
A.	The contractor (s) shall submit proof of insurance for this job for the time period that the work is done. The minimum amount of insurance shall be \$300,000.00 per person and \$300,000.00 per aggregate or as required by owner and agreed to in the contract. The		underground pipes and cables and the pipes and hydrants of watering systems. Should such overhead or underground obstructions be encountered which interfere with planting, the Owner shall be consulted and contractor will adjust the location of plants to clear such obstruction. The Contractor shall be responsible for the immediate repair of any damage caused by his work.	В.	Proper protection to lawn areas sha
В.	successful bidder shall be required to have this coverage in effect before beginning work on the site. The Owner shall have the right to require the Contractor to furnish bonds covering faithful performance of the Contract and payment	3.02 A.	GRADING: Grading for drainage, swales, etc. to within 4 inches of the finished grade to be provided by others.	C.	Replacement of plants during the m the part of others, lighting, or hurric
1.13	obligations arising thereunder as stipulated in bidding requirements or specifically required in the Contract Documents on the date of execution of the Contract. PERMITS AND CERTIFICATES:	В.	It shall be the responsibility of the Landscape Contractor to provide the final grading during the course of landscape installation so as to bring sod and planting areas to their proper elevations in relation to walks, paving, drain structures, and other site conditions. The site grading plan must be checked prior to installation of sod to insure that drainage and other conditions will NOT be modified.	D. E.	In the event that weeds or other und Trees or other plant material which
A.	All contractors shall secure and pay for all permits and certificates required for his/her class of work.	3.03	PLANTING: Planting shall take place during favorable weather conditions.	3.11	expense to the Owner, the only exc
PART 2: 2.01	MARTERIALS	А. В.	The Contractor shall call for utility locates and ascertain the location of all utilities and easements so proper precautions can be taken	A.	Completion of the work shall mean Drawings and in the Specifications, Contractor.
A.	A complete list of plants is shown on the drawings, including a schedule of quantities, sizes, and such other requirements deemed necessary. In the event discrepancies occur, the specifications on the drawings shall govern.	C.	not to damage or encroach on them. Tree Planting shall be located where it is shown on the plan. No planting holes shall be dug until the proposed locations have been staked on the ground by the Contractor.	В.	Inspection of work to determine con and/or Landscape Architect at the c
В.	Substitutions: Substitutions of plant materials or changes in size or spacing of materials will be permitted ONLY upon written authorization by the Owner or the Landscape Architect. If plant material is not of sufficient size to meet applicable codes, a letter of variance from the appropriate agency must be obtained by the Contractor prior to issuance of any change order. If material of smaller	D.	Excavation of holes shall extend to the required subgrades as specified on the planting diagrams located in the landscape plans. Plant pits shall be circular in outline and shall have a profile which conforms to the aforementioned "Tree and Shrub Planting Diagrams".	C.	All plant material shall be alive and each plant according to Florida Gra
	size is to be accepted, the quantity of material shall be increased, at no additional cost to the Owner, to meet the intent of the drawings.	E.	A representative number of planting pits (a minimum of one in every 25 feet throughout the entire site) shall be tested for proper drainage. See Landscape Details for complete testing methods and requirements.	D.	Specifications at the time of final ins After inspection, the Landscape Co
C.	All plant materials shall have a habit of growth that is normal for the species and shall be healthy, vigorous and equal to or exceed the measurements specified in the plant list, which are the minimum acceptable sizes. Plants shall be measured before pruning with branches in normal position. Any necessary pruning shall be done at the time of planting.	F.	Planting pits shall be excavated to the following dimensions and backfilled with Topsoil- see Landscape Area Preparation Detail; 1 Gallon material (1 gal.): 12" x 12" x 12" min.	E.	exclusive of the possible replaceme All trees & shrubs shall be straigh
D.	All plant materials shall be nursery grown, unless otherwise noted, Florida #1 or better and shall comply with all required inspections, grading standards and plant regulations as set forth by the Florida Department of Agriculture's Grades and Standards for Nursery Plants, most current addition.		3 Gallon material (3 gal.): 20" x 20" x 18" min. Lerio material (7 gal.): 30" x 30" x 24" min. Field grown material and trees: 1-1/2 times width of ball and depth of ball plus 12" min.		shipping and identification tags &
Е.	Plants that do not have the normal balance of height and spread typical for the respective plant shall not be acceptable.	G.	No planting or laying of sod shall be initiated until the area has been cleaned of existing sod or other plant materials, rough grass, weeds, debris, stones etc. and the ground has been brought to an even grade, with positive drainage away from buildings and towards drain inlets and swales and approved by Landscape Architect or owner's rep.		
F.	The Landscape Contractor shall install each plant to display its best side. Adjustments may be required if plants are not installed properly and/or approved by the Landscape Architect at no additional cost to owner.	Н.	Each plant shall be planted in an individual hole as specified for trees, shrubs, and vines.		

te finished grade. No filling will be permitted around trunks or stems. All ropes, wire, stakes, etc., shall p of the ball and removed from hole before filling in.

noved from trees and shrubs before planting.

I holes shall be removed from the site, at no additional expense to Owner.

th sand, thoroughly washed in during planting operations and with a shallow saucer depression left at 3. Saucer areas shall be top-dressed two (2") inches deep with topsoil raked and left in a neat, clean

nches from all plant material. Prune to retain typical growth habit of individual plants with as much height anner which will preserve the plant's natural character.

ments flush with trunk or adjacent branch, in such a manner as to insure elimination of stubs. Cuts growth will not be permitted.

ed.

ight shall, immediately after setting to proper grade, be guyed with three sets of two strands, No. 12 on, in tripod fashion. See Detail.

contact with the tree but shall be covered with an approved protection device at all contact points. Wires nner as to avoid pulling crotches apart.

han 12' oa. See detail. Stakes shall be 2" x 2" lumber of sufficient length to satisfactorily support each

hall be galvanized or cadmium plated and shall be of adequate size and strength to properly maintain

oughly watered in after planting. Watering of all newly installed plant materials shall be the responsibility ntil final acceptance by the Landscape Architect.

system components, the contractor shall obtain a water sample from the proposed water supply and Int analysis on the sample using the services of a reputable lab certified in such analysis. Submit the 's representative for review and approval. Do not proceed further with system installation until given

Il sod all areas indicated on the drawings.

the Landscape Contractor to fine grade all landscape areas, eliminating all bumps, depressions, sticks,

xture, having a compacted growth of grass with good root development. It shall contain no noxious ble vegetation, fungus, insects, or disease. The soil embedded in the sod shall be good clean earth,

sod shall have been mowed at least three times with a lawn mower, with the final mowing not more d is cut. The sod shall be carefully cut into uniform dimensions.

ments is to be applied at the rate of 40 lbs. per 1,000 sq. ft. prior to laying sod.

sely abutting, staggered joints with a tamped or rolled, even surface.

eas after settlement shall be one (1") inch below the top of abutting curbs, walks, paving and wood

pe Architect, top dressing is necessary after rolling, clean yellow sand will be evenly applied over the washed in.

Il remove all vegetation and rocks larger than (1") in diameter from areas to be seeded, scarify the area, 500 lbs. per acre.

arass seed- 200 Pounds per acre mixed with common hulled Bermuda seed- 30 lbs. per acre. All other per the manufacturer's instructions.

with a minimum 500 pound roller, then apply straw mulch at the rate of 2,500 pounds per acre.

0 lbs. per acre 45-60 days after seeding.

s keep the premises free from accumulations of waste materials or rubbish caused by his employees or areas "broom clean" when completed with his work.

diately after each plant is installed and shall continue until all planting has been accepted by the Owner enance shall include watering, weeding, removal of dead materials, resetting plants to proper grades or toration of planting saucer and/or any other necessary operations.

s shall be provided and any damage resulting from planting operations shall be repaired promptly.

he maintenance period shall be the responsibility of the Contractor, excluding vandalism or damage on urricane force winds, until final acceptance.

er undesirable vegetation become prevalent, it shall be the Contractor's responsibility to remove them.

hich fall or are blown over during the maintenance period will be reset by the Contractor at no additional y exception being hurricane force winds.

AND ACCEPTANCE: ean the full and exact compliance and conformity with the provisions expressed or implied in the ions, including the complete removal of all trash, debris, soil or other waste created by the Landscape

e completion of contract, exclusive of the possible replacement of plants, will be made by the Owner the conclusion of all planting and at the request of the Landscape Contractor.

and in good growing condition for each specified kind of plant at the time of acceptance. The rating of a Grades and Standards shall be equal to or better than that called for on the plans and in these al inspection and acceptance.


e Contractor will be notified by the Owner of the acceptance of all plant material and workmanship, cement of plants subject to guarantee.

aight and in correct position per the landscape plans, details and specifications. All nursery, gs & ribbons shall be removed from trees & shrubs immediately after planting.



701 SE Ocean Blvd., Stuart, Florida 34994

(772) 220-2100, Fax (772) 223-0220



N.T.S. Project Team: Client & Mattamy Homes, LLC. 1500 Gateway Blvd, Suite 220 Property Owner: Boynton Beach, FL 33426 Landscape Architect: Lucido & Associates 701 E Ocean Boulevard Stuart, FL 34994 Kimley Horn Engineer 445 24th Street, Suite 200 Vero Beach, FL 32960 Surveyor Caulfield & Wheeler Inc. 410 S.E. Port St. Lucie Blvd. Port St. Lucie, Florida 34984

Mattamy at **Southern Grove** Plat 1

Landscape Plans

Port St. Lucie, Florida September 5, 2018

P18-121

•	Date	Ву	Description
	09/05/18	RM	Initial Submittal
	10/03/18	RM	Response to PSL Comments
•	12/17/18	RM	Response to PSL Comments
	02/05/19	RM	Response to PSL Comments
	04/16/19	RM	Response to PSL Comments
	08/08/19	RM	Response to PSL Comments



SCALE: 1" = NA

REG. # 1018 Thomas P. Lucido

Designer Manager Project Number	RM SG 18-550	^{Sheet}
Project Number Municipal Number Computer File		LAC I J SG2 Landscape-07-24-19.dv